, (i Lie) (i	BLE STAND OPERATING	, II (D			STORAGE					
RATING	TEMPERATURE RANGE		-55 °C TO 85 °C ⊕ T		TEMPERATU		-10 °C TO 60	-10 °C TO 60 °C ©		
			50 V AC		OPERATING RANGE	HUMIDITY	95 % RH MAX.			
			0.3 A			(NO DEW CONDENSATION IS PE			TED)	
			SPEC	IFICAT	IONS					
ITEM			TEST METHOD			REQUIREMENTS			- A	
CONSTRU	JCTION									
MARKING		VISUALLY AND BY MEASURING INSTRUMENT. CONFIRMED VISUALLY.				RDING TO D	DRAWING.	×	×	
	CHARAC									
CONTACT RESISTANCE		,				70 mΩ MAX.			-	
INSULATION RESISTANCES		100 V DC				100 MΩ MIN.			-	
VOLTAGE PROOF		150 V AC FOR 1 min.				NO FLASHOVER OR BREAKDOWN.				
MECHANI	CAL CHAR	ACTERIS	TICS							
INSERTION AND WITHDRAWAL FORCE		MEASURED BY APPLICABLE CONNECTOR.			I		E: 54 N MAX. RCE: 3.6 N MIN.	×	-	
MECHANICAL OPERATION		50 TIMES INSERTIONS AND EXTRACTIONS.			② NO	① CONTACT RESISTANCE: 80 mΩ MAX. ② NO DAMAGE, CRACK AND LOOSENESS OF PARTS.			-	
VIBRATION		FREQUENCY 10 TO 55 Hz, SINGLE AMPLITUDE: 0.75 mm, 10 CYCLES IN 3 DIRECTIONS.			① NO 1 μs	NO ELECTRICAL DISCONTINUITY OF 1 µs MIN.			†-	
SHOCK		490 m/s ² , DURATION OF PULSE 11 ms FOR 3 TIMES IN 3 DIRECTIONS.				© NO DAMAGE, CRACK AND LOOSENESS OF PARTS.			-	
ENVIRON	MENTAL C	HARACTE	ERISTICS							
DAMP HEAT (STEADY STATE)		EXPOSED AT $40\pm2^{\circ}\text{C}$, $90\sim95\%$, 96 hrs.			-	\bigcirc CONTACT RESISTANCE: 80 m Ω MAX. \bigcirc INSULATION RESISTANCE:100 M Ω MIN.			-	
RAPID CHANGE OF TEMPERATURE		TEMPERATURE -55 \rightarrow +15 \sim +35 \rightarrow +85 \rightarrow +15 \sim +35 \circ C TIME 30 \rightarrow 2 \sim 3 \rightarrow 30 \rightarrow 2 \sim 3 min. 5 CYCLES.				DAMAGE, C PARTS.	CRACK AND LOOSENES	S	-	
DRY HEAT		EXPOSED AT 85 °C , 96 hrs.				NTACT RES	SISTANCE: 80 mΩ MAX.	×	-	
COLD		EXPOSED AT - 55 °C , 96 hrs.				② NO DAMAGE, CRACK AND LOOSENESS OF PARTS.				
CORROSION SALT MIST		48 hrs.				NO HEAVY CORROSION.				
SULPHUR DIOXIDE		EXPOSED IN 10 PPM FOR 96 hrs. (TEST STANDARD: JIS C 0090)				① CONTACT RESISTANCE: 80 m Ω MAX. ② NO HEAVY CORROSION.			-	
RESISTANCE TO SOLDERING HEAT		1) REFLOW SOLDERING : 250 °C MAX, : 220 °C MIN, FOR 60 s				NO MELTING OF RESIN WHICH AFFECTS THE PERFORMANCE OF COMPORNENT.			-	
		2) SOLDERING IRONS : 360 °C, FOR 5 s						×	-	
SOLDERABILITY		SOLDERED AT SOLDER TEMPERATURE, 240°C, FOR IMMERSION DURATION, 3 sec.				NO PINHOLE OR DEWETTING ON SOLDERED SURFACE.			-	
COUN	T DE	L ESCRIPTION	OF REVISIONS		DESIGNED	IED CHECKED		DA	ATE	
<u>A</u>	1) ====================================				1		_ [
			ES A LONG-TERM STORAGE STATE			APPROVED HS.OKA			10.1	
FOR THE UNUSED PR		SED PRODUC	PRODUCT BEFORE THE BOARD MOUNTED.			DESIGNED		_	10.1	
Unless otherwise specified, re			efer to JIS C 5402.			DESIGNEL	TK. YANAGISAWA		10.1	
Note QT:Qualification Test AT:Assi							ELC4-15261			
Note QT:Qi					- IV (0011V	EV444 COD /C OVO 5		5		
HRS	SI	PECIFIC	ATION SHEET	F	PART NO.	FX1	11A-60P/6-SVO. 5	(71)		