



## ADAFRUIT 1.54" TRI-COLOR EINK / EPAPER DISPLAY WITH SRAM - RED BLACK WHITE

PRODUCT ID: 3625

Easy e-paper finally comes to microcontrollers, with this breakout that's designed to make it a breeze to add a tri-color elnk display. Chances are you've seen one of those new-fangled 'e-readers' like the Kindle or Nook. They have gigantic electronic paper 'static' displays – that means the image stays on the display even when power is completely disconnected. The image is also high contrast and very daylight readable. It really does look just like printed paper!

We've liked these displays for a long time, but breakouts were never designed for makers to use. Finally, we decided to make our own!

We're starting with this small 1.54" tri-color display. It has 152x152 black and red ink pixels and a white-ish background. Using our Arduino library, you can create a 'frame buffer' with what pixels you want to have activated and then write that out to the display. Most simple breakouts leave it at that. But if you do the math,  $152 \times 152$  pixels  $\times 2$  colors = 5.7 KBytes. Which won't fit into many microcontroller memories. Heck, even if you do have 32KB of RAM, why waste 6KB?

So we did you a favor and tossed a small SRAM chip on the back. This chip shares the SPI port the elnk display uses, so you only need one extra pin. And, no more frame-buffering! You can use the SRAM to set up whatever you want to display, then shuffle data from SRAM to elnk when you're ready. The library we wrote does all the work for you, you can just interface with it as if it were an Adafruit\_GFX compatible display.

For ultra-low power usages, the onboard 3.3V regulator has the Enable pin brought out so you can shut down the power to the SRAM, MicroSD and display.

We even tossed on a MicroSD socket so you can store images, text files, whatever you like to display. Everything is 3 or 5V logic safe so you can use it with any and all microcontrollers.

Comes assembled and tested, with some header. You'll need a soldering iron to attach the header for breadboarding or installing into your project.

## TECHNICAL DETAILS

Product Dimensions: 43.6mm x 43.0mm x 5.0mm / 1.7" x 1.7" x 0.2"

Product Weight: 9.0g / 0.3oz





