## NOTE:

1. ELECTRIC PERFORMANCE

IMPEDANCE  $(\Omega)$ FREQUENCY RANGE : DC-6GHz

VSW R : ≤ 1.065 (DC-3GHz) : ≤1.2 (3-6GHz)

INSERT LOSS (dB) : ≤ 0.1

PIM(dBc) : ≤-160 (2X43dBm)

INSULATION RESISTANCE (M $\Omega$ ) : >5000 :2500 PROOF VOLTAGE(V)

CONDUCTOR RESISTANCE (m $\Omega$ ): OUTER CONDUCTOR <0.2

INNER CONDUCTOR <0.8

II. MECHANICAL PERFORMANCE NUT TORQUE N : 5Nm MECHANICAL WEAR : 500

III. MATERIAL AND PLATING INNER CONDUCTOR : SPRING COPPER PLATING Ag5 µm OUTER CONDUCTOR : BRASS PLATING COPPER-TIN-ZINC 2 µm

: BRASS PLATING Ni5 µm NUT


INSULATOR : PTFE


IV. ENVIRONMENT

TEMP RANGE : -55 °C TO +155 °C W ATERPROOF STANDARD : IP67

ROHS COMPLIANT

242 35				REVISIONS					
	DRAWING NO.		REV	DESCRIPTION	DATE	ECO	APPR		
	THIRD ANGLE PROJ. 🕀 🖯		NC	INITIAL RELEASE	13-Jun-99				
		А	UPDATE DRAWING FORMAT / MODIFY PLATING SPEC	22-May-05					
			В	ADDED NOTED, ISOMETRIC VIEW & LOW PIM ADDED IN DESCRIPTION	03-0ct-12	2388	MG		





SCALE 1.000

4	INSULATOR	PTFE	NATURAL	1
3	NUT	BRASS	NICKEL	1
2	INNER CONDUCTOR	SPRING COPPER	SILVER	1
1	OUTER CONDUCTOR	BRASS	WHITE BRONZE	1
NO	DESCRIPTION	MATERIAL	FINISH	QTY

	±.015	(0,381	mm )	±.005	(0,127 mm)	± I°
Г	NOTICE - Th	ese drawi	ngs, specif	ications,	or other data (	l) are, and remain the
	property of	Amphenol	Corp. (2)	must be r	eturned upon requ	uest; and (3) are
	confidentia	I and not	to be disc	losed to	any person other	than those to whom they
	are given b	y Ampheno	I Corp. Th	e furnish	ing of these draw	wings, specifications, or
	other data	by Ampheno	ol Corp., a	r to any	other person to a	anyone for any purpose is
	not to be r	egarded by	y implicati	on or oth	erwise in any mai	nner licensing, granting
	rights or p	ermitting	such holde	r or any	other person to r	manufacture, üse or sell ar
	product, pr	ocess or	design, pat	ented or	otherwise, that r	may in any way be related :
	or disclose	d by said	drawings,	specifica	tions, or other o	data.
	or disclose	d by said	drawings,	specifica	tions, or other o	data.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES

MATERIAL
REFERENCE

DRAWN	DATE
GOPI M	03-0ct-12
ENGINEER	DATE
GOPI M	03-0ct-12
APPROVED	DATE
CAD FILE	

	TITLE						
	7/16	FEMA	LE	ΤO	Ν	MALE	
1	ADAP	TER,	LOV	V F		1	
ı							

Amp	h	е	n	$\Diamond$	
Co	n	n	е	Χ	

	SCALE: 4.1:1	SHEET	(	OF I
NC	),			REV
2 4	В			

DWG SIZE DRAWING