

28189.6
PVC-TAA 22X22 K GR
PVC-TAA 22X22 K GR



Device and installation marker, Length: 22 mm, Width: 22 mm, Colour: grey

Business data

Product description	Device and installation marker
For manufacturer type	Siemens 3SB3923-0AV / 3SB3943-0AX
Packaging unit	120
Quantity unit	PC
Number of markers per card	12
Weight per piece (not including packaging)	1.49
Weight per piece (including packaging)	1.49
Unit of weight	G
Customs number	39199080
Country of origin	IT

28189.6

PVC-TAA 22X22 K GR

PVC-TAA 22X22 K GR

Technical Data

Dimensions

Length	22 mm
Width	22 mm

Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Processing temperature, min.	10 °C
Processing temperature, max.	40 °C
Silicone-free	✓

Further technical data

Mounting	Self-adhesive
Software code	866

28189.6

PVC-TAA 22X22 K GR

PVC-TAA 22X22 K GR

Accessories

Printer



Thermal transfer printer

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28000.0	TTPCard	4044211207397	1 PC

Inlays



Printer inlay

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28041.0	CCI-PC/PVC/PVCF	4044211208097	1 PC