

Specification Sheet

Part Number: 132-00011



Button Head Cable Tie, 15.0” Long, 4.3” Max Bundle Dia, 105lb, PA66HIRHSUV, Black, 50/pkg

Article Number	132-00011
Type	BT105L
Color	Black (BK)
Features & Benefits	• Unique two piece tie allows parallel entry and exit through the head for easy assembly. • High impact, heat stabilized material gives strength needed for trucking and heavy equipment applications.
Quantity Per	bag
Product Description	The button head tie is a two piece tie providing for parallel entry and exit through the head. The strap contains serrations on both sides, and has two opposed pawls recessed within a domed head. This design allows the strap to be directed clockwise or counter-clockwise prior to insertion into the head, enabling bi-directional looping.

Short Description	Button Head Cable Tie, 15.0" Long, 4.3" Max Bundle Dia, 105lb, PA66HIRHSUV, Black, 50/pkg
Global Part Name	BT105L-PA66HIRHSUV-BK
Minimum Tensile Strength (Imperial)	105.0
Minimum Tensile Strength (Metric)	467.0
Length L (Imperial)	15.0
Length L (Metric)	381.5
Fixation Method	Connector Clip
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Outside Serrated
Width W (Imperial)	0.22
Width W (Metric)	5.6
Bundle Diameter Min (Imperial)	0.25
Bundle Diameter Min (Metric)	6.4

Bundle Diameter Max (Imperial)	4.33
Bundle Diameter Max (Metric)	110.0
Mounting Hole Diameter D (Metric)	22.0 mm
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Material Cable Tie	Polyamide 6.6 high impact modified, heat and UV-resistant (PA66HIRHSUV)
Material Head	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
Package Quantity(Imperial)	50
Package Quantity (Metric)	50
Customs Number	3926909988
Content Unit(BMEcat)	pcs.

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)