
## **HellermannTyton**

## **Specification Sheet**

Part Number: 170-03180



Braided Sleeving, Expandable, Splice Free, 0.25" Dia, PET, Black, 1000 ft/bulk reel

Article Number 170-03180

Type BSP140BSF

Color Black (BK)

Features & Benefits • Weave construction adjusts to twisting and flexing without creating

wrinkles or bends. • Durable construction offers excellent abrasion and cut-through resistance as well as inertness to most chemicals and fungus. • Color options available to provide easy visual and safety identification of critical wiring components. • Expands to 150%

of nominal diameter for fast, easy installation.

Quantity Per reel

Product Description	Designed to adjust and expand to irregular shapes, this general purpose sleeving is lightweight and offers a high tensile strength while still maintaining flexibility. This sleeving is an excellent choice for protecting wire and cable bundles from abrasion, chafing and heat degradation. Commonly used in electrical and industrial wire harnessing application where economy and durability are required for the protection of wires, cables, tubing, bundles and pneumatic hoses.
Short Description	Braided Sleeving, Expandable, Splice Free, 0.25" Dia, PET, Black, 1000 ft/bulk reel
Global Part Name	BSP140BSF-PET-BK
Length L (Imperial)	1000.0
Bundle Diameter Min (Imperial)	0.125
Bundle Diameter Min (Metric)	3.2

0.437

11.1

0.437

10.9

0.25

6.35

**Bundle Diameter Max (Imperial)** 

**Bundle Diameter Max (Metric)** 

**Nominal Diameter (Imperial)** 

**Nominal Diameter (Metric)** 

**Diameter D (imperial)** 

Diameter D (metric)

Material Polyester (PET)

Material Shortcut PET

Flammability UL 94 V0 FAR 25 FMVSS 302

Halogen free Yes

Operating Temperature (Metric) -94°F to +257°F (-70°C to +125°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

UL Recognized (US) Yes

Package Quantity(Imperial) 1000

Package Quantity (Metric) 304.80

**Customs Number** 5808100000