## **HellermannTyton**

## **Specification Sheet**

Part Number: RJ45FC6B-ORN



**Quantity Per** 

Category 6 Modular Keystone Jack Bulk Pack, Plenum Rated, Orange, 50/box

Article Number	852-25066
Туре	RJ45FC6
Color	Orange (OG)
Features & Benefits	<ul> <li>Category 6 jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity.</li> <li>Standard keystone style interface provides flexibility in connecting components.</li> <li>Unique strain relief design secures cable terminations.</li> <li>Configured to both TIA 568A and 568B wiring schemes for installation versatility.</li> <li>Suitable for air handling spaces, ideal for installation of WAPs and IP devices.</li> </ul>

box

_		_		
Prod	uct I	Desc	rın	tıon
	uv. I			uvi

HellermannTyton's GigaBand flush Category 6 modular jack is designed to "future-proof" installations. Its patented design uses innovative crosstalk-cancellation technology. The performance of the GigaBand system provides significant margin over TIA Category 6 (ANSI/TIA-568-C.1) and ISO Class E (ISO/IEC-11801, 2nd edition) requirements. The GigaBand system will easily support applications such as Gigabit Ethernet. ETL tested and approved for Category 6 component compliance.

**Short Description** 

Category 6 Modular Keystone Jack Bulk Pack, Plenum Rated, Orange, 50/box

**Global Part Name** 

RJ45FC6

**Technical Description** 

The performance of the Category 6 system provides significant margin over TIA Category 6 and ISO/IEC 11801 Class D requirements. Adapters are available to enable the keystone jack to be assembled with the GigaBand/Alpha Snap shuttered outlet and 6C angled module.

**Port Count** 

1

Width W (Imperial)

14.75

Width W (Metric)

19.0

**Height H (Imperial)** 

14.91

Height H (Metric)

23.0

Depth D (imperial)

1.65

Depth D (metric)

42.0

UL Listed (US and Canada)
Yes

UL Listed (US
Yes

Package Quantity(Imperial)
50

Package Quantity (Metric)
50

Customs Number
8536695050

Weight (Metric)
0.5

© 2020 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions