

Specification Sheet

Part Number: TELS-1



Extended-Length Tie, POM, Black, 50 ft reel of strap and 30 heads/Kit

Article Number	111-30000
Type	EL-TY (TELS1)
Color	Black (BK)
Features & Benefits	• Continuous strap and separate heads allow for any bundle diameter, eliminating waste. • Smooth strap prevents cable damage. • UV resistant materials contain an inhibitor which prolongs the life of the tie in outdoor environments.
Quantity Per	reel

Product Description	Extended Length Ties provide a high tensile strength strapping system consisting of a continuous strap and separate locking head making it suitable for any bundle diameter, eliminating waste. The smooth strap and specially designed heads with stainless steel pawls provide a strong grip on cables and wires without damage during vibration or in extreme environments. Spacers are available for dual bundle applications.
Short Description	Extended-Length Tie, POM, Black, 50 ft reel of strap and 30 heads/Kit
Global Part Name	EL-TY (TELS1)-POM-BK
Contents of pkg/kit	15m Strap, 30 Heads
Minimum Tensile Strength (Imperial)	250.0
Minimum Tensile Strength (Metric)	1115.0
Length L (Imperial)	50.0
Length L (Metric)	15.2
Fixation Method	2 piece
Identification Plate Position	none
Releasable Closure	No
Tie Closure	steel pawl
Variant	Extended Length

Width W (Imperial)	0.5
Width W (Metric)	12.7
Thickness T (Imperial)	0.06
Thickness T (Metric)	1.50
Material	Polyacetal (POM)
Material Shortcut	POM
Material Cable Tie	Polyacetal (POM)
Material Head	Polyacetal (POM)
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +194°F (-40°C to +90°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	1
Package Quantity (Metric)	1

Customs Number	3926909988
-----------------------	------------

Content Unit(BMEcat)	pack
-----------------------------	------

Weight (Metric)	0.6
------------------------	-----