

Specification Sheet

Part Number: TSRP1I-8A



One Piece Power Rated Raceway, 3/4", 8.0 ft Long, PVC, Ivory, 160ft/Carton

Article Number	250-61801
Type	TSRP1-8A
Color	Ivory (IV)
Features & Benefits	<ul style="list-style-type: none"><li>• Completely tamper resistant, the cover's self-locking, hidden positive latch permits quick re-entry as well as providing a secure installation of power cables.</li><li>• U.L. Listed for power up to 600 Volts, meeting UL5A and CSA 22.2 Number 62-93 Standards.</li><li>• Manufactured from UL 94V-0 rated PVC material.</li><li>• Fittings incorporate a minimum 1" bend radius per TIA/EIA 568-B and 569-A standards.</li><li>• Large base for greater adhesive surface.</li><li>• Rubber-based foam tape adhesive with high ultimate bond strength, which conforms to any surface.</li><li>• Flexible hinge allows the raceway to endure numerous openings without creating discoloration or stress cracking.</li><li>• Junction boxes can be used for electrical or data outlets.</li><li>• Designed to complement HellermannTyton's industry standard TSR low voltage raceway system.</li></ul>

<b>Quantity Per</b>	carton
<b>Product Description</b>	HellermannTyton's TSRP power surface raceway is a one piece, non-metallic, adhesive backed latching raceway designed to aesthetically organize and route either power or communications cables. Completely tamper resistant, the cover's self-locking, hidden positive latch permits quick reentry as well as providing a secure installation of power cables.
<b>Short Description</b>	One Piece Power Rated Raceway, 3/4", 8.0 ft Long, PVC, Ivory, 160ft/Carton
<b>Global Part Name</b>	TSRP1-8A-PVC-BGE
<b>Length L (Imperial)</b>	8.0
<b>Length L (Metric)</b>	2.44
<b>Width W (Imperial)</b>	0.75
<b>Width W (Metric)</b>	19.05
<b>Height H (Imperial)</b>	.50
<b>Height H (Metric)</b>	12.70
<b>Material</b>	Polyvinylchloride (PVC)
<b>Material Shortcut</b>	PVC

<b>Flammability</b>	UL 94 V0
<b>Halogen free</b>	No
<b>Operating Temperature (Metric)</b>	+122°F (+50°C)
<b>Reach Complaint(Article 33)</b>	No
<b>ROHS Complaint</b>	Yes
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Listed (US</b>	Yes
<b>Package Quantity(Imperial)</b>	160
<b>Package Quantity (Metric)</b>	48.80
<b>Customs Number</b>	3925900000