











Intel[®] Core[™] i7-4558U Processor

4M Cache, up to 3.30 GHz

Add to Compare

Specifications

Essentials

Performance

Supplemental Information

Memory

Specifications

Processor Graphics

Expansion Options

I/O Specifications

Package

Specifications

Advanced

Technologies


Security & Reliability

Ordering and Compliance

Downloads and Software

Essentials	Export specification
Product Collection	4th Generation Intel® Core™ i7 Processors
Code Name	Products formerly Haswell
Vertical Segment	Mobile
Processor Number	i7-4558U
Off Roadmap	No
Status	Launched
Launch Date ?	Q3'13
Lithography ?	22 nm
Performance	
# of Cores 🔞	2
# of Threads ?	4
Processor Base Frequency ?	2.80 GHz
Max Turbo Frequency 🕐	3.30 GHz
Cache ?	4 MB Intel® Smart Cache
Bus Speed ?	5 GT/s
TDP ?	28 W
Supplemental Information	
Embedded Options Available ?	No
Datasheet	View now
Memory Specifications	
Max Memory Size (dependent on memory type) ?	16 GB
Memory Types 💿	DDR3L 1333/1600
Max # of Memory Channels ?	2
Max Memory Bandwidth ?	25.6 GB/s
Max Memory Bandwidth	25.5 65/5

Processor Graphics ‡ ? Graphics Base Frequency ? Graphics Max Dynamic Frequency ?	Intel® Iris® Graphics 51 200 Mi
	200 M
Graphics Max Dynamic Frequency 🔞	
	1.20 G
Graphics Video Max Memory 🕧	2 (
Graphics Output ?	eDP/DP/HDMI/V0
Max Resolution (HDMI 1.4)‡ ?	3200x2000@60
Max Resolution (DP)‡ ?	3200x2000@60
Max Resolution (VGA)‡ ?	N
DirectX* Support ?	11.2/
OpenGL* Support ?	4
Intel® Quick Sync Video 👔	Y
Intel® InTru™ 3D Technology ?	Υ
Intel® Flexible Display Interface (Intel® FDI) ?	Y
Intel® Clear Video HD Technology 🔞	Y
# of Displays Supported [‡]	
Device ID	0xA
Expansion Options	
PCI Support ?	1
PCI Express Revision ?	7
PCI Express Configurations ‡ 🔞	4x1, 2
Max # of PCI Express Lanes ?	
I/O Specifications	
# of USB Ports	
USB Revision ?	;
Total # of SATA Ports 💿	
Integrated LAN ?	1
Integrated IDE ?	I
General Purpose IO	Υ
UART	Υ
Max # of SATA 6.0 Gb/s Ports	
Package Specifications	
Sockets Supported ?	FCBGA11
Max CPU Configuration	
T _{JUNCTION} ?	100



More support options for Intel® Core™ i7-4558U Processor (4M Cache, up to 3.30 GHz)





Downloads and Software



Support Community



Warranty and Replacement



Need more help?

Contact support



All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Check http://ipt.intel.com/ for systems that support Intel® Identity Protection Technology (Intel® IPT).

See http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html? wapkw=hyper+threading for more information including details on which processors support Intel® HT Technology.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/content/www/us/en/processors/processor-numbers.html for details.



Company Information Our Commitment Communities Investor Relations Contact Us

Newsroom Jobs











© Intel Corporation | Terms of Use | *Trademarks | Privacy | Cookies | Supply Chain Transparency | Site Map