

Yes











# Intel® Xeon® Processor E3-1505L v5

ECC Memory Supported ‡ ?

8M Cache, 2.00 GHz

Add to Compare

### Specifications

#### Essentials

Performance

Supplemental Information

Memory

Specifications

**Processor Graphics** 

**Expansion Options** 

Package

Specifications

Advanced

Technologies


Security & Reliability

## Ordering and Compliance

Downloads and Software

Product Collection	Intel® Xeon® Processor E3 v5 Famil
Code Name	Products formerly Skylak
Vertical Segment	Embedde
Processor Number	E3-1505LV
Status	Launche
Launch Date ?	Q4'1
Lithography ?	14 nr
Use Conditions ?	Industrial Commercial Temp, Embedded Broad Market Commercial Temp PC/Client/Table
Recommended Cu	stomer Price 😨
# of Cores ?	
# of Threads ?	
Processor Base Fre	
Max Turbo Frequer	
Cache ?	8 MB SmartCach
Cache ? Bus Speed ?	8 MB SmartCach
Cache ?	8 MB SmartCach
Cache ? Bus Speed ?	8 MB SmartCach 8 GT/s DMI 25 V
Cache ?  Bus Speed ?  TDP ?	8 MB SmartCach 8 GT/s DMI 25 V  Information
Cache ?  Bus Speed ?  TDP ?  Supplemental	8 MB SmartCach 8 GT/s DMI 25 V  Information
Cache ?  Bus Speed ?  TDP ?  Supplemental  Embedded Options  Datasheet	8 MB SmartCach 8 GT/s DMI 25 V  Information s Available ? Ye  View no
Cache ?  Bus Speed ?  TDP ?  Supplemental  Embedded Options  Datasheet  Memory Specifications	8 MB SmartCach 8 GT/s DMI 25 V  Information s Available ? Ye  View no
Cache ?  Bus Speed ?  TDP ?  Supplemental  Embedded Options  Datasheet  Memory Specif	8 MB SmartCach 8 GT/s DMI 25 V  Information s Available ? Ye  View nor  fications  (dependent on memory type) ? 64 G
Cache ?  Bus Speed ?  TDP ?  Supplemental  Embedded Options  Datasheet  Memory Specifications	8 MB SmartCach 8 GT/s DMI 25 V  Information s Available ? Ye  View nor  fications  (dependent on memory type) ? 64 G  DDR4-2133, LPDDR3-1866, DDR3L-160

Processor Graphics ‡ ?	Intel® HD Graphics P5
Graphics Base Frequency 🕝	350 M
Graphics Max Dynamic Frequency ?	1.00 G
Graphics Video Max Memory ?	1.7 (
Graphics Output ?	eDP/DP/HDMI/D
4K Support 🕐	Yes, at 60
Max Resolution (HDMI 1.4)‡ 🕐	4096x2304@24
Max Resolution (DP)‡ 🔞	4096x2304@60
Max Resolution (eDP - Integrated Flat Panel)‡ 🕡	4096x2304@60
Max Resolution (VGA)‡ 🔞	N
DirectX* Support ?	
OpenGL* Support ?	2
Intel® Quick Sync Video ?	Y
Intel® InTru™ 3D Technology 😯	Υ
Intel® Clear Video HD Technology 🔞	Y
Intel® Clear Video Technology ?	Υ
# of Displays Supported ‡	
Device ID	0x19
Expansion Options  PCI Express Revision ?	3
PCI Express Configurations ‡ ?	Up to 1x16, 2x8, 1x8+2
Max # of PCI Express Lanes (?)	
Package Specifications	
Sockets Supported ?	FCBGA14
Max CPU Configuration	
T <sub>JUNCTION</sub> ?	100
Package Size	42mm x 28m
Low Halogen Options Available	I
Advanced Technologies	
6.00	;
Intel® Turbo Boost Technology ‡ ?	
Intel® Turbo Boost Technology ‡ 🔞	Y
Intel® Turbo Boost Technology ‡ ?  Intel® vPro™ Platform Eligibility ‡ ?	Y



More support options for Intel® Xeon® Processor E3-1505L v5 (8M Cache, 2.00 GHz)





Downloads and Software



**Support Community** 



Warranty and Replacement



# Need more help?

**Contact support** 



All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine coffuses and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See <a href="https://www.intel.com/technology/turboboost/">www.intel.com/technology/turboboost/</a> for more information.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

 $See http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology. \\html? wapkw=hyper+threading for more information including details on which processors support Intel® HT Technology. \\$ 

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/content/www/us/en/processors/processor-numbers.html for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.



Company Information Our Commitment Communities Investor Relations Contact Us

Newsroom Jobs











© Intel Corporation | Terms of Use | \*Trademarks | Privacy | Cookies | Supply Chain Transparency | Site Map