



Intel® Core™ i5-7442EQ Processor

6M Cache, up to 2.90 GHz

☐ Add to Compare

Specifications

Essentials

- Performance
- Supplemental Information
- Memory Specifications
- Processor Graphics
- Expansion Options
- Package Specifications
- Advanced Technologies
- Security & Reliability

Ordering and Compliance

Downloads and Software

Essentials

⬇ Export specifications

Product Collection	7th Generation Intel® Core™ i5 Processors
Code Name	Products formerly Kaby Lake
Vertical Segment	Embedded
Processor Number	i5-7442EQ
Status	Launched
Launch Date	Q1'17
Lithography	14 nm
Recommended Customer Price	

Performance

# of Cores	4
# of Threads	4
Processor Base Frequency	2.10 GHz
Max Turbo Frequency	2.90 GHz
Cache	6 MB
TDP	25 W

Supplemental Information

Embedded Options Available	Yes
Datasheet	View now

Memory Specifications

Max Memory Size (dependent on memory type)	64 GB
Memory Types	DDR4-2400
Max # of Memory Channels	2
Max Memory Bandwidth	34.1 GB/s
ECC Memory Supported [‡]	No

Processor Graphics

Processor Graphics [‡]	Intel® HD Graphics 630
Graphics Base Frequency	350 MHz
Graphics Max Dynamic Frequency	1.00 GHz

Graphics Video Max Memory 	64 GB
Graphics Output 	eDP/DP/HDMI/DVI
4K Support 	Yes, at 60Hz
Max Resolution (HDMI 1.4)‡ 	4096x2304@30Hz
Max Resolution (DP)‡ 	4096x2304@60Hz
Max Resolution (eDP - Integrated Flat Panel)‡ 	4096x2304@60Hz
Max Resolution (VGA)‡ 	N/A
DirectX* Support 	12
OpenGL* Support 	4.4
Intel® Quick Sync Video 	Yes
Intel® InTru™ 3D Technology 	Yes
Intel® Clear Video HD Technology 	Yes
# of Displays Supported ‡	3
Device ID	0x591B

Optimize popular games to play on Intel Graphics



Expansion Options

PCI Express Revision 	3.0
PCI Express Configurations ‡ 	1x16,2x8,1x8+2x4
Max # of PCI Express Lanes 	16

Package Specifications

Sockets Supported 	FCBGA1440
Max CPU Configuration	1
T _{JUNCTION} 	100°C
Package Size	42mm x 28mm
Low Halogen Options Available	See MDDS

Advanced Technologies

Intel® Turbo Boost Technology ‡ 	2.0
Intel® vPro™ Technology ‡ 	Yes
Secure Boot 	Yes
Intel® Hyper-Threading Technology ‡ 	No
Intel® Virtualization Technology (VT-x) ‡ 	Yes
Intel® Virtualization Technology for Directed I/O (VT-d) ‡ 	Yes
Intel® VT-x with Extended Page Tables (EPT) ‡ 	Yes
Intel® TSX-NI 	Yes
Intel® 64 ‡ 	Yes
Instruction Set 	64-bit
Instruction Set Extensions 	Intel® SSE4.1, Intel® SSE4.2, Intel® AVX2
Idle States 	Yes

Enhanced Intel SpeedStep® Technology 	Yes
Thermal Monitoring Technologies 	Yes
Intel® Identity Protection Technology ‡ 	Yes

Security & Reliability

Intel® AES New Instructions 	Yes
Intel® Software Guard Extensions (Intel® SGX) 	Yes
Intel® Memory Protection Extensions (Intel® MPX) 	Yes
Intel® Trusted Execution Technology ‡ 	Yes
Execute Disable Bit ‡ 	Yes
Intel® OS Guard	Yes
Intel® Boot Guard 	Yes

More support options for Intel® Core™ i5-7442EQ Processor (6M Cache, up to 2.90 GHz)



Product Support



Downloads and Software



Support Community



Warranty and Replacement



Need more help?

Contact support



Give Feedback

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

"Conflict free" and "conflict-free" means "DRC conflict free", which is defined by the U.S. Securities and Exchange Commission rules to mean products that do not contain conflict minerals (tin, tantalum, tungsten and/or gold) that directly or indirectly finance or benefit armed groups in the Democratic Republic of the Congo (DRC) or adjoining countries. Intel also uses the term "conflict-free" in a broader sense to refer to suppliers, supply chains, smelters and refiners whose sources of conflict minerals do not finance conflict in the DRC or adjoining countries. Intel processors manufactured before January 1, 2013 are not confirmed conflict free. The conflict free designation refers only to product manufactured after that date. For Intel Boxed Processors, the conflict free designation refers to the processor only, not to any additional included accessories, such as heatsinks/coolers.

See <http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html?wapkw=hyper+threading> for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

purchase quantities, and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

For benchmarking data see <http://www.intel.com/performance>.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See <http://www.intel.com/content/www/us/en/processors/processor-numbers.html> for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.



[Company Information](#) [Our Commitment](#) [Communities](#) [Investor Relations](#) [Contact Us](#)

[Newsroom](#) [Jobs](#)



[© Intel Corporation](#) | [Terms of Use](#) | [*Trademarks](#) | [Privacy](#) | [Cookies](#) | [Supply Chain Transparency](#) | [Site Map](#)