Compare

Related Products

4th Generation Intel®

Core™ i3 Processors

Intel® Core® i3-4100

Mobile Processor Series

Products formerly Haswell

Learn how Intel is pursuing

Export Full Specifications >

conflict-free technology. >

Quick Links

Settings >

SR1HB

Optimized Game

Support Overview >

Search Distributors >

PCN/MDDS Information

930781: PCN | MDDS



Intel® Core™ i3-4100M Processor (3M Cache, 2.50 GHz)

Specifications Essentials Performance Memory Specifications **Graphics Specifications** Expansion Options Package Specifications Advanced Technologies Intel® Data Protection Technology Intel® Platform Protection Technology Compatible Products

ARK Menu 🕨

Ordering / sSpecs / Steppings

Download Drivers

Specifications Essentials Status Launched Q4'13 Launch Date Processor Number i3-4100M Cache 3 MB SmartCache 5 GT/s DMI2 Bus Speed Instruction Set 64-bit SSE4.1/4.2, AVX 2.0 Instruction Set Extensions Q No Embedded Options Available 22 nm Lithography \$225.00 Recommended Customer Price Yes Conflict Free

Link Datasheet Performance # of Cores 2 # of Threads

Processor Base Frequency 2.5 GHz 37 W TDP Memory Specifications Max Memory Size (dependent on memory type) 32 GB DDR3L 1333/1600 Memory Types Max # of Memory Channels Max Memory Bandwidth 25.6 GB/s

ECC Memory Supported #

Expansion Options

Q No

Graphics Specifications Processor Graphics # Intel® HD Graphics 4600 Graphics Base Frequency 400 MHz 1.1 GHz Graphics Max Dynamic Frequency 2 GB Graphics Video Max Memory Graphics Output eDP/DP/HDMI/VGA Max Resolution (HDMI 1.4)‡ 3840x2160@60Hz 3840x2160@60Hz Max Resolution (DP)‡ 2880x1800@60Hz Max Resolution (VGA)‡ DirectX* Support 11.2/12 OpenGL* Support 4.3 Q Yes Intel® Quick Sync Video Intel® InTru® 3D Technology Yes Yes Intel® Insider™ Q Yes Intel® Wireless Display 3 # of Displays Supported # Device ID 0x416

PCI Express Revision PCI Express Configurations # 1x16 or 2x8 or 1x8 2x4 Max # of PCI Express Lanes 16 Package Specifications Max CPU Configuration 100°C TJUNGTION

2.0

Package Size 37.5mm x 37.5mm x 4.7mm Sockets Supported FCPGA946 Low Halogen Options Available See MDDS Advanced Technologies Intel® Turbo Boost Technology # No

Intel® vPro Technology ‡ No Q Intel® Hyper-Threading Technology ‡ Yes Intel® Virtualization Technology (VT-x) # Yes Intel® Virtualization Technology for Directed I/O No Q (VT-d) # Intel® VT-x with Extended Page Tables (EPT) # Q Yes Intel® TSX-NI No Q Intel® 64 ‡ Yes Enhanced Intel SpeedStep® Technology Q Yes Thermal Monitoring Technologies Yes Intel® Identity Protection Technology ‡ Yes Intel® Data Protection Technology Intel® AES New Instructions Yes Secure Key Yes

Intel® Platform Protection Technology Trusted Execution Technology # Q No Execute Disable Bit # Yes Anti-Theft Technology Yes

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems. "Intel classifications" consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be

construed as a representation or warranty regarding the proper ECCN or HTS. Your company may be the exporter of record, and as such, your company is responsible for determining the correct classification of any item at the time of export. Refer to Datasheet for formal definitions of product properties and features.

processors support Intel® HT Technology.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability. Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications [motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIO5, drivers, virtual machine monitor-VMM, platform software, and for operating system) for feature compatibility. Functionality,

performance, and other benefits of this feature may vary depending on system configuration. *Conflict free" and *conflict-free" means *DRC conflict free", which is defined by the U.S. Securities and Exchange Commission rules to mean products that do not contain conflict minerals [tin, tantalum, tungsten]

and/or gold) that directly or indirectly finance or benefit armed groups in the Democratic Republic of the Congo [DRC] or adjoining countries. Intel also uses the term "conflict-free" in a broader sense to refer to suppliers, supply chains, smelters and refiners whose sources of conflict minerals do not finance conflict in the DRC or adjoining countries. Intel processors manufactured before January 1, 2013 are not confirmed conflict free. The conflict free designation refers only to product manufactured after that date. For Intel Boxed Processors, the conflict free designation refers to the processor only, not to any additional included accessories, such as heatsinks/coolers. See http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading-threading-thr

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology, See www.intel.com/technology/turboboost/ for more information. The Recommended Customer Price [*RCP"] is pricing guidance for Intel products. Prices are for direct Intel customers, typically represent 1,000-unit purchase quantities, and are subject to change without

notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation. System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants [BFRs/CFRs] and PVC in the final product. Intel components as well as purchased components on the finished assembly meet J5-709.

requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and for PVC may not be better for the environment. For benchmarking data see http://www.intel.com/performance.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/content

/www/us/en/processors/processor-numbers.html for details. Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIO5.

Send us your feedback!



Downloaded from Arrow.com.

USA (English)

Company Information Our Commitment Communities Investor Relations Contact Us Newsroom Jobs

