



# Intel Atom® Processor C3750

16M Cache, up to 2.40 GHz

☐ Add to Compare

Specifications

Essentials

Performance

Supplemental Information

Memory Specifications

Expansion Options

I/O Specifications

Package Specifications

Advanced Technologies

Security & Reliability

Ordering and Compliance

Downloads and Software

Essentials

⬇️ Export specifications

Product Collection	Intel® Atom™ Processor C Series
Code Name	Products formerly Denverton
Vertical Segment	Server
Processor Number	C3750
Status	Launched
Launch Date	Q3'17
Lithography	14 nm

Performance

# of Cores	8
# of Threads	8
Processor Base Frequency	2.20 GHz
Max Turbo Frequency	2.40 GHz
Cache	16 MB
# of QPI Links	0
# of UPI Links	0
TDP	21 W




Supplemental Information

Embedded Options Available	No
Datasheet	<a href="#">View now</a>
Product Brief	<a href="#">View now</a>




Memory Specifications

Max Memory Size (dependent on memory type)	256 GB
Memory Types	DDR4: 2400
Max # of Memory Channels	2
ECC Memory Supported ‡	Yes


### Expansion Options

PCI Express Revision 	3
PCI Express Configurations ‡ 	x2,x4,x8
Max # of PCI Express Lanes 	12









### I/O Specifications

# of USB Ports	8
USB Revision 	3
Total # of SATA Ports 	12
Integrated LAN 	2x10/2.5/1 GbE
Max # of SATA 6.0 Gb/s Ports	12






### Package Specifications

Sockets Supported 	FCBGA1310
Max CPU Configuration	1
T <sub>CASE</sub> 	84°C
T <sub>JUNCTION</sub> 	100°C
Package Size	34 mm x 28 mm
Low Halogen Options Available	No

### Advanced Technologies

Intel® Turbo Boost Technology ‡ 	2.0
Secure Boot 	Yes
Intel® Hyper-Threading Technology ‡ 	No
Intel® Virtualization Technology (VT-x) ‡ 	Yes
Intel® Virtualization Technology for Directed I/O (VT-d) ‡ 	Yes
Intel® VT-x with Extended Page Tables (EPT) ‡ 	Yes
Instruction Set 	64-bit
Integrated Intel® QuickAssist Technology 	No

### Security & Reliability

Intel® AES New Instructions 	Yes
Secure Key 	Yes
Intel® Software Guard Extensions (Intel® SGX) 	No
Execute Disable Bit ‡ 	Yes
Intel® OS Guard	Yes
Intel® Boot Guard 	No

# More support options for Intel Atom® Processor C3750 (16M Cache, up to 2.40 GHz)



Product Support



Downloads and Software



Support Community



Warranty and  
Replacement



## Need more help?

Contact support



Give Feedback

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See [www.intel.com/technology/turboboost/](http://www.intel.com/technology/turboboost/) for more information.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See <http://www.intel.com/content/www/us/en/processors/processor-numbers.html> for details.

See <http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html?wapkw=hyper+threading> for more information including details on which processors support Intel® HT Technology.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.



[Company Information](#) [Our Commitment](#) [Communities](#) [Investor Relations](#) [Contact Us](#)

[Newsroom](#) [Jobs](#)



© Intel Corporation | [Terms of Use](#) | [\\*Trademarks](#) | [Privacy](#) | [Cookies](#) | [Supply Chain Transparency](#) | [Site Map](#)