
	REVISIONS																	
LTR					DES	CRIP	ΓΙΟΝ					DATE			APPROVED			C
А	Addi	ng new	v parts	; vend	or CAC	GE 717	785.					88-0	3-16		R Marbias			
В	Page	e 4, Re	vised r	markin	g para	igraph	. Adde	ed cau	tion no	te.		92-06-10			James P. Donohue			
С		C=O.							AQL ar d vendo			01-0	6-29		Rol	oert M.	Hebe	r
Prepared	in acc	ordanc	ce with	<u>MIL-S</u>	5TD-10	00												
REV																		
PAGE																		
REV STAT	US	REV		С	С	С	С	С										
OF PAGES	5	PAG	E	1	2	3	4	5										
PMIC A			PREPARED BY Dennis L. Kelly					DEFENSE SUPPLY CENTER, COLUMBUS COLUMBUS, OHIO 43216-5000										
Origina	Idata	of	CHE	CKED	BY				TITL	E								
Origina drav	i date wing	UI	L. V. (Olszew	ski				со	NNEC	TOR,					RE, RE	TAIN	ER,
	8 May 1986		APP	ROVE	D BY				1			S	LIDIN	g loc	K			
				ard Mar														
			SI	ZE			CODE	E			DWG	. NO.			850	062		
			Α		REV	0	2		F	PAGE		1		OF		5		

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

5935-E636-16



Items	DSCC drawing Part or Identifying Number (PIN)	Dimensions in inches					
		A	В	C			
Retainer	85062-01	1.720	.500	1.312			
Retainer	85062-02	2.260	.500	1.852			
Retainer	85062-03	2.908	.500	2.500			
Retainer	85062-04	2.814	.609	2.406			
Retainer	85062-05	1.392	.500	.984			
Post	85062-06	Steel					
Post	85062-07	Non-magnetic (brass)					


Inches	mm	Inches	mm
.005	0.13	1.380	35.05
.015	0.38	1.720	43.69
.112	2.84	1.852	47.04
.144	3.66	2.260	57.40
.500	12.70	2.406	61.11
.609	15.47	2.500	63.50
.984	24.99	2.814	71.48
1.312	33.32	2.908	73.86

NOTES:

- 1. Dimensions are in inches.
- 2. Metric equivalents are given for general information only.
- 3. The two screws come with the sliding lock package.
- 4. Order additional lock posts as required.
- 5. Unless otherwise specified, tolerance is \pm .015 (0.38 mm).

FIGURE 1. Retainer, sliding lock.

	SIZE	CAGE CODE		DWG NO.		
DEFENSE SUPPLY CENTER, COLUMBUS COLUMBUS, OH 43216-5000	A	037Z3		85062		
		REV	С	PAGE	2	



Inches	mm
.015	0.38
.102	2.59
.112	2.84
.416	10.57

NOTES:

- 1. Dimensions are in inches.
- 2. Metric equivalents are given for general information only.
- 3. The two screws come with the sliding lock package.
- 4. Order additional lock posts as required.
- 5. Unless otherwise specified, tolerance is \pm .015 (0.38 mm).

FIGURE 2. Post, sliding lock.

	SIZE	CAGE CODE		DWG NO.		
DEFENSE SUPPLY CENTER, COLUMBUS	OILL	037	73	85062		
COLUMBUS, OH 43216-5000	Δ	031	23	030	02	
COLOMBOS, ON 43210-3000	A	REV	С	PAGE	3	

ENGINEERING DATA:

Description: Accessory for subminiature rectangular connector.

Material:

Retainer plate: Corrosion resisting steel. Hardware: Cold rolled steel.

Finish:

Retainer plate: Passivated. Hardware: Cadmium plate, yellow chromate.

Outline drawing: See figure 1.

Marking: The item shall be marked with the DSCC PIN and the manufacturers CAGE code and name in accordance with the basic requirements of MIL-STD-1285.

Workmanship: The item shall be manufactured in such a manner as to be uniform in quality and shall be free from defects that may adversely affect the intended function of the item in its intended application.

Lot conformance testing: The manufacturer shall be responsible for assuring compliance to all the requirements of this drawing. Samples shall be selected in accordance with table I. If one or more defects are found, the lot shall be screened for that particular defect and defects removed. A new sample of parts shall be selected in accordance with table I and tested to the requirements of this drawing. If one or more defects are found in the second sample, the lot shall be rejected and shall not be supplied to this specification.

	l	_ot size	Sample size
2	to	25	3
26	to	50	5
51	to	90	6
91	to	150	7
151	to	280	10
281	to	500	11
501	to	1,200	15
1,201	to	3,200	18
3,201	to	10,000	22
10,001	l and	d over	29

TABLE I. Lot and sample size.

	SIZE	CAGE CODE		DWG NO.	
DEFENSE SUPPLY CENTER, COLUMBUS COLUMBUS, OH 43216-5000		037Z3		85062	
COLUMBUS, OH 43210-3000	Α	REV	С	PAGE	4

Approved sources of supply are listed herein. Additional sources will be added as they become available. The vendors listed on the requirements drawing have agreed to this drawing and a certificate of compliance has been submitted to DSCC-VAI.

DSCC drawing PIN	Vendor similar PIN <u>1</u> /
	CAGE 71468
85062-01	DA51220-1
85062-02	DB51221-1
85062-03	DC51222-1
85062-04	DD51223-1
85062-05	DE51224-1
85062-06	D53018
85062-07	D53018-5

 $\underline{1}$ / Caution. Do not use this number for item acquisition. Items acquired to this number may not satisfy the performance requirements of this drawing.

Vender CAGE _____number___

71468

Vendor name and address

ITT Cannon P.O. Box 929 666 Dyer Road Santa Ana, CA 92702

	SIZE	CAGE CODE		DWG NO.		
DEFENSE SUPPLY CENTER, COLUMBUS COLUMBUS, OH 43216-5000	-	037Z3		85062		
GOLUMBUS, OH 43210-5000	Α	REV	С	PAGE	5	