

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0011184017

Status:

Active

Overview:

Application Tooling

Description:

Conductor Punch

Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207126
Comments	See Tooling Specification (PDF) Above
Function	Cutter
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Applicator
UPC	800753180093
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.
Material Info	
Engineering Number	60704 5
Reference - Drawing Numbers	
Application Tooling Documents	ATS-STANDARD-PARTS-0



Series image - Reference only

EU ELV	
Not Relevant	
EU RoHS	China RoHS
Compliant	
REACH SVHC	
Not Contained Per -	
ECHA_01_2020 (16	
January 2020	
Halogen-Free	
Status	
Not Relevant	
For more information, please visit Contact US	
China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

207126 Series

Use With

11183002

Application Tooling Description	FAQ Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2061132
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2062132

	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	<u>2065148</u>
	.062 Male Term PC Tail 30 au	<u>2066125</u>
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	<u>2066135</u>
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	<u>2066139</u>
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag	<u>2066144</u>
	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag	<u>2068103</u>
	062 Male Term Tin PCTail Chn	<u>2068104</u>
	Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	<u>2081104</u>
	.084" UNPLATED TERMINAL 8980V01	<u>2081211</u>
	.084" PC TAIL TERM - 999 8980R11	<u>2081212</u>
	.084" PC TAIL TERM - 999 8980R13	<u>2081214</u>
	2.096MM DIA TERMINAL	<u>2081266</u>
	2.096MM DIA TERMINAL	<u>2081268</u>
	42023-2A0, Ter Male 2.13 Chn Unplate	<u>2082011</u>

	2.36mm Diameter, 2092133 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/ Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged
	2.36mm Diameter, 2092134 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged
	2.36mm Diameter, 2095132 Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag
	2.36mm Diameter, 2096132 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag Packaged
	Mini-Fit Jr. 3044052 Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural
	1.57mm Diameter 3061023 Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Natural
	1.57mm Diameter 3061031 Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Standard Mounting Ears
	1.57mm Diameter 3061038 Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural
	1.57mm Diameter 3061041 Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, with Standard Mounting Ears

	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, without Mounting Ears, Natural	<u>3061042</u>
	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	<u>3061044</u>
	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Natural	<u>3061062</u>
	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 9 Circuits, without Mounting Ears, Natural	<u>3061092</u>
	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural	<u>3061121</u>
	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural	<u>3061122</u>
	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural	<u>3062011</u>
	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre- bent Mounting Ears, Natural	<u>3062024</u>
	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural	<u>3062031</u>
	1.57mm Diameter Standard .062"	<u>3062033</u>

Pin and Socket Plug Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural	
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears	<u>3062041</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural	<u>3062042</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	<u>3062044</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural	<u>3062061</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural	<u>3062092</u>
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black	<u>3066062</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black	<u>3067023</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black	<u>3067044</u>
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black	<u>3067061</u>
2.36mm Diameter Standard .093"	<u>3091011</u>

Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural 2.36mm Diameter	<u>3091027</u>
Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Natural 2.36mm Diameter	<u>3091030</u>
Standard Receptacle Housing, 3 Circuit, Natural 2.36mm Diameter	<u>3091031</u>
Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter	<u>3091041</u>
Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural 2.36mm Diameter	<u>3091042</u>
Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural 2.36mm Diameter	<u>3091061</u>
Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural 2.36mm Diameter	<u>3091063</u>
Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp 2.36mm Diameter	<u>3091064</u>
Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural 2.36mm Diameter	<u>3091091</u>
Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural 2.36mm Diameter	<u>3091092</u>
Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, with Panel	

	Mount Ears, without Passive Lock Ramp 2.36mm Diameter <u>3091093</u> Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp 2.36mm Diameter <u>3091121</u> Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps 2.36mm Diameter <u>3091126</u> Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural 2.36mm Diameter <u>3091151</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Lock Ramps 2.36mm Diameter <u>3091152</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps 2.36mm Diameter <u>3091153</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-bent Mounting Ears, with Lock Ramps 2.36mm Diameter <u>3091157</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps 2.36mm Diameter <u>3091161</u> Standard .093" Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock, 2 Circuits	
--	--	--

	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 1 Circuit, Friction Lock, Natural	<u>3092011</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	<u>3092022</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	<u>3092031</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	<u>3092032</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	<u>3092041</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	<u>3092062</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	<u>3092121</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows	<u>3092151</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre- Bent Mounting Ears, without Pull Tabs, with Lock Windows	<u>3092159</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits	<u>3092161</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black	<u>3097022</u>

	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red	<u>3097024</u>
	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black	<u>3097032</u>
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	<u>3121022</u>
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 2 Circuits, Natural (Translucent)	<u>3121026</u>
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent)	<u>3121046</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	<u>3122022</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 2 Circuits, Natural (Translucent)	<u>3122025</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 2 Circuits, Natural (Translucent)	<u>3122026</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	<u>3122035</u>
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single	<u>3122036</u>

	Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2 3.18mm Diameter, <u>3122045</u> HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3122046</u> HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4 Circuits, Natural (Translucent) Flat Blade Appliance <u>6021103</u> Motor Switch Crimp Housing, 10 Circuits Flat Blade Appliance <u>6022030</u> Water Valve Crimp Housing, 3 Circuit, Natural Flat Blade Appliance <u>6023104</u> Dryer Motor Crimp Housing, 10 Circuit KK 254 Cat Ear <u>8500032</u> Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag KK 396 Crimp <u>8500108</u> Terminal 2578, 22-26 AWG, Bag, Brass, 2.540µm Tin (Sn) KK 156 TERMINAL <u>8500112</u> CRIMP 22-26 AWG TIN KK 254 Crimp <u>8500114</u> Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating KK 396 Crimp <u>8500134</u> Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 2.540µm Tin(Sn) KK 254 Crimp <u>8500136</u> Terminal 4809, 22-30 AWG, Tin, Bag KK 254 Crimp <u>8500160</u> Terminal, 22-30 AWG, Bag, Tin (Sn) Plating, Nickel (Ni) Under Plating KK Trifurcon Crimp <u>8500185</u> Terminal 7258, 22-26 AWG, Bag, Brass Tin (Sn) KK 156 TERM <u>8500283</u> CRP 22-26 AWG TRIFURCON TIN
--	--

KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520123</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520125</u>
KK CRIMP TERM UNPLT LSE PB2478999L	<u>8530812</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550102</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.38µm Selective Gold(Au)	<u>8550106</u>
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel	<u>8550110</u>
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag	<u>8550111</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	<u>8550123</u>
KK High Pressure Crimp Terminal 7879, 22-30 AWG, Bag Selective Gold (Au)	<u>8550129</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550131</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Left Payoff Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	<u>8550137</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.51µm Select Gold (Au) over Gold Flash	<u>8560108</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Gold (Au), Nickel (Ni) Under Plating	<u>8560110</u>
KK 254 Crimp Terminal 4809, 22-30	<u>8560115</u>

AWG, Selective Gold (Au), Bag	
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Gold(Au)	<u>8560124</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580126</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 3.810µm Tin (Sn)	<u>8600003</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 3.810µm Tin (Sn)	<u>8600004</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.76µm Select Gold (Au) over Gold Flash	<u>8650110</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)	<u>8650117</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650122</u>
KK 254 Cat Ear Crimp Terminal 41572, Bag Tin (Sn)	<u>8650805</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650812</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)	<u>8650814</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650816</u>
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Bag, Phosphor Bronze, Tin (Sn) Plating	<u>8700049</u>
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Bag, Brass,	<u>8700069</u>

Tin (Sn) over Copper Plating	
2.50mm Pitch	<u>8700103</u>
Mini-Latch Crimp Terminal, Male, Brass, Bag	
.062DIA CRIMP REC.	<u>8701011</u>
.062DIA CRIMP PIN	<u>8701013</u>
2.50mm Pitch	<u>8701040</u>
Mini-SPOX Crimp Terminal, 22-28 AWG, Bag	
2.5 Low Profile	<u>8701047</u>
Crimp Rec Chain W/ Plt	
3.96mm Pitch KK	<u>9011036</u>
Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits	
KK 396 PC Board	<u>9481024</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	
KK 396 PC Board	<u>9481034</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	
KK 396 PC Board	<u>9481044</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	
KK 396 PC Board	<u>9481054</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	
KK 396 PC Board	<u>9481064</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	
KK 396 PC Board	<u>9481074</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	
KK 396 PC Board	<u>9481084</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	
KK 396 PC Board	<u>9481094</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	
KK 396 PC Board	<u>9481104</u>
Connector, Right	

Angle, Polyester
Connector, 5.00µm
Tin (Sn), 10 Circuits
KK 396 PC Board 9481105
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9481114
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 11 Circuits
KK 396 PC Board 9481124
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 12 Circuits
KK 396 PC Board 9481134
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 13 Circuits
KK 396 PC Board 9481144
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 14 Circuits
KK 396 PC Board 9481154
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 15 Circuits
KK 396 PC Board 9483024
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483025
Connector, Right
Angle, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483026
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483034
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483035
Connector, Right
Angle, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483036
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483044
Connector, Bottom

Entry, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483045
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483046
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483054
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483055
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483056
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483064
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483065
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483066
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483074
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483075
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483076
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483084
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483085
Connector, Right-

Angle, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483086
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483094
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483095
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483096
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483105
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483106
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483114
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483115
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483116
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483124
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483125
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483126
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483134
Connector, Bottom

Entry, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483135</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483144</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 14 Circuits	
KK 396 PC Board	<u>9483145</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 14 Circuits	
KK 396 PC Board	<u>9483146</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 14 Circuits	
KK 396 PC Board	<u>9483154</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 15 Circuits	
KK 396 PC Board	<u>9483155</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 15 Circuits	
KK 396 PC Board	<u>9483156</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 15 Circuits	
KK 396 PC Board	<u>9484028</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 2 Circuits	
KK 396 PC Board	<u>9484029</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 2 Circuits	
KK 396 PC Board	<u>9484038</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 3 Circuits	
KK 396 PC Board	<u>9484039</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 3 Circuits	
KK 396 PC Board	<u>9484048</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 4 Circuits	
KK 396 PC Board	<u>9484049</u>
Connector, Bottom	

	Entry, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits KK 396 PC Board	<u>9484058</u>
	Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board	<u>9484059</u>
	Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board	<u>9484068</u>
	Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board	<u>9484069</u>
	Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board	<u>9484078</u>
	Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9484079</u>
	Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9484088</u>
	Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board	<u>9484089</u>
	Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board	<u>9484098</u>
	Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9484099</u>
	Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9484108</u>
	Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board	<u>9484109</u>
	Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board	<u>9484118</u>
	Connector, Top	

Entry, Polyester
Connector, 5.00µm
Tin (Sn), 11 Circuits
KK 396 PC Board 9484119
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 11 Circuits
KK 396 PC Board 9484128
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 12 Circuits
KK 396 PC Board 9484129
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 12 Circuits
KK 396 PC Board 9484138
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 13 Circuits
KK 396 PC Board 9484139
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 13 Circuits
KK 396 PC Board 9484148
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 14 Circuits
KK 396 PC Board 9484149
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 14 Circuits
KK 396 PC Board 9484158
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 15 Circuits
KK 396 PC Board 9484159
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 15 Circuits
KK 156 PC Board 9485088
Connector, Top
Entry, Polyester
Connector, Tin (Sn),
8 Circuits
3.96mm Pitch SPOX 9501021
Crimp Housing,
Female, with Friction
Ramp, 2 Circuits,
Natural
3.96mm Pitch SPOX 9501023
Crimp Housing,
Female, with Friction
Ramp and Void, 2
Circuits, Natural
3.96mm Pitch SPOX 9501031
Crimp Housing,

Female, with Friction
Ramp, 3 Circuits,
Natural
3.96mm Pitch SPOX [9501033](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 3
Circuits, Natural
3.96mm Pitch SPOX [9501043](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 4
Circuits, Natural
3.96mm Pitch SPOX [9501051](#)
Crimp Housing,
Female, with Friction
Ramp, 5 Circuits,
Natural
3.96mm Pitch SPOX [9501053](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural
3.96mm Pitch SPOX [9501061](#)
Crimp Housing,
Female, with Friction
Ramp, 6 Circuits,
Natural
3.96mm Pitch SPOX [9501063](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural
3.96mm Pitch SPOX [9501071](#)
Crimp Housing,
Female, with Friction
Ramp, 7 Circuits,
Natural
3.96mm Pitch SPOX [9501073](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 7
Circuits, Natural
3.96mm Pitch SPOX [9501083](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 8
Circuits, Natural
3.96mm Pitch SPOX [9501091](#)
Crimp Housing,
Female, with Friction
Ramp, 9 Circuits,
Natural
3.96mm Pitch SPOX [9501101](#)
Crimp Housing,
Female, with Friction
Ramp, 10 Circuits,
Natural
3.96mm Pitch SPOX [9501103](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 10
Circuits, Natural
3.96mm Pitch SPOX [9501111](#)
Crimp Housing,

	Female, with Friction Ramp, 11 Circuits, Natural 3.96mm Pitch SPOX 9501113 Crimp Housing, Female, with Friction Ramp and Void, 11 Circuits, Natural 3.96mm Pitch SPOX 9501121 Crimp Housing, Female, with Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp 9503021 Terminal Housing, Friction Ramp, 2 Circuits, Natural KK 3.96mm Crimp 9503031 Terminal Housing, Friction Ramp, 3 Circuits, Natural KK 3.96mm Crimp 9503041 Terminal Housing, Friction Ramp, 4 Circuits, Natural KK 3.96mm Crimp 9503051 Terminal Housing, Friction Ramp, 5 Circuits, Natural KK 3.96mm Crimp 9503061 Terminal Housing, Friction Ramp, 6 Circuits, Natural KK 3.96mm Crimp 9503081 Terminal Housing, Friction Ramp, 8 Circuits, Natural KK 3.96mm Crimp 9503121 Terminal Housing, Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp 9503131 Terminal Housing, Friction Ramp, 13 Circuits, Natural KK 3.96mm Crimp 9503141 Terminal Housing, Friction Ramp, 14 Circuits, Natural KK 3.96mm Crimp 9503151 Terminal Housing, Friction Ramp, 15 Circuits, Natural KK 3.96mm Crimp 9503161 Terminal Housing, Friction Ramp, 16 Circuits, Natural KK 3.96mm Crimp 9503191 Terminal Housing, Friction Ramp, 19 Circuits, Natural KK 3.96mm Crimp 9503211 Terminal Housing, Friction Ramp, 21 Circuits, Natural	
--	---	--

KK 3.96mm Crimp Terminal Housing, Friction Ramp, 22 Circuits, Natural	<u>9503221</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 24 Circuits, Natural	<u>9503241</u>
KK 3.96mm Crimp Terminal Housing, 2 Circuits, Natural	<u>9507021</u>
KK 3.96mm Crimp Terminal Housing, 3 Circuits, Natural	<u>9507031</u>
KK 3.96mm Crimp Terminal Housing, 5 Circuits, Natural	<u>9507051</u>
KK 3.96mm Crimp Terminal Housing, 8 Circuits, Natural	<u>9507081</u>
KK 3.96mm Crimp Terminal Housing, 11 Circuits, Natural	<u>9507111</u>
KK 3.96mm Crimp Terminal Housing, 12 Circuits, Natural	<u>9507121</u>
KK 3.96mm Crimp Terminal Housing, 14 Circuits, Natural	<u>9507141</u>
KK 3.96mm Crimp Terminal Housing, 16 Circuits, Natural	<u>9507161</u>
KK 3.96mm Crimp Terminal Housing, 19 Circuits, Natural	<u>9507191</u>
KK 3.96mm Crimp Terminal Housing, 20 Circuits, Natural	<u>9507201</u>
KK 3.96mm Crimp Terminal Housing, 22 Circuits, Natural	<u>9507221</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Natural	<u>9508021</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Natural	<u>9508023</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Natural	<u>9508033</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural	<u>9508043</u>
KK 3.96mm Crimp Terminal Housing, 5 Circuits, Natural	<u>9508050</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	<u>9508051</u>

	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	<u>9508053</u>
	KK 3.96mm Crimp Terminal Housing, 6 Circuits, Natural	<u>9508060</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	<u>9508061</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	<u>9508063</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural	<u>9508071</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	<u>9508081</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	<u>9508083</u>
	KK 3.96mm Crimp Terminal Housing, 9 Circuits, Natural	<u>9508090</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	<u>9508091</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	<u>9508103</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Natural	<u>9508111</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Natural	<u>9508113</u>
	KK 3.96mm Crimp Terminal Housing, 12 Circuits, Natural	<u>9508120</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural	<u>9508123</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural	<u>9508143</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits	<u>9652028</u>
	SPOX and KK 396 Wire-to-Board Header, Vertical,	<u>9652038</u>

	with Friction Lock, 3 Circuits	
	SPOX and KK	<u>9652048</u>
	396 Wire-to-Board Header, Vertical, with Friction Lock, 4 Circuits	
	SPOX and KK	<u>9652068</u>
	396 Wire-to-Board Header, Vertical, with Friction Lock, 6 Circuits	
	SPOX and KK	<u>9652078</u>
	396 Wire-to-Board Header, Vertical, with Friction Lock, 7 Circuits	
	SPOX and KK	<u>9652088</u>
	396 Wire-to-Board Header, Vertical, with Friction Lock, 8 Circuits	
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Glow-Wire Capable	<u>9930200</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Glow-Wire Capable	<u>9930400</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Glow-Wire Capable	<u>9930500</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Glow-Wire Capable	<u>9930600</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Glow-Wire Capable	<u>9930700</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Glow-Wire Capable	<u>9930800</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Glow-Wire Capable	<u>9930900</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Glow-Wire Capable	<u>9931000</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12	<u>9931200</u>

Circuits, Glow-Wire Capable	
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13	9931300
Circuits, Glow-Wire Capable	
15 PIN MICRO-D FEMAL ASSY	10008503
M8351309B11	
5.08mm Pitch KK Crimp Terminal Housing, 2 Circuits, Natural	10011024
5.08mm Pitch KK Crimp Terminal Housing, 3 Circuits, Natural	10011034
5.08mm Pitch KK Crimp Terminal Housing, 6 Circuits, Natural	10011064
5.08mm Pitch KK Crimp Terminal Housing, 7 Circuits, Natural	10011074
5.08mm Pitch KK Crimp Terminal Housing, 11 Circuits, Natural	10011114
5.08mm Pitch KK Crimp Terminal Housing, 12 Circuits, Natural	10011124
5.08mm Pitch SPOX Crimp Terminal Housing, 2 Circuits, Natural	10013026
5.08mm Pitch SPOX Crimp Terminal Housing, 3 Circuits, Natural	10013036
5.08mm Pitch SPOX Crimp Terminal Housing, 4 Circuits, Natural	10013046
5.08mm Pitch SPOX Crimp Terminal Housing, 5 Circuits, Natural	10013056
5.08mm Pitch SPOX Crimp Terminal Housing, 6 Circuits, Natural	10013066
5.08mm Pitch SPOX Crimp Terminal Housing, 7 Circuits, Natural	10013076
5.08mm Pitch SPOX Crimp Terminal Housing, 8 Circuits, Natural	10013086
5.08mm Pitch SPOX Crimp Terminal	10013096

	Housing, 9 Circuits, Natural	
	KK PC Board	<u>10021022</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 2 Circuits	
	KK PC Board	<u>10021032</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 3 Circuits	
	KK PC Board	<u>10021042</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 4 Circuits	
	KK PC Board	<u>10021052</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 5 Circuits	
	KK PC Board	<u>10021062</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 6 Circuits	
	KK PC Board	<u>10021072</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 7 Circuits	
	KK PC Board	<u>10021082</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 8 Circuits	
	KK PC Board	<u>10021092</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 9 Circuits	
	KK PC Board	<u>10021102</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 10 Circuits	
	KK PC Board	<u>10021112</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 11 Circuits	
	KK PC Board	<u>10021122</u>
	Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 12 Circuits	
	5.08mm Pitch KK Header, Right Angle, Square Pin, 4 Circuits, Tin (Sn) Plating	
	KK Header, Right Angle, Square Pin,	<u>10061055</u>

5 Circuits, Tin (Sn)
Plating
KK Header, Vertical, [10081021](#)
Round Pin, 2
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081022](#)
Round Pin, 2
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081029](#)
Round Pin, 2
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081031](#)
Round Pin, 3
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081039](#)
Round Pin, 3
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081041](#)
Round Pin, 4
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081049](#)
Round Pin, 4
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081051](#)
Round Pin, 5
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081061](#)
Round Pin, 6
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081069](#)
Round Pin, 6
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081071](#)
Round Pin, 7
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081081](#)
Round Pin, 8
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081089](#)
Round Pin, 8
Circuits, Tin (Sn)

Plating, Pin Length
20.32mm
KK Header, Vertical, [10081091](#)
Round Pin, 9
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081101](#)
Round Pin, 10
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081102](#)
Round Pin, 10
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081111](#)
Round Pin, 11
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081112](#)
Round Pin, 11
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081121](#)
Round Pin, 12
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10085021](#)
with Polarizing
Backwall, 2 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085031](#)
with Polarizing
Backwall, 3 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085041](#)
with Polarizing
Backwall, 4 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085051](#)
with Polarizing
Backwall, 5 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085061](#)
with Polarizing
Backwall, 6 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085071](#)
with Polarizing
Backwall, 7 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085081](#)
with Polarizing
Backwall, 8 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085091](#)
with Polarizing
Backwall, 9 Circuits,
Tin (Sn) Plating

KK Header, Vertical, 10085101
with Polarizing
Backwall, 10 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085111
with Polarizing
Backwall, 11 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085121
with Polarizing
Backwall, 12 Circuits,
Tin (Sn) Plating
KK PC Board 10101021
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 2
Circuits
KK PC Board 10101023
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 2
Circuits
KK PC Board 10101031
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 3
Circuits
KK PC Board 10101033
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 3
Circuits
KK PC Board 10101041
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 4
Circuits
KK PC Board 10101043
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 4
Circuits
KK PC Board 10101051
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 5
Circuits
KK PC Board 10101053
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 5
Circuits
KK PC Board 10101061
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 6
Circuits
KK PC Board 10101063
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 6
Circuits
KK PC Board 10101071
Connector, Right-
Angle Mount Style A,

	1.00µm Tin (Sn), 7 Circuits KK PC Board <u>10101073</u> Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 7 Circuits KK PC Board <u>10101081</u> Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 8 Circuits KK PC Board <u>10101083</u> Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 8 Circuits KK PC Board <u>10101091</u> Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 9 Circuits KK PC Board <u>10101093</u> Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 9 Circuits KK PC Board <u>10101101</u> Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 10 Circuits KK PC Board <u>10101103</u> Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 10 Circuits KK PC Board <u>10101111</u> Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 11 Circuits KK PC Board <u>10101113</u> Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 11 Circuits KK PC Board <u>10101121</u> Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 12 Circuits KK PC Board <u>10101123</u> Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 12 Circuits KK 254 Crimp <u>10112023</u> Housing, High Pressure, 2 Circuits, Natural KK 254 Crimp <u>10112043</u> Housing, High Pressure, 4 Circuits, Natural
--	--

KK 254 Crimp Housing, High Pressure, 8 Circuits, Natural	<u>10112083</u>
KK 254 Crimp Housing, High Pressure, 9 Circuits, Natural	<u>10112093</u>
KK 254 Crimp Housing, High Pressure, 10 Circuits, Natural	<u>10112103</u>
KK 254 Crimp Housing, High Pressure, 11 Circuit	<u>10112113</u>
KK 254 Crimp Housing, High Pressure, 16 Circuits, Natural	<u>10112163</u>
5.08mm Pitch SPOX Crimp Housing, Female, with Friction Ramp and Void, 2 Circuits	<u>10221022</u>
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 2 Circuits	<u>10311028</u>
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 3 Circuits	<u>10311038</u>
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 4 Circuits	<u>10311048</u>
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 5 Circuits	<u>10311058</u>
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 6 Circuits	<u>10311068</u>
5.08mm Pitch SPOX Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits	<u>10321021</u>
5.08mm Pitch SPOX Wire-to-Board Header, Vertical, with Friction Lock, 3 Circuits	<u>10321031</u>
5.08mm Pitch SPOX Wire-to-Board Header, Vertical, with Friction Lock, 4 Circuits	<u>10321041</u>
5.08mm Pitch SPOX Wire-to-Board Header, Vertical, with Friction Lock, 5 Circuits	<u>10321051</u>

5.08mm Pitch SPOX [10321061](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 6
Circuits

5.08mm Pitch SPOX [10321071](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 7
Circuits

5.08mm Pitch SPOX [10321091](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 9
Circuits

5.08mm Pitch SPOX [10631029](#)
Wire-to-Board
Header, Vertical,
Friction Lock, with
Void, 2 Circuits

5.00mm Pitch SPOX [10633024](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 2
Circuits, Natural

5.00mm Pitch SPOX [10633034](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 3
Circuits, Natural

5.00mm Pitch SPOX [10633044](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 4
Circuits, Natural

5.00mm Pitch SPOX [10633054](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural

5.00mm Pitch SPOX [10633064](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural

7.92mm Pitch SPOX [10634037](#)
Header, Vertical,
with Friction Lock, 3
Circuits

7.92mm Pitch SPOX [10634047](#)
Header, Vertical,
with Friction Lock, 4
Circuits

6.35mm Pitch MLX [10844020](#)
Power Connector
Header, Vertical,
2 Circuits, PA
Polyamide Nylon
6/6 94V-2, Tin (Sn)
Plating, White

6.35mm Pitch MLX [10844022](#)
Power Connector,
2.13mm Contact
Diameter, Vertical,
PA Polyamide

	(Nylon) 6/6, Tin (Sn), White, 2 Circuits 2.13mm Diameter <u>10844025</u> MLX Power Connector Header, Vertical, 2 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, Brick Red 6.35mm Pitch MLX <u>10844030</u> Power Connector Header, Vertical, 3 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White 6.35mm Pitch MLX <u>10844032</u> Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 3 Circuits 6.35mm Pitch MLX <u>10844037</u> Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 3 Circuits 6.35mm Pitch MLX <u>10844040</u> Power Connector Header, Vertical, 4 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White 6.35mm Pitch MLX <u>10844042</u> Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 4 Circuits 2.13mm Diameter <u>10844045</u> MLX Power Connector Header, Vertical, 4 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, Brick Red 6.35mm Pitch MLX <u>10844047</u> Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 4 Circuits 6.35mm Pitch MLX <u>10844060</u> Power Connector Header, Vertical, 6 Circuits, PA Polyamide Nylon
--	--

	6/6 94V-2, Tin (Sn) Plating, White 6.35mm Pitch MLX 10844062 Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 6 Circuits 6.35mm Pitch MLX 10844090 Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White 6.35mm Pitch MLX 10844092 Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 9 Circuits 2.13mm Diameter 10844094 MLX Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm Gold (Au) Selective Plating, White 6.35mm Pitch MLX 10844120 Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White 6.35mm Pitch MLX 10844122 Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 12 Circuits 2.13mm Diameter 10844124 MLX Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm Gold (Au) Selective Plating, White 2.13mm Diameter 10844125 MLX Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, Brick Red 6.35mm Pitch MLX 10844150 Power Connector Header, Vertical, 15 Circuits, PA
--	--

Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 15 Circuits	<u>10844152</u>
2.13mm Diameter MLX Power Connector Header, Vertical, 15 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, Brick Red	<u>10844155</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 2 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845020</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, Polyester 94V-0, White/Natural, 2 Circuits	<u>10845021</u>
2.13mm Diameter MLX Power Connector Header, Vertical, 2 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	<u>10845022</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 3 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845030</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 3 Circuits	<u>10845031</u>
2.13mm Diameter MLX Power Connector Header, Vertical, 3 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	<u>10845032</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 4 Circuits, Polyester	<u>10845040</u>

94V-0, Tin (Sn) Plating, White	
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 4 Circuits	<u>10845041</u>
2.13mm Diameter MLX Power Connector Header, Vertical, 4 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	<u>10845042</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 6 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845060</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 6 Circuits	<u>10845061</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 9 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845090</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 9 Circuits	<u>10845091</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845120</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 12 Circuits	<u>10845121</u>
2.13mm Diameter MLX Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	<u>10845122</u>

	6.35mm Pitch MLX 10845150 Power Connector Header, Vertical, 15 Circuits, Polyester 94V-0, Tin (Sn) Plating, White
	6.35mm Pitch MLX 10845151 Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 15 Circuits
	6.35mm Pitch MLX 10845153 Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, White, 15 Circuits
	2.54mm Pitch C-Grid 10879805 Breakaway Header, Dual Row, Vertical, High Temperature, 80 Circuits, 0.76µm Gold (Au) Selective Plating, Tin(Sn) PC Tail Plating, 2.72mm PC Tail
	2.54mm Pitch C-Grid 10883041 Breakaway Header, High Profile, Dual Row, Right Angle, 4 Circuits, 6.10mm Mating Pin Length, Tin (Sn) Plating
	2.54mm Pitch C-Grid 10883042 Breakaway Header, High Profile, Dual Row, Right Angle, 4 Circuits, 8.13mm Mating Pin Length, Tin (Sn) Plating
	2.54mm Pitch C-Grid 10883061 Breakaway Header, High Profile, Dual Row, Right Angle, 6 Circuits, 6.10mm Mating Pin Length, Tin (Sn) Plating
	2.54mm Pitch C-Grid 10883062 Breakaway Header, High Profile, Dual Row, Right Angle, 6 Circuits, 8.13mm Mating Pin Length, Tin (Sn) Plating
	2.54mm Pitch C-Grid 10883081 Breakaway Header, High Profile, Dual Row, Right Angle, 8 Circuits, 6.10mm Mating Pin Length, Tin (Sn) Plating

2.54mm Pitch C-Grid [10883101](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
10 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883102](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
10 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883121](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
12 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883141](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
14 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883142](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
14 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883161](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
16 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883162](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
16 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883201](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
20 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883222](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
22 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883241](#)
Breakaway Header,

High Profile, Dual
Row, Right Angle,
24 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883242](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
24 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883261](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
26 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883262](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
26 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883281](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
28 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883282](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
28 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883301](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
30 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883302](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
30 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10894042](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894043](#)
Breakaway Header,
High Profile, Dual

Row, Right-Angle,
4 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894046](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894047](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894062](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894063](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894066](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894067](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894082](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894083](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,

8 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894086](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894087](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894102](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894103](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894106](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894107](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894122](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894123](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 8.13mm

Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894126](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894127](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894142](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894143](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894146](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894147](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894162](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894163](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 8.13mm
Mating Pin Length,

0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894166](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894167](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894202](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
20 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894203](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
20 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894206](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
20 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894207](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
20 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating

This document was generated on 03/09/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION