

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0622005703

Status:


Active

Overview:

Application Tooling

Description:

Backplane Insertion Head for 144 Circuits



Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207123
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Press-Fit Insertion Tool
UPC	800753183025
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.
Physical	
Net Weight	171.540/g
Material Info	
Reference - Drawing Numbers	
Application Tooling Documents	622005798, 622009999, ATS-622005703, TM-622009999

EU ELV

Not Relevant

EU RoHS

Compliant

China RoHS

REACH SVHC

Not Contained Per -

ECHA_01_2020 (16

January 2020

Halogen-Free

Status

Not Relevant

For more information, please visit

Contact US

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series	
207123 Series	
Application Tooling Description	FAQ Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	2061101
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	2061103
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated	2061104

	Phosphor Bronze Contact, 18-24 AWG, Reel 1.57mm Diameter, 2061118 Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with Tin (Sn) Plated Brass Contact, Without Locking Tabs, 18-24 AWG, Reel Packaged 1.57mm Diameter, 2061131 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2061132 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2061141 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Without Locking Tabs, Reel Packaged 1.57mm Diameter, 2061143 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel Packaged with Interleaf Paper 1.57mm Diameter, 2062101 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2062103 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	
--	---	--

	1.57mm Diameter, 2062131 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel
	1.57mm Diameter, 2062132 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag
	1.57mm Diameter, 2065100 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel
	1.57mm Diameter, 2065101 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel
	1.57mm Diameter, 2065102 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag
	1.57mm Diameter, 2065103 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag
	1.57mm Diameter, 2065104 Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Loose in Bag Packaged
	1.57mm Diameter, 2065105 Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Reel

	1.57mm Diameter, 2065108 Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel
	1.57mm Diameter, 2065109 Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag
	1.57mm Diameter, 2065130 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel
	1.57mm Diameter, 2065135 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag
	1.57mm Diameter, 2065138 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel
	1.57mm Diameter, 2065139 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag
	1.57mm Diameter, 2065147 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel
	1.57mm Diameter, 2065148 Standard .062" Pin and Socket Crimp Terminal, Series

	1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066100</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2066101</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged 1.57mm Diameter, <u>2066102</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged 1.57mm Diameter, <u>2066103</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, <u>2066104</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged 062 Male Term <u>2066105</u> Chain Brs 50Au 18-24 1.57mm Diameter, <u>2066118</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel 1.57mm Diameter, <u>2066119</u> Standard .062" Pin
--	--

	and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag 1.57mm Diameter, <u>2066122</u> Standard .062"
	Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag .062 Male Term PC <u>2066125</u> Tail 30 au
	1.57mm Diameter, <u>2066130</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel
	1.57mm Diameter, <u>2066135</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag
	1.57mm Diameter, <u>2066138</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel
	1.57mm Diameter, <u>2066139</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag
	1.57mm Diameter, <u>2066143</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel
	1.57mm Diameter, <u>2066144</u> Standard .062" Pin and Socket Crimp

Terminal, Series
1854, Male, with
Selective Gold
(Au) Plated Brass
Contact, Tin (Sn)
Plated Crimp Area,
24-30 AWG, Bag
1.57mm Diameter, [2067103](#)
Standard .062" Pin
and Socket PC Tail
Terminal, Series
1779, Female,
with 2.54µm Tin
(Sn) Plated Brass
Contact, Bag
Packaged
1.57mm Diameter, [2067104](#)
Standard .062" Pin
and Socket PC Tail
Terminal, Series
1779, Female,
with .76µm Selective
Gold (Au) Plated
Brass Contact, Bag
Packaged
1.57mm Diameter, [2068103](#)
Standard .062" Pin
and Socket PC Tail
Terminal, Series
1778, Male, with Tin
(Sn) Plated Brass
Contact, Bag
062 Male Term Tin [2068104](#)
PCTail Chn
Vertical Solder [2072101](#)
Relief (VSR) Direct-
Solder Crimp
Terminal, Series
4706, Male, Tin
Terminal Progression
MLX Female Crimp [2081001](#)
Terminal 42024,
14-20 AWG, Reel,
Brass, Tin (Sn)
Plating
MLX Crimp Terminal [2081002](#)
42024, 14-20 AWG,
Bag Tin (Sn)
MLX Female Crimp [2081003](#)
Terminal 42024,
14-20 AWG, Reel,
Phosphor Bronze,
Tin (Sn) Plating
MLX Crimp Terminal [2081004](#)
42024, 14-20 AWG,
Bag Tin (Sn)
Claspcon Crimp [2081101](#)
Terminal Socket, Tin
(Sn) Plated Brass
Contact, 16-24 AWG,
Reel
Claspcon Crimp [2081102](#)
Terminal Socket, Tin
(Sn) Plated Brass

Contact, 16-24 AWG,
Bag
Claspcon Crimp 2081103
Terminal Socket, Tin
(Sn) Plated Brass
Contact, 24-30 AWG,
Reel
Claspcon Crimp 2081104
Terminal Socket, Tin
(Sn) Plated Brass
Contact, 24-30 AWG,
Bag
Disk Drive Power 2081201
Connection System,
Female Crimp
Terminal, Reel,
Phosphor Bronze,
AWG 14-20
.084" UNPLATED 2081211
TERMINAL 8980V01
.084" PC TAIL TERM2081212
- 999 8980R11
.084" PC TAIL TERM2081214
- 999 8980R13
2.096MM DIA 2081266
TERMINAL
2.096MM DIA 2081268
TERMINAL
2.13mm DIA PC 2081309
TAIL TERM PhBr
2.54SnLF
2.096MM DIA 2081363
TERMINAL PhBr
2.54SnLF
2.096MM DIA 2081365
TERMINAL PhBr
2.54SnLF
MLX Male Crimp 2082003
Terminal 42023,
14-20 AWG, Reel,
Brass, Tin (Sn)
Plating
MLX Crimp Terminal 2082004
42023, 14-20 AWG,
Bag Tin (Sn)
MLX Male Crimp 2082005
Terminal 42023,
14-20 AWG, Reel,
Phosphor Bronze,
Tin (Sn) Plating
MLX Crimp Terminal 2082006
42023, 14-20 AWG,
Bag Tin (Sn)
MLX Crimp Terminal 2082008
42023, 14-20 AWG,
Bag Selective Gold
(Au)
42023-2A0, Ter Male 2082011
2.13 Chn Unplate
Claspcon Crimp 2085101
Terminal Socket, Tin
(Sn) Plated Brass
Contact, 16-24 AWG,
Reel

	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel	2091102
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	2091104
	093FemaleTerm Chain/IntLeaf Brs Tin18-22	2091115
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	2091117
	2.36mm Diameter, Standard .093" Crimp Terminal, Dimpled Female, 18-22 AWG, Bag	2091118
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	2091119
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel	2091122
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag	2091123
	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag	2091134

	Crimp Terminal 41483, 14-18 AWG, Reel	<u>2091153</u>
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain	<u>2091155</u>
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	<u>2091205</u>
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	<u>2091206</u>
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag	<u>2091615</u>
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	<u>2091651</u>
	2.36mm Diameter Socket, Without Insulation Crimp for 16-20 AWG Wire	<u>2092101</u>
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel	<u>2092103</u>
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	<u>2092105</u>
	Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin (Sn) Plated Brass	

	Contact, 16-18 AWG, 11.20mm Terminal Progression 2.36mm Diameter, 2092116 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2092117 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, without Dents, 18-22 AWG, Reel 2.36mm Diameter, 2092118 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 093 MaleTermChain/ IntLeaf Brs Tin18-22 2.36mm Diameter, 2092133 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/ Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged 2.36mm Diameter, 2092134 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged 2.36mm Diameter, 2092166 Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel Packaged 2.36mm Diameter, 2092167 Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag Packaged	
--	--	--

	2.36mm Diameter, 2092170 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Reel
	2.36mm Diameter, 2092171 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Bag
	2.36mm Diameter, 2092611 Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel
	2.36mm Diameter, 2095100 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel
	2.36mm Diameter, 2095101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Chain
	2.36mm Diameter, 2095102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel
	2.36mm Diameter, 2095106 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag
	2.36mm Diameter, 2095111 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with

	Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, <u>2095130</u> Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, <u>2095132</u> Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag 2.36mm Diameter, <u>2095133</u> Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, <u>2095142</u> Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, <u>2095143</u> Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, <u>2095169</u> Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel 2.36mm Diameter, <u>2095170</u> Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Bag 2.36mm Diameter, <u>2096100</u> Standard .093" Pin
--	--

and Socket Crimp
Terminal, Series
1190, Male, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel
2.36mm Diameter, [2096101](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, [2096102](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, [2096106](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Bag
2.36mm Diameter, [2096110](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, [2096122](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Gold (Au) Plated
Brass Contact, 18-22
AWG, Reel
2.36mm Diameter, [2096123](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Gold (Au) Plated
Brass Contact, 18-22
AWG, Bag
2.36mm Diameter, [2096125](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Selective Gold
(Au) Plated Brass
Contact, 18-22 AWG,
Reel

	2.36mm Diameter, 2096126 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag
	2.36mm Diameter, 2096132 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag Packaged
	2.36mm Diameter, 2098103 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel
	2.36mm Diameter, 2098104 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag
	2.36mm Diameter, 2098108 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel
	2.36mm Diameter, 2098109 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag
	Mini-Fit Jr. 3044052 Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural
	1.57mm Diameter 3061011 Standard .062" Pin and Socket Receptacle Housing, 1 Circuits, Natural
	1.57mm Diameter 3061022 Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-

Standard Mounting Ears, Natural	
1.57mm Diameter	<u>3061023</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, 2 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3061031</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, 3 Circuits, with Standard Mounting Ears	
1.57mm Diameter	<u>3061032</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, 3 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3061038</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural	
1.57mm Diameter	<u>3061041</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, 4 Circuits, with Standard Mounting Ears	
1.57mm Diameter	<u>3061042</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, 4 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3061044</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	
1.57mm Diameter	<u>3061062</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, 6 Circuits, without Mounting Ears, Natural	
1.57mm Diameter	<u>3061092</u>
Standard .062"	
Pin and Socket	
Receptacle Housing, 9 Circuits, without	

	Mounting Ears, Natural 1.57mm Diameter <u>3061121</u> Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural 1.57mm Diameter <u>3061122</u> Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062011</u> Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural 1.57mm Diameter <u>3062023</u> Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062024</u> Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3062031</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural 1.57mm Diameter <u>3062032</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062033</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3062041</u> Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears 1.57mm Diameter <u>3062042</u> Standard .062" Pin and Socket Plug Housing, 4 Circuits,	
--	--	--

	without Mounting Ears, Natural 1.57mm Diameter <u>3062044</u> Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural 1.57mm Diameter <u>3062061</u> Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062092</u> Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062121</u> Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3062122</u> Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3066023</u> Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black 1.57mm Diameter <u>3066062</u> Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black 1.57mm Diameter <u>3067023</u> Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black 1.57mm Diameter <u>3067044</u> Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black 1.57mm Diameter <u>3067061</u> Standard .062" Pin and Socket Plug Housing, 6 Circuits,
--	---

without Mounting Ears, Black	
2.36mm Diameter	<u>3091011</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
1 Circuit, Friction	
Lock, Natural	
2.36mm Diameter	<u>3091022</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
2 Circuits, without	
Mounting Ears, with	
Ramps, Natural	
2.36mm Diameter	<u>3091027</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
2 Circuits, with Pre-	
bent Mounting Ears,	
with Ramps, Natural	
2.36mm Diameter	<u>3091030</u>
Standard Receptacle	
Housing, 3 Circuit,	
Natural	
2.36mm Diameter	<u>3091031</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
3 Circuits, Single	
Row, Natural	
2.36mm Diameter	<u>3091032</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
3 Circuits, Single	
Row, Natural	
2.36mm Diameter	<u>3091033</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
3 Circuits, Single	
Row, Free-Hanging,	
without Passive Lock	
Ramps, Natural	
2.36mm Diameter	<u>3091041</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
4 Circuits, Single	
Row, Natural	
2.36mm Diameter	<u>3091042</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
4 Circuits, Single	
Row, Natural	
2.36mm Diameter	<u>3091049</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
4 Circuits, Dual Row,	
without Mounting	
Ears, Natural	

	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	<u>3091061</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	<u>3091062</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp	<u>3091063</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	<u>3091064</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	<u>3091081</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	<u>3091091</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, with Panel Mount Ears, without Passive Lock Ramp	<u>3091092</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp	<u>3091093</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	<u>3091094</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing,	<u>3091121</u>

12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps	
2.36mm Diameter	<u>3091125</u>
Standard .093" Pin and Socket Receptacle Housing,	
12 Circuits, 3 Rows, Natural	
2.36mm Diameter	<u>3091126</u>
Standard .093" Pin and Socket Receptacle Housing,	
12 Circuits, 3 Rows, Natural	
2.36mm Diameter	<u>3091151</u>
Standard .093" Pin and Socket Receptacle Housing,	
15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Lock Ramps	
2.36mm Diameter	<u>3091152</u>
Standard .093" Pin and Socket Receptacle Housing,	
15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps	
2.36mm Diameter	<u>3091153</u>
Standard .093" Pin and Socket Receptacle Housing,	
15 Circuits, 3 Rows, with Pre-bent Mounting Ears, with Lock Ramps	
2.36mm Diameter	<u>3091157</u>
Standard .093" Pin and Socket Receptacle Housing,	
15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps	
2.36mm Diameter	<u>3091161</u>
Standard .093" Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock,	
2 Circuits	
2.36mm Diameter	<u>3092011</u>
Standard .093" Pin and Socket Plug Housing, 1 Circuit, Friction Lock, Natural	
2.36mm Diameter	<u>3092021</u>
Standard .093" Pin and Socket Plug Housing, 2 Circuits, with Standard	

Mounting Ears, Natural	
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	<u>3092022</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	<u>3092031</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	<u>3092032</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	<u>3092041</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	<u>3092042</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	<u>3092049</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	<u>3092061</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	<u>3092062</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housings, 9 Circuits, 3 Rows	<u>3092092</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	<u>3092121</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	<u>3092122</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without	<u>3092151</u>

Mounting Ears, with Pull Tabs, without Lock Windows	
2.36mm Diameter	<u>3092159</u>
Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Pull Tabs, with Lock Windows	
2.36mm Diameter	<u>3092161</u>
Standard .093" Pin and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits	
2.36mm Diameter	<u>3096021</u>
Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Black	
2.36mm Diameter	<u>3097022</u>
Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black	
2.36mm Diameter	<u>3097024</u>
Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red	
2.36mm Diameter	<u>3097032</u>
Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black	
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	<u>3121022</u>
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 2 Circuits, Natural (Translucent)	<u>3121026</u>
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	<u>3121036</u>
3.18mm Diameter, HCS125, Pin and	<u>3121046</u>

	Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3122022</u> HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears 3.18mm Diameter, <u>3122025</u> HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 2 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3122026</u> HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 2 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3122035</u> HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2 3.18mm Diameter, <u>3122036</u> HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2 3.18mm Diameter, <u>3122045</u> HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3122046</u> HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4 Circuits, Natural (Translucent) Flat Blade Crimp <u>5060117</u> Terminal, Series 1508, Female, With Tin (Sn) Plated Brass Contact, 14-18 AWG (or 18 AWG
--	--

Double Crimp), Reel
Packaged
Flat Blade Crimp 5060301
Terminal, Series
2176, Female, With
Tin (Sn) Plated Brass
Contact, With Detent,
14-22 AWG (or 18
AWG Double Crimp),
Reel Packaged
Crimp Terminal 5121004
2482, 10-16 AWG,
Reel
Crimp Terminal 5121005
2482, 10-16 AWG,
Bag
Crimp Terminal 5121006
2482, 10-16 AWG,
Reel
Crimp Terminal 5121008
2482, 10-16 AWG,
Reel
Crimp Terminal 5121104
6482, 14-18 AWG,
Reel
Flat Blade Appliance 6021103
Motor Switch Crimp
Housing, 10 Circuits
Flat Blade Appliance 6022030
Water Valve Crimp
Housing, 3 Circuit,
Natural
Flat Blade Appliance 6023042
Defrost Timer Crimp
Housing, 4 Circuit, 4
Circuits
Flat Blade Appliance 6023103
Motor Switch Crimp
Housing, 10 Circuit,
10 Circuits
Flat Blade Appliance 6023104
Dryer Motor Crimp
Housing, 10 Circuit
KK Crimp Terminal, 8300109
Series 1799, Female,
with Tin (Sn) Plated
Brass Contact, 18-24
AWG, Chain on Reel
KK 396 Crimp 8500008
Terminal 8818, 18-22
AWG, Reel, Brass
Tin (Sn)
KK 156 TERMINAL 8500015
CRIMP 18-24 AWG
TIN
KK 396 Crimp 8500023
Terminal 8818, 18-22
AWG, Bag, Brass Tin
(Sn)
KK 156 TERM 8500024
CRP 18-20 AWG
TRIFURCON TIN
KK 254 Cat Ear 8500030
Crimp Terminal
4809, 22-30 AWG,

Hot Tin Dip, 2.20mm Insulation Crimp, Reel	
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	<u>8500031</u>
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag	<u>8500032</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass Tin (Sn)	<u>8500105</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass Tin (Sn)	<u>8500106</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 2.540µm Tin (Sn)	<u>8500107</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 2.540µm Tin (Sn)	<u>8500108</u>
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	<u>8500109</u>
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Loose	<u>8500110</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 7.6µm Tin (Sn)	<u>8500111</u>
KK 156 TERMINAL CRIMP 22-26 AWG TIN	<u>8500112</u>
KK 254 Crimp Terminal, 22-30 AWG, Hot Tin (Sn) Dip Plating	<u>8500113</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating	<u>8500114</u>
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Brass, Tin (Sn), Bifurcated	<u>8500115</u>
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Brass, Tin (Sn), Bifurcated	<u>8500116</u>

KK 396 Crimp	<u>8500119</u>
Terminal 2478, 18-24	
AWG, Reel, Brass,	
3.8µm Tin (Sn)	
KK 396 Crimp	<u>8500120</u>
Terminal 2478, 18-24	
AWG, Bag, Brass,	
3.8µm Tin (Sn)	
KK 396 Crimp	<u>8500133</u>
Terminal 2578,	
22-26 AWG, Reel,	
Phosphor Bronze,	
2.540µm Tin (Sn)	
KK 396 Crimp	<u>8500134</u>
Terminal 2578,	
22-26 AWG, Bag,	
Phosphor Bronze,	
2.540µm Tin(Sn)	
KK 254 Crimp	<u>8500135</u>
Terminal 4809, 22-30	
AWG, Hot Tin Dip,	
Reel	
KK 254 Crimp	<u>8500136</u>
Terminal 4809, 22-30	
AWG, Tin, Bag	
KK 254 Crimp	<u>8500159</u>
Terminal, 22-30	
AWG, Reel, Tin (Sn)	
Plating, Nickel (Ni)	
Under Plating	
KK 254 Crimp	<u>8500160</u>
Terminal, 22-30	
AWG, Bag, Tin (Sn)	
Plating, Nickel (Ni)	
Under Plating	
KK Trifurcon Crimp	<u>8500183</u>
Terminal 7258, 22-26	
AWG, Reel, Brass	
Tin (Sn)	
KK Trifurcon Crimp	<u>8500185</u>
Terminal 7258, 22-26	
AWG, Bag, Brass Tin	
(Sn)	
KK Trifurcon Crimp	<u>8500187</u>
Terminal 6838, 18-20	
AWG, Reel, Brass	
Tin (Sn)	
KK Trifurcon Crimp	<u>8500189</u>
Terminal 6838, 18-20	
AWG, Bag, Brass Tin	
(Sn)	
KK 156 TERM	<u>8500251</u>
CRP 18-20 AWG	
TRIFURCON TIN	
KK 396 Crimp	<u>8500281</u>
Terminal 2478,	
18-24 AWG, Reel,	
Phosphor Bronze,	
3.87µm Tin (Sn)	
KK 156 TERM	<u>8500283</u>
CRP 22-26 AWG	
TRIFURCON TIN	
KK 100 Crp Term	<u>8510101</u>
Std 22-30 Awg Unplt	

KK 254 Crimp Terminal, 22-30 AWG, Reel, Tin (Sn), Nickel (Ni) Under Plating	<u>8510108</u>
KK 156 TERMINAL CRIMP 1820 AWG	<u>8510109</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, Tin (Sn)	<u>8520071</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, Tin (Sn)	<u>8520072</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Tin (Sn)	<u>8520101</u>
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Reel, Phosphor Bronze Tin(Sn)	<u>8520112</u>
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520113</u>
KK .100 CRIMP TERMINAL 100MI MATTE TIN	<u>8520118</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520123</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Tin(Sn)	<u>8520124</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520125</u>
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, Tin (Sn), Bifurcated	<u>8520126</u>
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, Tin (Sn), Bifurcated	<u>8520127</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel,	<u>8520131</u>

Phosphor Bronze Tin (Sn)	
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520132</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 5.0µm Tin (Sn)	<u>8520811</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 5.0µm Tin (Sn)	<u>8520812</u>
KK 156 TERMINAL CRIMP 18-24 AWG	<u>8530811</u>
KK CRIMP TERM UNPLT LSE PB2478999L	<u>8530812</u>
KK 156 TERMINAL CRIMP 1820 AWG	<u>8530814</u>
KK 156 TERM CRP 18-20 AWG TRIFURCON	<u>8531101</u>
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550101</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550102</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.38µm Selective Gold (Au)	<u>8550103</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.38µm Selective Gold (Au)	<u>8550104</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.38µm Selective Gold (Au)	<u>8550105</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.38µm Selective Gold(Au)	<u>8550106</u>
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel	<u>8550110</u>
KK 254 Crimp Terminal 4809, 22-30	<u>8550111</u>

AWG, Selective Gold (Au), Bag	
KK 254 Cat Ear	<u>8550112</u>
Crimp Terminal	
4809, 22-30 AWG, Selective Gold, Reel	
KK 396 Crimp	<u>8550123</u>
Terminal 2578, 22-26	
AWG, Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	
KK High Pressure	<u>8550124</u>
Crimp Terminal	
7879, 22-30 AWG, Reel Selective Gold (Au)	
KK High Pressure	<u>8550129</u>
Crimp Terminal	
7879, 22-30 AWG, Bag Selective Gold (Au)	
KK 254 Crimp	<u>8550130</u>
Terminal, 22-30	
AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	
KK 254 Crimp	<u>8550131</u>
Terminal, 22-30	
AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	
KK 396 Crimp	<u>8550133</u>
Terminal 2478, 18-24	
AWG, Reel, Brass, 0.76µm Gold (Au)	
KK 396 Crimp	<u>8550134</u>
Terminal 2478, 18-24	
AWG, Bag, Brass, 0.76µm Gold (Au)	
KK 396 Crimp	<u>8550137</u>
Terminal 2578, 22-26	
AWG, Left Payoff	
Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	
KK 156 TERMINAL	<u>8550138</u>
CRIMP 1820 AWG	
GOLD	
KK 396 Crimp	<u>8560105</u>
Terminal 2478, 18-24	
AWG, Reel, Brass, 0.51µm Selective Gold (Au)	
KK 396 Crimp	<u>8560106</u>
Terminal 2478, 18-24	
AWG, Bag, Brass, 0.51µm Selective Gold (Au)	
KK 396 Crimp	<u>8560107</u>
Terminal 2578, 22-26	
AWG, Reel, Brass, 0.51µm Select Gold (Au) over Gold Flash	

KK 396 Crimp	<u>8560108</u>
Terminal 2578, 22-26	
AWG, Bag, Brass,	
0.51µm Select Gold	
(Au) over Gold Flash	
KK 254 Crimp	<u>8560109</u>
Terminal, 22-30	
AWG, Reel, Gold	
(Au), Nickel (Ni)	
Under Plating	
KK 254 Crimp	<u>8560110</u>
Terminal, 22-30	
AWG, Bag, Gold	
(Au), Nickel (Ni)	
Under Plating	
KK Crimp Terminal,	<u>8560113</u>
Series 2477,	
Humpback, with	
Overall Gold (Au)	
Plated Brass	
Contact, 18-24 AWG,	
Reel	
KK Crimp Terminal,	<u>8560114</u>
Series 2477,	
Humpback, with	
Overall Gold (Au)	
Plated Brass	
Contact, 18-24 AWG,	
Loose	
KK 254 Crimp	<u>8560115</u>
Terminal 4809, 22-30	
AWG, Selective Gold	
(Au), Bag	
KK 254 Crimp	<u>8560120</u>
Terminal 4809, 22-30	
AWG, Selective Gold	
(Au), Reel	
KK Trifurcon Crimp	<u>8560123</u>
Terminal 7258,	
22-26 AWG, Reel,	
Phosphor Bronze	
Gold (Au)	
KK Trifurcon Crimp	<u>8560124</u>
Terminal 7258,	
22-26 AWG, Bag,	
Phosphor Bronze	
Gold(Au)	
KK 156 TERMINAL	<u>8580103</u>
CRIMP 18-24 AWG	
GOLD	
KK 156 TERMINAL	<u>8580104</u>
CRIMP 18-24 AWG	
GOLD	
KK 156 TERM	<u>8580105</u>
CRP 18-20 AWG	
TRIFURCON GOLD	
KK 156 TERM	<u>8580106</u>
CRP 18-20 AWG	
TRIFURCON GOLD	
KK Trifurcon Crimp	<u>8580110</u>
Terminal 6438,	
18-20 AWG, Reel,	
Phosphor Bronze	
Selective Gold (Au)	

	KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8580111</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.76µm Gold (Au)	<u>8580114</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.76µm Gold (Au)	<u>8580115</u>
	KK 156 TERM CRP 18-20 AWG TRIFURCON GOLD	<u>8580118</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580121</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580122</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580125</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580126</u>
	3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au), Bifurcated	<u>8580127</u>
	3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au), Bifurcated	<u>8580128</u>
	KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8580135</u>
	KK 396 Crimp Terminal 8818, 18-22 AWG, Bag,	<u>8580136</u>

	Phosphor Bronze	
	Selective Gold (Au)	
	KK Trifurcon Crimp	<u>8580187</u>
	Terminal 6438,	
	18-20 AWG, Reel,	
	Phosphor Bronze	
	Gold (Au)	
	KK Trifurcon Crimp	<u>8580189</u>
	Terminal 6438,	
	18-20 AWG, Bag,	
	Phosphor Bronze	
	Gold(Au)	
	KK 396 Crimp	<u>8600003</u>
	Terminal 2578,	
	22-26 AWG, Reel,	
	Phosphor Bronze,	
	3.810µm Tin (Sn)	
	KK 396 Crimp	<u>8600004</u>
	Terminal 2578,	
	22-26 AWG, Bag,	
	Phosphor Bronze,	
	3.810µm Tin (Sn)	
	KK 254 Crimp	<u>8650105</u>
	Terminal 8088, 22-30	
	AWG, Gold/Nickel,	
	Reel	
	KK 396 Crimp	<u>8650110</u>
	Terminal 2578,	
	22-26 AWG, Reel,	
	Phosphor Bronze,	
	0.76µm Select Gold	
	(Au) over Gold Flash	
	KK 396 Crimp	<u>8650114</u>
	Terminal 2478,	
	18-24 AWG, Reel,	
	Phosphor Bronze,	
	0.38µm Selective	
	Gold (Au)	
	KK 396 Crimp	<u>8650115</u>
	Terminal 2478,	
	18-24 AWG, Bag,	
	Phosphor Bronze,	
	0.38µm Selective	
	Gold (Au)	
	KK 396 Crimp	<u>8650116</u>
	Terminal 2578,	
	22-26 AWG, Reel,	
	Phosphor Bronze,	
	0.38µm Selective	
	Gold (Au)	
	KK 396 Crimp	<u>8650117</u>
	Terminal 2578,	
	22-26 AWG, Bag,	
	Phosphor Bronze,	
	0.38µm Selective	
	Gold (Au)	
	3.96mm Pitch KK	<u>8650118</u>
	Crimp Terminal	
	2878, 18-20 AWG,	
	Reel, Phosphor	
	Bronze, 0.38µm	
	Selective Gold (Au),	
	Bifurcated	
	3.96mm Pitch KK	<u>8650119</u>
	Crimp Terminal	

2878, 18-20 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated	
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650121</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650122</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650128</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650129</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650801</u>
KK 254 Cat Ear Crimp Terminal 41572, Reel Tin (Sn)	<u>8650804</u>
KK 254 Cat Ear Crimp Terminal 41572, Bag Tin (Sn)	<u>8650805</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650811</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650812</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au)	<u>8650813</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)	<u>8650814</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650815</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650816</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650817</u>

4.80mm Pitch Crimp	<u>8700001</u>
Terminal, Female,	
Reel	
4.80mm Pitch Crimp	<u>8700002</u>
Terminal, Male, Reel	
3.96 and 5.08mm	<u>8700012</u>
Pitch KK Cat Ear	
Crimp Terminal,	
Female, 18-24 AWG,	
Reel	
KK Cat Ear Crimp	<u>8700048</u>
Terminal 5159,	
22-28 AWG, Reel,	
Phosphor Bronze,	
Tin (Sn) Plating	
KK Cat Ear Crimp	<u>8700049</u>
Terminal 5159,	
22-28 AWG, Bag,	
Phosphor Bronze,	
Tin (Sn) Plating	
SPOX Crimp	<u>8700056</u>
Terminal 5103, 22-28	
AWG, Reel, Brass	
(CuZn), Chain Type	
SPOX Crimp	<u>8700058</u>
Terminal 5103,	
22-28 AWG, Reel,	
Phosphor Bronze	
(CuSn), Chain Type	
KK Cat Ear Crimp	<u>8700064</u>
Terminal 5159, 22-28	
AWG, Reel, Brass,	
Tin (Sn) over Copper	
Plating	
KK Cat Ear Crimp	<u>8700069</u>
Terminal 5159, 22-28	
AWG, Bag, Brass,	
Tin (Sn) over Copper	
Plating	
2.50mm Pitch	<u>8700102</u>
Mini-Latch Crimp	
Terminal, Male,	
Brass, Reel	
2.50mm Pitch	<u>8700103</u>
Mini-Latch Crimp	
Terminal, Male,	
Brass, Bag	
Board-in Crimp	<u>8700106</u>
Terminal , Series	
5298, Male, with Tin	
Insulation Diameter,	
Reel Packaged	
.062DIA CRIMP	<u>8701011</u>
REC.	
.062DIA CRIMP PIN	<u>8701013</u>
SPOX Crimp	<u>8701030</u>
Terminal, 18-24	
AWG, Brass, Bag	
SPOX Crimp	<u>8701031</u>
Terminal, 18-24	
AWG, Brass, Reel	
2.50mm Pitch, Mini-	<u>8701039</u>
SPOX Female Crimp	
Terminal, 22-28	
AWG, Reel	

	2.50mm Pitch Mini-SPOX Crimp Terminal, 22-28 AWG, Bag	<u>8701040</u>
	2.5 Low Profile Crimp Rec Chain W/ Plt	<u>8701047</u>
	3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits	<u>9011036</u>
	.156 IDT ASSEMBLY 724103L	<u>9072031</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	<u>9481024</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	<u>9481034</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	<u>9481044</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	<u>9481054</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	<u>9481064</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	<u>9481074</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	<u>9481084</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	<u>9481094</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	<u>9481104</u>
	KK 396 PC Board Connector, Top Entry, Polyester	<u>9481105</u>

Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9481114
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 11 Circuits
KK 396 PC Board 9481124
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 12 Circuits
KK 396 PC Board 9481134
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 13 Circuits
KK 396 PC Board 9481144
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 14 Circuits
KK 396 PC Board 9481154
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 15 Circuits
KK 396 PC Board 9483024
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483025
Connector, Right
Angle, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483026
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483034
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483035
Connector, Right
Angle, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483036
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483044
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483045
Connector, Right-
Angle, Polyester

Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483046
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483054
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483055
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483056
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483064
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483065
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483066
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483074
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483075
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483076
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483084
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483085
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483086
Connector, Top
Entry, Polyester

Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483094
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483095
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483096
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483104
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483105
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483106
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483114
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483115
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483116
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483124
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483125
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483126
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483134
Connector, Bottom
Entry, Polyester

Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483135
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483136
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483144
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 14 Circuits
KK 396 PC Board 9483145
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 14 Circuits
KK 396 PC Board 9483146
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 14 Circuits
KK 396 PC Board 9483154
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9483155
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9483156
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9484028
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 2 Circuits
KK 396 PC Board 9484029
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 2 Circuits
KK 396 PC Board 9484038
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 3 Circuits
KK 396 PC Board 9484039
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 3 Circuits
KK 396 PC Board 9484048
Connector, Top
Entry, Polyester

	Connector, 5.00µm Tin (Sn), 4 Circuits KK 396 PC Board	<u>9484049</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 4 Circuits KK 396 PC Board	<u>9484058</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board	<u>9484059</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board	<u>9484068</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board	<u>9484069</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board	<u>9484078</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9484079</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9484088</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board	<u>9484089</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board	<u>9484098</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9484099</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9484108</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board	<u>9484109</u>
	Connector, Bottom Entry, Polyester	

Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board	<u>9484118</u>
Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits KK 396 PC Board	<u>9484119</u>
Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits KK 396 PC Board	<u>9484128</u>
Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits KK 396 PC Board	<u>9484129</u>
Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits KK 396 PC Board	<u>9484138</u>
Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits KK 396 PC Board	<u>9484139</u>
Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits KK 396 PC Board	<u>9484148</u>
Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits KK 396 PC Board	<u>9484149</u>
Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits KK 396 PC Board	<u>9484158</u>
Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 15 Circuits KK 396 PC Board	<u>9484159</u>
Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 15 Circuits KK 156 PC Board	<u>9485088</u>
Connector, Top Entry, Polyester Connector, Tin (Sn), 8 Circuits 3.96mm Pitch SPOX	<u>9501021</u>
Crimp Housing, Female, with Friction Ramp, 2 Circuits, Natural 3.96mm Pitch SPOX	<u>9501023</u>
Crimp Housing, Female, with Friction	

Ramp and Void, 2
Circuits, Natural
3.96mm Pitch SPOX [9501031](#)
Crimp Housing,
Female, with Friction
Ramp, 3 Circuits,
Natural
3.96mm Pitch SPOX [9501033](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 3
Circuits, Natural
3.96mm Pitch SPOX [9501041](#)
Crimp Housing,
Female, with Friction
Ramp, 4 Circuits,
Natural
3.96mm Pitch SPOX [9501043](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 4
Circuits, Natural
3.96mm Pitch SPOX [9501051](#)
Crimp Housing,
Female, with Friction
Ramp, 5 Circuits,
Natural
3.96mm Pitch SPOX [9501053](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural
3.96mm Pitch SPOX [9501061](#)
Crimp Housing,
Female, with Friction
Ramp, 6 Circuits,
Natural
3.96mm Pitch SPOX [9501063](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural
3.96mm Pitch SPOX [9501071](#)
Crimp Housing,
Female, with Friction
Ramp, 7 Circuits,
Natural
3.96mm Pitch SPOX [9501073](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 7
Circuits, Natural
3.96mm Pitch SPOX [9501081](#)
Crimp Housing,
Female, with Friction
Ramp, 8 Circuits,
Natural
3.96mm Pitch SPOX [9501083](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 8
Circuits, Natural
3.96mm Pitch SPOX [9501091](#)
Crimp Housing,
Female, with Friction

Ramp, 9 Circuits, Natural 3.96mm Pitch SPOX	<u>9501101</u>
Crimp Housing, Female, with Friction Ramp, 10 Circuits, Natural 3.96mm Pitch SPOX	<u>9501103</u>
Crimp Housing, Female, with Friction Ramp and Void, 10 Circuits, Natural 3.96mm Pitch SPOX	<u>9501111</u>
Crimp Housing, Female, with Friction Ramp, 11 Circuits, Natural 3.96mm Pitch SPOX	<u>9501113</u>
Crimp Housing, Female, with Friction Ramp and Void, 11 Circuits, Natural 3.96mm Pitch SPOX	<u>9501121</u>
Crimp Housing, Female, with Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Natural	<u>9503021</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Natural	<u>9503031</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural	<u>9503041</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	<u>9503051</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	<u>9503061</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural	<u>9503071</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	<u>9503081</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	<u>9503091</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	<u>9503101</u>
KK 3.96mm Crimp Terminal Housing,	<u>9503111</u>

Friction Ramp, 11	
Circuits, Natural	
KK 3.96mm Crimp	<u>9503121</u>
Terminal Housing,	
Friction Ramp, 12	
Circuits, Natural	
KK 3.96mm Crimp	<u>9503131</u>
Terminal Housing,	
Friction Ramp, 13	
Circuits, Natural	
KK 3.96mm Crimp	<u>9503141</u>
Terminal Housing,	
Friction Ramp, 14	
Circuits, Natural	
KK 3.96mm Crimp	<u>9503151</u>
Terminal Housing,	
Friction Ramp, 15	
Circuits, Natural	
KK 3.96mm Crimp	<u>9503161</u>
Terminal Housing,	
Friction Ramp, 16	
Circuits, Natural	

This document was generated on 04/15/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION