

Datasheet for 76650-0170

General Information				
Part Number:	76650-0170			
Manufacturer:	Molex / Waldom			
Title:	SL Signal Connector Kit			
Description:	High Vibration Signal Vertical and Right Angle Header and Receptacle.			
Product Family:	SL™			
Certificates:	(Molex Parts within this kit) - EU RoHS Compliant			
Country of Origin:	Kit assembled in U.S.A.			
Specifications				
Design Configuration:	Wire-to-Board			
Pitch:	2.54mm (.100")			
Connector Type:	Headers and Receptacle			
Mounting Orientation:	Right Angle and Vertical			
Circuit Sizes:	3, 4 and 5			
Current Rating:	3 Amps			
Voltage:	250 Volts			
Wire Size:	24-22 AWG			
Product Highlights				

SL (Stackable Linear) is a modular, single row, wire-to-board system, designed for high density signal applications. These are suitable for low power signal applications such as computers, medical instruments, and automotive controls.



Datasheet for 76650-0170

Features and Benefits	Applications
 PCB locks hold header in place until permanently soldered Locking crown secures positive latch to header Polarization slots guide front ribs of mating connector to prevent pin damage Standoffs minimize flux retention Anti-entanglement/overstress ribs prevent discrete wires from catching under latch during harness manufacturing and storage Front ribs prevent contact damage; the housing cannot be twisted off pins Dual beam, fully-enclosed box contact Dual tab strain relief Locking tang secures terminal in housing 	 Automotive: Air bag sensors, Interior lighting, Steering controls, Cigarette lighter, Sound systems Telecom: Pay phones, LANs, Network equipment, Hubs and switches Business Machines: Copiers, Printers, Fax machines Measuring Analyzing Equipment HVAC Equipment Large Industrial Equipment Medical Instrumentation: Surgical, Dental Computers: Mainframes, Laptops, CD ROMs, Servers, Desktop PCs, Peripherals, Modems, Disk drives

Bill of Materials for Part No. 76650-0170

Molex Part No.	Country of Origin	Description	Quantity in Kit
16-02-0104-C	USA	SL Cgrid Term Fem Crimp 30u Gold 24-22 AWG	100
16-02-0103-C	USA	SL Cgrid Term Fem Crimp 15u Gold 24-22 AWG	100
50-57-9403	USA	2.54mm (.100") 3 Circuit SL Receptacle G Latch	5
50-57-9404	USA	2.54mm (.100") 4 Circuit SL Receptacle G Latch	5
50-57-9405	USA	2.54mm (.100") 5 Circuit SL Receptacle G Latch	5
70541-0072	USA	2.54mm (.100") 3 Circuit SL Vertical Header	5
70541-0073	USA	2.54mm (.100") 4 Circuit SL Vertical Header	5
70541-0074	USA	2.54mm (.100") 5 Circuit SL Vertical Header	5
15-04-0292	USA	Polarizing Key In PC Form B	5
70553-0002	USA	2.54mm (.100") 3 Circuit SL Right Angle Header	5
70553-0003	USA	2.54mm (.100") 4 Circuit SL Right Angle Header	5
70553-0004	USA	2.54mm (.100") 5 Circuit SL Right Angle Header	5

Not For Use With C-Grid III™ Components

For additional Molex / Waldom Design and Solution Kits please go to www.molexkits.com



Datasheet for 76650-0170

Recommended Molex Tool(s) for Part No. 76650-0170*					
Molex Part No.	Country of Origin	Description			
63811-8700 *	Sweden	Hand Crimp Tool			
11-02-0022 *	USA	Insertion Tool			
11-03-0036 *	USA	Manual Extraction Tool			
63811-8800 *	Sweden	Hand Crimp Tool - JAPAN			

*Tool(s) not included in kit. Tool(s) ordered separately.

Deserving and Malou Teel/a) for Dert No. 70000 04704

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex: 76650-0170