







VIEW ON MATING SIDE








A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

A = 32 STANDARD CONTACTS L = 2

MARKING	STANDARD
PERFORMANCE LEVEL	G/O = CONTACT AREA LEVEL I / TERMINATION TIN
FLUX PROOF	NO
FIXING CLIP	NO
DIMENSIONS	SD-85013-0002 SHT 1

A	G/O	a1-16 c1-16
CONTACT SYMBOL	PERFORMANCE LEVEL	CONTACT POSITION NUMBER

EC NO. I 2004-XXXX DRAWN N.S. 31/03/04 CHK'd G.L. 31/03/04 APPROV'd L. 31/03/04		QUALITY SYMBOLS MAJOR CRITICAL	GENERAL TOLERANCES* (UNLESS SPECIFIED)		SCALE	DESIGN UNITS ☒ mm ☐ INCH	 THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm ☒ INCH		SHT	REV		
										REVISE ON CAD ONLY			
A	DESCRIPTION	REV	4 PLACES $\pm 0.$ $\pm .$		DRAWN BY & DATE N.S. 31/03/04		TITLE: 48 POS MALE CONNECTOR ACCORDING DIN 41612 STYLE R/2 CONTACTS ARRANGEMENT						
			3 PLACES $\pm 0.$ $\pm .$		CHECKED BY & DATE G.L. 31/03/04								
			2 PLACES $\pm 0.$ $\pm .$		APPROVED BY & DATE G.L. 31/03/04								
		1 PLACE $\pm 0.$ $\pm .$		ANGULAR $\pm$ *		CAD FILENAME S850131768.S01		MATERIAL NO. 85013-1768		DRAWING NO. SD-85013-1768		SHEET NO. 1 OF 1	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.								SIZE D	



FIRST ANGLE PROJECTION		REVISE ONLY ON CAD SYSTEM		SH.	REV.
first release see ECN No. 1887	LTR REVISIONS FOR PREVIOUS REVISIONS SEE MRI LIST	UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2°	DRWG BY Ca	CAD/CAM PROJECT NAME 85013000 621	
		INCH METRIC	CHK'D BY KN	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
		3 PLACE ± .	APP'D BY	TITLE 48 pos. Male connector acc. DIN 41612 style R/2 Dimensions	
		2 PLACE ± .	SCALE	MOLEX EUROPE	
BI	LTR	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SCALE	SHEET NO. DATE 1 OF 95/06/08	
		DESIGN DIMENSION ☒ MM ☐ IN.		PART NO. DWG NO. SIZE	
		EQUIVALENT DIMENSION ☐ MM ☐ IN.		SDA-85013-0002 B	
		IF TWO DIMENSIONS ARE SHOWN THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY			

A	$\triangleleft$	$\triangleleft$	$\triangleleft$
B	$\triangleleft$	$\triangleleft$	$\triangleleft$
C	$\triangleleft$	$\triangleleft$	$\triangleleft$

1	0.0000
2	0.0000
3	0.0000
4	0.0000
5	0.0000
6	0.0000
7	0.0000
8	0.0000
9	0.0000
10	0.0000
11	0.0000
12	0.0000
13	0.0000
14	0.0000
15	0.0000
16	0.0000

A = 48 STANDARD CONTACTS L = 4, 5

Marking	Standard
Performance level	GI/O = Contact area perform. level I / Termination tin
Flux proof	no
Fixing clip	no
Dimensions	SDA-85013-0002 sht.1
Technical Data	PS-85013-0001

A	G1/O	a1-I6	b1-I6	c1-I6
Contact symbol	Perform. level	Contact position number		
B				

[illegible]