

Note: This datasheet may be out of date.

Please download the latest datasheet of PRF18AR471QS2RB from the official website of Murata Manufacturing

Co., Ltd. https://www.murata.com/en-us/products/productdetail?partno=PRF18AR471QS2RB

PRF18AR471QS2RB











Appearance & Shape





Part Number	Dimensions (mm)				
Part Number	L	W	Т	е	g
PRF18_RB	1.6±0.15	0.8±0.15	0.8±0.15	0.1 to 0.6	-



- 1. The SMD type's small size and light weight are helpful in miniaturizing the circuit.
- 2. Excellent thermal response.
- 3. Elements of solid-state construction provide excellent mechanical vibration and impact resistance.
- 4. Contactless operation provides prolonged service life and noiseless operation.
- 5. Lead is not contained in the terminations.



Limited Usage

Automotive Grade



Packaging Information

Packaging	Specifications	Minimum Order Quantity
RB	180mm Paper Tape	4000

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2020/01/24

Note: This datasheet may be out of date

$\underline{ \text{Please download the latest datasheet of PRF18AR471QS2RB from the official website of Murata Manufacturing} \\$

$\underline{\text{Co., Ltd.}} \\ \text{https://www.murata.com/en-us/products/productdetail?partno=PRF18AR471QS2RB} \\$

PRF18AR471QS2RB



Max. Voltage	32V
Sensing Temperature	135°C
Sensing Temperature Tolerance	±5°C
Measure Condition of Sensing Temperature	at 4.7k ohm
Sensing Temperature(2)	150°C
Sensing Temperature (2) Tolerance	±7°C
Measure Condition of Sensing Temperature(2)	at 47k ohm
Resistance (25°C)	470Ω
Resistance Value Tolerance (at 25°C)	±50%
Operating Temperature Range	-40°C to 150°C
Size Code (in mm)	1.6x0.8mm
Size Code (in inch)	0.6x0.3inch
Shape	SMD
Mass	0.004g

2 of 3

Attention

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2020/01/24

^{1.} This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


Note: This datasheet may be out of date


 $\underline{ \text{Please download the latest datasheet of PRF18AR471QS2RB from the official website of Murata Manufacturing} \\$

https://www.murata.com/en-us/products/productdetail?partno=PRF18AR471QS2RB

PRF18AR471QS2RB







Resistance-Temperature Characteristics

Resistance-Temperature Characteristics Range (Reference)

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2020/01/24