Note: This datasheet may be out of date Please download the latest datasheet of DLM0QSN900HY2# from the official website of Murata Manufacturing

DLM0QSN900HY2#

"#" indicates a package specification code.








< List of part numbers with package codes > DLM0QSN900HY2D DLM0QSN900HY2B



Appearance & Shape







Packaging Information

Packaging	Specifications	Minimum Order Quantity
D	180mm Paper Tape	15000
В	Bulk(Bag)	500



Features

1. Small size and tight dimensional tolerance Size: 0.65x0.50x0.30mm

Tolerance: +-0.05mm

- 2. Suitable common mode impedance for high speed signal lines.
- 3. Prevents signal damaging in high speed differential lines.
- 4. Designed to match line impedance.

Applications

Limited Usage	For differential signal interface line
Other Usage	For general

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




multata URL : https://www.murata.com/

DLM0QSN900HY2#

"#" indicates a package specification code.

Note: This datasheet may be out of date



Shape	SMD
Size Code (in mm)	0605
Size Code (in inch)	025020
Length	0.65mm
Length Tolerance	±0.05mm
Width	0.5mm
Width Tolerance	±0.05mm
Thickness	0.3mm
Thickness Tolerance	±0.05mm
Common Mode Impedance (at 100MHz)	90Ω
Common Mode Impedance (at 100MHz) Tolerance	±25%
Rated Current	50mA
Derating of Rated Current	No
Rated Voltage	5Vdc
Withstanding Voltage	12.5Vdc
DC Resistance(max.)	5Ω
DC Resistance	4.0Ω±25%
Insulation Resistance(min.)	10ΜΩ
Cut-off Frequency	2.0GHz (Typ.)
Operating Temperature Range	-40°C to 85°C
Mass(typ.)	0.3mg
Number of Circuit	1

Operating Temperature Range(Self-temperature rise is included)	No
--	----

 $\hbox{Please download the latest datasheet of DLM0QSN900HY2\# from the official website of Murata Manufacturing } \\$

2 of 3

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



muRata URL : https://www.murata.com/




Please download the latest datasheet of DLM0QSN900HY2# from the official website of Murata Manufacturing


DLM0QSN900HY2#

"#" indicates a package specification code.


Note: This datasheet may be out of date








Impedance-Frequency Characteristics



Impedance-Frequency Characteristics (Main Items)



Differential Mode Transmission Characteristics (Typical Value)

Equivalent Circuit

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



multata URL : https://www.murata.com/