




Options



Options

• Unit type motor extension cord



DV0P0321

Unit : mm (inch)

Tube 0.5 mm (0.02 inch) 7-core

Connector 1

Connector 2

30±10 (1.18±0.39)

30±10 (1.18±0.39)

L₀+50(19.7)

Unit : m (inch)

Part No.	Length
DV0P0321	1 (39.37)
DV0P0322	2 (78.74)
DV0P0323	3 (118.11)
DV0P0324	4 (157.48)
DV0P0325	5 (196.85)

The 1 m (39.37 inch) cord is supplied with the motor.

DV0P0322 to DV0P0325

VCT222 0.75 mm (0.03 inch) 7-core

Connector 1

Connector 2

30±10 (1.18±0.39)

30±10 (1.18±0.39)

ø12 (0.47)

L₀+100(3.94)

When the distance between the controller and the motor is longer than 1 m (39.37 inch), use a suitable extension cord shown right.

• Capacitor

- The capacitor delivered together with the motor can be separately available as an option.

• Capacitor cap


- The capacitor cap delivered together with the motor can be separately available.

[Notes]

1. 10 caps are packed in one bag.
2. We accept the order for caps in unit of bag.
3. Please refer to the motor specification page for each dimensions of the capacitor.

• Noise filter

DV0P3611-5 : for Speed controller (excluding unit type)
DV0P4170 : for Brake unit



100.0±2.0(3.94±0.08)

88.0(3.46)

75.0(2.95)

5.0(0.2)

7.0(0.28)

2.0(0.07)

Terminal cover (transparent)

53.1±1.0(2.09±0.039)

Label

100 (0.39)

120 (0.47)

50.0(1.97)

60.0(2.36)

2-ø4.5(ø0.18)

6-M4 P0.7

(11.6(0.47))

(13.0(0.51))

2-ø4.5 x 6.75(ø0.18 x 0.27)

<Circuit diagram> DV0P3611-5

①


②

③

④

Unit : mm (inch)

• Surge absorber



DV0P4190

ø4.2 ±0.2 (ø0.17±0.008)

5.5 ±1 (0.22±0.039)

11 ±1 (0.43±0.039)

28.5 ±1 (1.12±0.039)

ø4.2 ±0.2 (ø0.17±0.008)

200 ±0.5 (7.87±0.02)

41 ±1 (1.61±0.039)

28 ±1 (1.1±0.039)

UL-1015 AWG16

4.5 ±0.5 (0.18±0.02)

<Circuit diagram>

①


②

③

④

Unit : mm (inch)

• 8-pin socket



DV0P4560

33(1.30)

5(0.20)

3.5(0.14)

4(0.16)

0.7 (0.03)

(7.5(0.30))

8.9(0.35)

38(1.50)

49(1.93)

ø28.5(ø1.12)

ø30(ø1.18) hole

38(1.50)

2-M3 Screw hole (or ø3.5(ø0.14) hole)

[Machining drawing of mounting hole]

Unit : mm (inch)

* Please read your User's manual carefully so that you will understand the operation and safety precautions before attempting to operate the system.

Recommended components


Panasonic Industrial Devices SUNX Co.,Ltd.

- Combination of the set and recommended components
(The customer should arrange the recommended components.)
These are products of Panasonic Industrial Devices SUNX Co.,Ltd.

		DIN terminal block	Socket	Cap	Rear panel terminal block	Flush ^{*1} mounting frame	Protective cover	DIN rail Fastening plate
Speed controller	MGSD	AT7803 ATC180031	AW68102	AD8013	AT78041	—	—	ATA48011 ATA4806
	EX	AT7803	AW68102 (accessory)	—	—	—	—	
Brake unit	SD	AT7803	AW68102 (accessory)		AT78041	—	—	
	EX				—	—	—	
	MB48X	ATC180041	—	ATA4861	—	ATA4811	AQM4801	

*1 If you use embedded mounting frame for MB48X type, please use the cap (ATA4861) for connection wiring.
The DIN terminal block or socket cannot be used in case of embedded mounting frame.

• DIN terminal block



AT7803

Unit : mm (inch)

34(1.34)

24.5 (0.96)

37.2 (1.46)

71(2.80)

2-ø4.6±0.1 (ø0.18±0.004)*1

8-pin

*1 There are mounting hole ø4.6(ø0.18) in the long hole part, when the DIN rail is not used.

<Machining drawing of mounting hole>
When the DIN rail is not used.

71 (2.80)


34±0.2 (1.34±0.008)

2-M4 Screw hole (or ø4.2±0.1(ø0.17±0.004) hole)

40

37.2 (1.46)

Minimum necessary distance when side by side.



ATC180031

Unit : mm (inch)

40(1.57)

24 (0.94)

50 (1.97)

70 (2.76)

2-ø4.5±0.1 (ø0.18±0.004)

8-pin

<Machining drawing of mounting hole>
When the DIN rail is not used.

50(1.97)


70 (2.76)

2-M4 Screw hole (or ø4.2±0.1(ø0.17±0.004) hole)

40±0.2 (1.57±0.008)

13(0.51)

Minimum necessary distance when side by side.



ATC180041

Unit : mm (inch)

40(1.57)

30.5 (1.20)

50 (1.97)

70 (2.76)

2-ø4.5±0.1 (ø0.18±0.004)

11-pin

<Machining drawing of mounting hole>
When the DIN rail is not used.

50(1.97)

70 (2.76)


2-M4 Screw hole (or ø4.2±0.1(ø0.17±0.004) hole)

40±0.2 (1.57±0.008)

13(0.51)

Minimum necessary distance when side by side.

• Socket



AW68102

Unit : mm (inch)

33(1.30)

5(0.20)

3.5(0.14)

4(0.16)

0.7 (0.03)

(7.5(0.30))

8.9(0.35)

38(1.50)

49(1.93)

ø28.5(ø1.12)

ø30(ø1.18) hole

38(1.50)

2-M3 Screw hole (or ø3.5(ø0.14) hole)

[Machining drawing of mounting hole]


Unit : mm (inch)

* Do not use this socket in condition where it receive any vibration.
To securely fix such product,use the DIN terminal block or flush type mounting frame.


* Please read your User's manual carefully so that you will understand the operation and safety precautions before attempting to operate the system.

Recommended components


• Cap



• Rear panel terminal block




• Protective cover




* Please read your User's manual carefully so that you will understand the operation and safety precautions before attempting to operate the system.


• DIN rail



• Fastening plate



• Noise filter



* Please read your User's manual carefully so that you will understand the operation and safety precautions before attempting to operate the system.

Part No.	Specifications	Carrying page
----------	----------------	---------------

Optional parts for speed controller, brake unit

DV0P001	Tachometer	D-3
DV0P002	External speed setter	D-3
DV0P003	External braking resistor	D-3
DV0P008A	Spark killer	D-3
DV0P3611-5	Noise filter for Speed controller	D-4
DV0P4170	Noise filter for Brake unit	D-4
DV0P4190	Surge absorber	D-4
DV0P4560	8-pin socket	D-4

Unit type motor extension cord

DV0P0321	Extension cord 1 m	D-4
DV0P0322	Extension cord 2 m	D-4
DV0P0323	Extension cord 3 m	D-4
DV0P0324	Extension cord 4 m	D-4
DV0P0325	Extension cord 5 m	D-4

Separate type speed controller

DV1131	EX type speed controller	C-7
DV1132	EX type speed controller	C-7
DV1134	EX type speed controller	C-7
DV1231	EX type speed controller	C-7
DV1234	EX type speed controller	C-7
MGSDA1	MGSD type speed controller	C-6
MGSDB1	MGSD type speed controller	C-6
MGSDB2	MGSD type speed controller	C-6

Unit type speed controller (Spare parts)*

DVUS606L	Unit type US series	C-21
DVUS606Y	Unit type US series	C-21
DVUS715L	Unit type US series	C-21
DVUS715Y	Unit type US series	C-21
DVUS825L	Unit type US series	C-21
DVUS825Y	Unit type US series	C-21
DVUS940L	Unit type US series	C-21
DVUS940Y	Unit type US series	C-21
DVUS960L	Unit type US series	C-21
DVUS960Y	Unit type US series	C-21
DVUS990L	Unit type US series	C-21
DVUS990Y	Unit type US series	C-21

Contactless type brake unit

DVMB48XZ	MB48X type	C-27
----------	------------	------

Contacting type brake unit

DZ9102	SD type	C-30
DZ9113	EX type	C-30
DZ9202	SD type	C-30
DZ9213	EX type	C-30
DZ9302	SD type	C-30

Capacitor (Repair parts)

M0PC0.6M40	Capacitor
M0PC0.6M45G	Capacitor
M0PC0.7M40	Capacitor
M0PC0.8M40	Capacitor
M0PC0.8M45G	Capacitor
M0PC0.9M40	Capacitor
M0PC1.2M40	Capacitor
M0PC1.2M45G	Capacitor
M0PC1.3M20	Capacitor
M0PC1.3M40	Capacitor
M0PC1.3M45G	Capacitor
M0PC1.5M20	Capacitor
M0PC1.5M40	Capacitor
M0PC1.5M45G	Capacitor
M0PC1.7M45G	Capacitor
M0PC1.8M40	Capacitor
M0PC10M20	Capacitor
M0PC10M25G	Capacitor

* Spare parts: Extension cable (1 m) and instruction manual are not included.

Part No.	Specifications	Carrying page
----------	----------------	---------------

M0PC10M40	Capacitor
M0PC10M45G	Capacitor
M0PC12M20	Capacitor
M0PC12M25G	Capacitor
M0PC14M20	Capacitor
M0PC14M25G	Capacitor
M0PC15M20	Capacitor
M0PC16M25G	Capacitor
M0PC18M25G	Capacitor
M0PC1M40	Capacitor
M0PC1M45G	Capacitor
M0PC2.1M45G	Capacitor
M0PC2.4M40	Capacitor
M0PC2.5M20	Capacitor
M0PC2.5M25G	Capacitor
M0PC2.5M40	Capacitor
M0PC2.5M45G	Capacitor
M0PC20M20A	Capacitor
M0PC20M25G	Capacitor
M0PC25M20	Capacitor
M0PC25M25G	Capacitor
M0PC28M25G	Capacitor
M0PC2M20	Capacitor
M0PC2M40	Capacitor
M0PC2M45G	Capacitor
M0PC3.5M20	Capacitor
M0PC3.5M25G	Capacitor
M0PC3.5M40	Capacitor
M0PC3.5M45G	Capacitor
M0PC3.8M40	Capacitor
M0PC30M20A	Capacitor
M0PC30M25G	Capacitor
M0PC32M25G	Capacitor
M0PC35M25G	Capacitor
M0PC3M20	Capacitor
M0PC3M25G	Capacitor
M0PC3M40	Capacitor
M0PC3M45G	Capacitor
M0PC4.5M20	Capacitor
M0PC4.5M25G	Capacitor
M0PC4.5M45G	Capacitor
M0PC40M18	Capacitor
M0PC40M25G	Capacitor
M0PC4M20	Capacitor
M0PC4M25G	Capacitor
M0PC4M45G	Capacitor
M0PC5.5M25G	Capacitor
M0PC5.8M40	Capacitor
M0PC5M20	Capacitor
M0PC5M40	Capacitor
M0PC5M45G	Capacitor
M0PC6.2M38	Capacitor
M0PC6.5M25G	Capacitor
M0PC6M20	Capacitor
M0PC6M25G	Capacitor
M0PC6M45G	Capacitor
M0PC7.5M37	Capacitor
M0PC7.5M45G	Capacitor
M0PC7M20	Capacitor
M0PC7M45G	Capacitor
M0PC8M20	Capacitor
M0PC8M25G	Capacitor
M0PC8M45G	Capacitor
M0PC9.5M20	Capacitor

Capacitor cap

10 pieces in one bag. Please order by bags unit.	
M0PC3917	Capacitor cap
M0PC3922	Capacitor cap
M0PC3926	Capacitor cap
M0PC5026	Capacitor cap
M0PC5032	Capacitor cap
M0PC3114G	Capacitor Cap
M0PC3117G	Capacitor Cap
M0PC3718G	Capacitor Cap
M0PC3819G	Capacitor Cap
M0PC3821G	Capacitor Cap
M0PC4819G	Capacitor Cap

Part No.	Specifications	Carrying page
----------	----------------	---------------

M0PC4821G	Capacitor Cap
M0PC5821G	Capacitor Cap
M0PC5822G	Capacitor Cap
M0PC5823G	Capacitor Cap
M0PC5829G	Capacitor Cap
M0PC5835G	Capacitor Cap
M0PC5841G	Capacitor Cap

O-ring

10 pieces in one bag. Please order by bags unit.		
DV0PN10006	60 mm sq. O-ring for motor	D-2
DV0PN10007	70 mm sq. O-ring for motor	D-2
DV0PN10008	80 mm sq. O-ring for motor	D-2
DV0PN10009	90 mm sq. O-ring for motor	D-2

Mounting frame

M6B2	60 mm sq. Mounting frame	D-2
M7B2	70 mm sq. Mounting frame	D-2
M8B2	80 mm sq. Mounting frame	D-2
M8B3	80 mm sq. Mounting frame	D-2
M9B2	90 mm sq. Mounting frame	D-2
M9B3	90 mm sq. Mounting frame	D-2

42 mm sq. motor

M41A1G4L	Induction	B-10
M41A1S4L	Induction (Round-shaft)	B-61
M41A3G2L	Induction	B-8
M41A3S2L	Induction (Round-shaft)	B-408
M4RA1G4L	Reversible	B-72
M4RA1S4L	Reversible (Round-shaft)	B-123

60 mm sq. motor

M61X3G4L	Induction	B-12
M61X3GV4L	Variable speed induction	B-232
M61X3S4LS	Induction (Round-shaft)	B-61
M61X3SV4LS	Variable speed induction (Round-shaft)	B-264
M61X6G4DG	Induction	B-16
M61X6G4GG	Induction	B-16
M61X6G4L	Induction	B-14
M61X6G4LG	Induction	B-16
M61X6G4Y	Induction	B-14
M61X6G4YG	Induction	B-16
M61X6GD4L	Unit motor (Spare parts)*	B-328
M61X6GD4Y	Unit motor (Spare parts)*	B-328
M61X6GV4DG	Variable speed induction	B-236
M61X6GV4GG	Variable speed induction	B-236
M61X6GV4L	Variable speed induction	B-234
M61X6GV4LG	Variable speed induction	B-236
M61X6GV4Y	Variable speed induction	B-234
M61X6GV4YG	Variable speed induction	B-236
M61X6H4L	C&B (Induction)	B-352
M61X6H4Y	C&B (Induction)	B-352
M61X6HV4L	C&B (Variable speed)	B-388
M61X6HV4Y	C&B (Variable speed)	B-388
M61X6S4DG	Induction (Round-shaft)	B-61
M61X6S4GG	Induction (Round-shaft)	B-61
M61X6S4LG	Induction (Round-shaft)	B-61
M61X6S4LS	Induction (Round-shaft)	B-61
M61X6S4YG	Induction (Round-shaft)	B-61
M61X6S4YS	Induction (Round-shaft)	B-61
M61X6SV4DG	Variable speed induction (Round-shaft)	B-264
M61X6SV4GG	Variable speed induction (Round-shaft)	B-264
M61X6SV4LG	Variable speed induction (Round-shaft)	B-264
M61X6SV4LS	Variable speed induction (Round-shaft)	B-264
M61X6SV4YG	Variable speed induction (Round-shaft)	B-264
M61X6SV4YS	Variable speed induction (Round-shaft)	B-264
M6RX4G4L	Reversible	B-74
M6RX4GV4L	Variable speed reversible	B-274
M6RX4S4LS	Reversible (Round-shaft)	B-123
M6RX4SV4LS	Variable speed reversible(Round-shaft)	B-306
M6RX6G4DG	Reversible	B-78
M6RX6G4GG	Reversible	B-78
M6RX6G4L	Reversible	B-76
M6RX6G4LG	Reversible	B-78

* Spare parts: Extension cable (1 m) and instruction manual are not included.

* The models with a model number to which "A" is suffixed (not equipped with a capacitor cap) are not listed in this index.

Part No.	Specifications	Carrying page
----------	----------------	---------------

M6RX6G4Y	Reversible	B-76
M6RX6G4YG	Reversible	B-78
M6RX6GB4DG	Electromagnetic brake, single-phase	B-180
M6RX6GB4GG	Electromagnetic brake, single-phase	B-180
M6RX6GB4L	Electromagnetic brake, single-phase	B-178
M6RX6GB4LG	Electromagnetic brake, single-phase	B-180
M6RX6GB4Y	Electromagnetic brake, single-phase	B-178
M6RX6GB4YG	Electromagnetic brake, single-phase	B-180
M6RX6GBV4L	Variable speed electromagnetic brake, single-phase	B-314
M6RX6GBV4Y	Variable speed electromagnetic brake, single-phase	B-314
M6RX6GV4DG	Variable speed reversible	B-278
M6RX6GV4GG	Variable speed reversible	B-278
M6RX6GV4L	Variable speed reversible	B-276
M6RX6GV4LG	Variable speed reversible	B-278
M6RX6GV4Y	Variable speed reversible	B-276
M6RX6GV4YG	Variable speed reversible	B-278
M6RX6S4DG	Reversible (Round-shaft)	B-123
M6RX6S4GG	Reversible (Round-shaft)	B-123
M6RX6S4LG	Reversible (Round-shaft)	B-123
M6RX6S4LS	Reversible (Round-shaft)	B-123
M6RX6S4YG	Reversible (Round-shaft)	B-123
M6RX6S4YS	Reversible (Round-shaft)	B-123
M6RX6SB4DG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M6RX6SB4GG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M6RX6SB4LG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M6RX6SB4LS	Electromagnetic brake, single-phase (Round-shaft)	B-220
M6RX6SB4YG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M6RX6SB4YS	Electromagnetic brake, single-phase (Round-shaft)	B-220
M6RX6SV4DG	Variable speed reversible (Round-shaft)	B-306
M6RX6SV4GG	Variable speed reversible (Round-shaft)	B-306
M6RX6SV4LG	Variable speed reversible (Round-shaft)	B-306
M6RX6SV4LS	Variable speed reversible (Round-shaft)	B-306
M6RX6SV4YG	Variable speed reversible (Round-shaft)	B-306
M6RX6SV4YS	Variable speed reversible (Round-shaft)	B-306

70 mm sq. motor

M71X10G4L	Induction	B-18
M71X10G4Y	Induction	B-18
M71X10GV4L	Variable speed induction	B-238
M71X10GV4Y	Variable speed induction	B-238
M71X10S4LS	Induction (Round-shaft)	B-61
M71X10S4YS	Induction (Round-shaft)	B-61
M71X10SV4LS	Variable speed induction (Round-shaft)	B-264
M71X10SV4YS	Variable speed induction (Round-shaft)	B-264
M71X15G4DG	Induction	B-22
M71X15G4GG	Induction	B-22
M71X15G4L	Induction	B-20
M71X15G4LG	Induction	B-22
M71X15G4Y	Induction	B-20
M71X15G4YG	Induction	B-22
M71X15GD4L	Unit motor (Spare parts)*	B-330
M71X15GD4Y	Unit motor (Spare parts)*	B-330
M71X15GV4DG	Variable speed induction	B-242
M71X15GV4GG	Variable speed induction	B-242
M71X15GV4L	Variable speed induction	B-240
M71X15GV4LG	Variable speed induction	B-242
M71X15GV4Y	Variable speed induction	B-240
M71X15GV4YG	Variable speed induction	B-242
M71X15H4L	C&B (Induction)	B-354
M71X15H4Y	C&B (Induction)	B-354
M71X15HV4L	C&B (Variable speed)	B-390
M71X15HV4Y	C&B (Variable speed)	B-390
M71X15S4DG	Induction (Round-shaft)	B-61
M71X15S4GG	Induction (Round-shaft)	B-61
M71X15S4LG	Induction (Round-shaft)	B-61
M71X15S4LS	Induction (Round-shaft)	B-61
M71X15S4YG	Induction (Round-shaft)	B-61
M71X15S4YS	Induction (Round-shaft)	B-61
M71X15SV4DG	Variable speed induction (Round-shaft)	B-264
M71X15SV4GG	Variable speed induction (Round-shaft)	B-264
M71X15SV4LG	Variable speed induction (Round-shaft)	B-264
M71X15SV4LS	Variable speed induction (Round-shaft)	B-264
M71X15SV4YG	Variable speed induction (Round-shaft)	B-264
M71X15SV4YS	Variable speed induction (Round-shaft)	B-264
M7RX10G4L	Reversible	B-80
M7RX10G4Y	Reversible	B-80
M7RX10GV4L	Variable speed reversible	B-280
M7RX10GV4Y	Variable speed reversible	B-280

Index

Part No.	Specifications	Carrying page
M91Z90GV4GGB	Variable speed induction	B-260
M91Z90GV4GGC	Variable speed induction	B-260
M91Z90GV4L	Variable speed induction	B-258
M91Z90GV4LG	Variable speed induction	B-260
M91Z90GV4Y	Variable speed induction	B-258
M91Z90GV4YG	Variable speed induction	B-260
M91Z90H4L	C&B (Induction)	B-362
M91Z90H4Y	C&B (Induction)	B-362
M91Z90HK4L	C&B (Induction/Sealed connector type)	B-370
M91Z90HK4Y	C&B (Induction/Sealed connector type)	B-370
M91Z90HV4L	C&B (Variable speed)	B-398
M91Z90HV4Y	C&B (iVariable speed)	B-398
M91Z90S2DG	2-pole round-shaft motor (induction)	B-417
M91Z90S2GG	2-pole round-shaft motor (induction)	B-417
M91Z90S2LG	2-pole round-shaft motor (induction)	B-417
M91Z90S2LS	2-pole round-shaft motor (induction)	B-416
M91Z90S2YG	2-pole round-shaft motor (induction)	B-417
M91Z90S2YS	2-pole round-shaft motor (induction)	B-416
M91Z90S4DG	Induction (Round-shaft)	B-62
M91Z90S4GG	Induction (Round-shaft)	B-62
M91Z90S4GGB	Induction (Round-shaft)	B-62
M91Z90S4GGC	Induction (Round-shaft)	B-62
M91Z90S4LG	Induction (Round-shaft)	B-62
M91Z90S4LS	Induction (Round-shaft)	B-62
M91Z90S4YG	Induction (Round-shaft)	B-62
M91Z90S4YS	Induction (Round-shaft)	B-62
M91Z90SK4DG	Induction (Round-shaft/Sealed connector type)	B-62
M91Z90SK4GG	Induction (Round-shaft/Sealed connector type)	B-62
M91Z90SK4GGB	Induction (Round-shaft/Sealed connector type)	B-62
M91Z90SK4GGC	Induction (Round-shaft/Sealed connector type)	B-62
M91Z90SK4LG	Induction (Round-shaft/Sealed connector type)	B-62
M91Z90SK4LS	Induction (Round-shaft/Sealed connector type)	B-62
M91Z90SK4YG	Induction (Round-shaft/Sealed connector type)	B-62
M91Z90SK4YS	Induction (Round-shaft/Sealed connector type)	B-62
M91Z90SV4DG	Variable speed induction (Round-shaft)	B-265
M91Z90SV4GG	Variable speed induction (Round-shaft)	B-265
M91Z90SV4GGB	Variable speed induction (Round-shaft)	B-265
M91Z90SV4GGC	Variable speed induction (Round-shaft)	B-265
M91Z90SV4LG	Variable speed induction (Round-shaft)	B-265
M91Z90SV4LS	Variable speed induction (Round-shaft)	B-265
M91Z90SV4YG	Variable speed induction (Round-shaft)	B-265
M91Z90SV4YS	Variable speed induction (Round-shaft)	B-265
M91ZA5S2DG	2-pole round-shaft motor (induction)	B-419
M91ZA5S2GG	2-pole round-shaft motor (induction)	B-419
M91ZA5S2LG	2-pole round-shaft motor (induction)	B-419
M91ZA5S2LS	2-pole round-shaft motor (induction)	B-418
M91ZA5S2YG	2-pole round-shaft motor (induction)	B-419
M91ZA5S2YS	2-pole round-shaft motor (induction)	B-418
M9MX40G4Y	3-phase	B-134
M9MX40G4YG	3-phase	B-136
M9MX40GB4Y	Electromagnetic brake, 3-phase	B-206
M9MX40GB4YG	Electromagnetic brake, 3-phase	B-208
M9MX40GK4CG	3-phase (Sealed connector type)	B-152
M9MX40GK4Y	3-phase (Sealed connector type)	B-150
M9MX40GK4YG	3-phase (Sealed connector type)	B-152
M9MX40H4Y	C&B (3-phase)	B-374
M9MX40HK4Y	C&B (3-phase/Sealed connector type)	B-382
M9MX40S4YG	3-phase (Round-shaft)	B-164
M9MX40S4YS	3-phase (Round-shaft)	B-164
M9MX40SB4YG	Electromagnetic brake, 3-phase (Round-shaft)	B-221
M9MX40SB4YS	Electromagnetic brake, 3-phase (Round-shaft)	B-221
M9MX40SK4CG	3-phase (Round-shaft/Sealed connector type)	B-165
M9MX40SK4YG	3-phase (Round-shaft/Sealed connector type)	B-165
M9MX40SK4YS	3-phase (Round-shaft/Sealed connector type)	B-165
M9MX60S2YG	2-pole round-shaft motor (3-phase)	B-425
M9MX60S2YS	2-pole round-shaft motor (3-phase)	B-424
M9MZ60G4Y	3-phase	B-138
M9MZ60G4YG	3-phase	B-140
M9MZ60GB4Y	Electromagnetic brake, 3-phase	B-210
M9MZ60GB4YG	Electromagnetic brake, 3-phase	B-212
M9MZ60GK4CG	3-phase (Sealed connector type)	B-156
M9MZ60GK4Y	3-phase (Sealed connector type)	B-154
M9MZ60GK4YG	3-phase (Sealed connector type)	B-156
M9MZ60H4Y	C&B (3-phase)	B-376
M9MZ60HK4Y	C&B (3-phase/Sealed connector type)	B-384
M9MZ60S4YG	3-phase (Round-shaft)	B-164
M9MZ60S4YS	3-phase (Round-shaft)	B-164
M9MZ60SB4YG	Electromagnetic brake, 3-phase (Round-shaft)	B-221
M9MZ60SB4YS	Electromagnetic brake, 3-phase (Round-shaft)	B-221
M9MZ60SK4CG	3-phase (Round-shaft/Sealed connector type)	B-165

* The models with a model number to which "A" is suffixed (not equipped with a capacitor cap) are not listed in this index.

Part No.	Specifications	Carrying page
M9MZ60SK4YG	3-phase (Round-shaft/Sealed connector type)	B-165
M9MZ60SK4YS	3-phase (Round-shaft/Sealed connector type)	B-165
M9MZ90G4Y	3-phase	B-142
M9MZ90G4YG	3-phase	B-144
M9MZ90GB4Y	Electromagnetic brake, 3-phase	B-214
M9MZ90GB4YG	Electromagnetic brake, 3-phase	B-216
M9MZ90GK4CG	3-phase (Sealed connector type)	B-160
M9MZ90GK4Y	3-phase (Sealed connector type)	B-158
M9MZ90GK4YG	3-phase (Sealed connector type)	B-160
M9MZ90H4Y	C&B (3-phase)	B-378
M9MZ90HK4Y	C&B (3-phase/Sealed connector type)	B-386
M9MZ90S2YG	2-pole round-shaft motor (3-phase)	B-427
M9MZ90S2YS	2-pole round-shaft motor (3-phase)	B-426
M9MZ90S4YG	3-phase (Round-shaft)	B-164
M9MZ90S4YS	3-phase (Round-shaft)	B-164
M9MZ90SB4YG	Electromagnetic brake, 3-phase (Round-shaft)	B-221
M9MZ90SB4YS	Electromagnetic brake, 3-phase (Round-shaft)	B-221
M9MZ90SK4CG	3-phase (Round-shaft/Sealed connector type)	B-165
M9MZ90SK4YG	3-phase (Round-shaft/Sealed connector type)	B-165
M9MZ90SK4YS	3-phase (Round-shaft/Sealed connector type)	B-165
M9MZA5S2YG	2-pole round-shaft motor (3-phase)	B-429
M9MZA5S2YS	2-pole round-shaft motor (3-phase)	B-428
M9RX40G4DG	Reversible	B-94
M9RX40G4GG	Reversible	B-94
M9RX40G4L	Reversible	B-92
M9RX40G4LG	Reversible	B-94
M9RX40G4Y	Reversible	B-92
M9RX40G4YG	Reversible	B-94
M9RX40GB4DG	Electromagnetic brake, single-phase	B-192
M9RX40GB4GG	Electromagnetic brake, single-phase	B-192
M9RX40GB4L	Electromagnetic brake, single-phase	B-190
M9RX40GB4LG	Electromagnetic brake, single-phase	B-192
M9RX40GB4Y	Electromagnetic brake, single-phase	B-190
M9RX40GB4YG	Electromagnetic brake, single-phase	B-192
M9RX40GBV4L	Variable speed electromagnetic brake, single-phase	B-320
M9RX40GBV4Y	Variable speed electromagnetic brake, single-phase	B-320
M9RX40GK4DG	Reversible (Sealed connector type)	B-110
M9RX40GK4GG	Reversible (Sealed connector type)	B-110
M9RX40GK4L	Reversible (Sealed connector type)	B-108
M9RX40GK4LG	Reversible (Sealed connector type)	B-110
M9RX40GK4Y	Reversible (Sealed connector type)	B-108
M9RX40GK4YG	Reversible (Sealed connector type)	B-110
M9RX40GV4DG	Variable speed reversible	B-294
M9RX40GV4GG	Variable speed reversible	B-294
M9RX40GV4L	Variable speed reversible	B-292
M9RX40GV4LG	Variable speed reversible	B-294
M9RX40GV4Y	Variable speed reversible	B-292
M9RX40GV4YG	Variable speed reversible	B-294
M9RX40S4DG	Reversible (Round-shaft)	B-123
M9RX40S4GG	Reversible (Round-shaft)	B-123
M9RX40S4L	Reversible (Round-shaft)	B-123
M9RX40S4LS	Reversible (Round-shaft)	B-123
M9RX40S4YG	Reversible (Round-shaft)	B-123
M9RX40S4YS	Reversible (Round-shaft)	B-123
M9RX40SB4DG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RX40SB4GG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RX40SB4L	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RX40SB4LS	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RX40SB4YG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RX40SB4YS	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RX40SK4DG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RX40SK4LG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RX40SK4LS	Reversible (Round-shaft/Sealed connector type)	B-124
M9RX40SK4YS	Reversible (Round-shaft/Sealed connector type)	B-124
M9RX40SK4YG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RX40SV4DG	Variable speed reversible(Round-shaft)	B-307
M9RX40SV4GG	Variable speed reversible(Round-shaft)	B-307
M9RX40SV4LG	Variable speed reversible(Round-shaft)	B-307
M9RX40SV4Y	Variable speed reversible(Round-shaft)	B-307
M9MZ60G4DG	Reversible	B-98
M9MZ60G4GG	Reversible	B-98
M9MZ60G4L	Reversible	B-96
M9MZ60G4LG	Reversible	B-98
M9MZ60G4Y	Reversible	B-96
M9MZ60G4YG	Reversible	B-98
M9MZ60GB4DG	Electromagnetic brake, single-phase	B-196
M9MZ60GB4GG	Electromagnetic brake, single-phase	B-196

Part No.	Specifications	Carrying page
M9RZ60GB4L	Electromagnetic brake, single-phase	B-194
M9RZ60GB4LG	Electromagnetic brake, single-phase	B-196
M9RZ60GB4Y	Electromagnetic brake, single-phase	B-194
M9RZ60GB4YG	Electromagnetic brake, single-phase	B-196
M9RZ60GK4DG	Reversible (Sealed connector type)	B-114
M9RZ60GK4GG	Reversible (Sealed connector type)	B-114
M9RZ60GK4L	Reversible (Sealed connector type)	B-112
M9RZ60GK4LG	Reversible (Sealed connector type)	B-114
M9RZ60GK4Y	Reversible (Sealed connector type)	B-112
M9RZ60GK4YG	Reversible (Sealed connector type)	B-114
M9RZ60GV4DG	Variable speed reversible	B-298
M9RZ60GV4GG	Variable speed reversible	B-298
M9RZ60GV4L	Variable speed reversible	B-296
M9RZ60GV4LG	Variable speed reversible	B-298
M9RZ60GV4Y	Variable speed reversible	B-296
M9RZ60GV4YG	Variable speed reversible	B-298
M9RZ60S4DG	Reversible (Round-shaft)	B-124
M9RZ60S4GG	Reversible (Round-shaft)	B-124
M9RZ60S4LG	Reversible (Round-shaft)	B-124
M9RZ60S4LS	Reversible (Round-shaft)	B-124
M9RZ60S4YG	Reversible (Round-shaft)	B-124
M9RZ60S4YS	Reversible (Round-shaft)	B-124
M9RZ60SB4DG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ60SB4GG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ60SB4LG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ60SB4LS	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ60SB4YG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ60SB4YS	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ60SK4DG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ60SK4GG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ60SK4LG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ60SK4LS	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ60SK4YG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ60SK4YS	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ60SV4DG	Variable speed reversible(Round-shaft)	B-307
M9RZ60SV4GG	Variable speed reversible(Round-shaft)	B-307
M9RZ60SV4LG	Variable speed reversible(Round-shaft)	B-307
M9RZ60SV4LS	Variable speed reversible(Round-shaft)	B-307
M9RZ60SV4YG	Variable speed reversible(Round-shaft)	B-307
M9RZ60SV4YS	Variable speed reversible(Round-shaft)	B-307
M9RZ90G4DG	Reversible	B-102
M9RZ90G4GG	Reversible	B-102
M9RZ90G4L	Reversible	B-100
M9RZ90G4LG	Reversible	B-102
M9RZ90G4Y	Reversible	B-100
M9RZ90G4YG	Reversible	B-102
M9RZ90GB4DG	Electromagnetic brake, single-phase	B-200
M9RZ90GB4GG	Electromagnetic brake, single-phase	B-200
M9RZ90GB4L	Electromagnetic brake, single-phase	B-198
M9RZ90GB4LG	Electromagnetic brake, single-phase	B-200
M9RZ90GB4Y	Electromagnetic brake, single-phase	B-198
M9RZ90GB4YG	Electromagnetic brake, single-phase	B-200
M9RZ90GK4DG	Reversible (Sealed connector type)	B-118
M9RZ90GK4GG	Reversible (Sealed connector type)	B-118
M9RZ90GK4L	Reversible (Sealed connector type)	B-116
M9RZ90GK4LG	Reversible (Sealed connector type)	B-118
M9RZ90GK4Y	Reversible (Sealed connector type)	B-116
M9RZ90GK4YG	Reversible (Sealed connector type)	B-118
M9RZ90GV4DG	Variable speed reversible	B-302
M9RZ90GV4GG	Variable speed reversible	B-302
M9RZ90GV4L	Variable speed reversible	B-302
M9RZ90GV4Y	Variable speed reversible	B-300
M9RZ90GV4YG	Variable speed reversible	B-302
M9RZ90S4DG	Reversible (Round-shaft)	B-124
M9RZ90S4GG	Reversible (Round-shaft)	B-124
M9RZ90S4LG	Reversible (Round-shaft)	B-124
M9RZ90S4LS	Reversible (Round-shaft)	B-124
M9RZ90S4YG	Reversible (Round-shaft)	B-124
M9RZ90S4YS	Reversible (Round-shaft)	B-124
M9RZ90SB4DG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ90SB4GG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ90SB4L	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ90SB4LS	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ90SB4YG	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ90SB4YS	Electromagnetic brake, single-phase (Round-shaft)	B-220
M9RZ90SK4DG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ90SK4GG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ90SK4LG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ90SK4LS	Reversible (Round-shaft/Sealed connector type)	B-124

* The models with a model number to which "A" is suffixed (not equipped with a capacitor cap) are not listed in this index.

Part No.	Specifications	Carrying page
M9RZ90SK4YG	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ90SK4YS	Reversible (Round-shaft/Sealed connector type)	B-124
M9RZ90SV4DG	Variable speed reversible(Round-shaft)	B-307
M9RZ90SV4GG	Variable speed reversible(Round-shaft)	B-307
M9RZ90SV4LG	Variable speed reversible(Round-shaft)	B-307
M9RZ90SV4LS	Variable speed reversible(Round-shaft)	B-307
M9RZ90SV4YG	Variable speed reversible(Round-shaft)	B-307
M9RZ90SV4YS	Variable speed reversible(Round-shaft)	B-307
Variable speed unit motor		
MUSN606GL	Variable speed unit / US series	B-328
MUSN606GY	Variable speed unit / US series	B-328
MUSN715GL	Variable speed unit / US series	B-330
MUSN715GY	Variable speed unit / US series	B-330
MUSN825GL	Variable speed unit / US series	B-332
MUSN825GY	Variable speed unit / US series	B-332
MUSN940GL	Variable speed unit / US series	B-334
MUSN940GY	Variable speed unit / US series	B-334
MUSN960GL	Variable speed unit / US series	B-336
MUSN960GY	Variable speed unit / US series	B-336
MUSN990GL	Variable speed unit / US series	B-338
MUSN990GY	Variable speed unit / US series	B-338

Gear head (Details refer to page B-431)

M4GA100F	Sq.42 Ball + Metal bearing	B-9
M4GA12.5F	Sq.42 Ball + Metal bearing	B-9
M4GA120F	Sq.42 Ball + Metal bearing	B-9
M4GA150F	Sq.42 Ball + Metal bearing	B-9
M4GA15F	Sq.42 Ball + Metal bearing	B-9
M4GA180F	Sq.42 Ball + Metal bearing	B-9
M4GA18F	Sq.42 Ball + Metal bearing	B-9
M4GA25F	Sq.42 Ball + Metal bearing	B-9
M4GA3.6F	Sq.42 Ball + Metal bearing	B-9
M4GA30F	Sq.42 Ball + Metal bearing	B-9
M4GA36F	Sq.42 Ball + Metal bearing	B-9
M4GA3F	Sq.42 Ball + Metal bearing	B-9
M4GA50F	Sq.42 Ball + Metal bearing	B-9
M4GA5F	Sq.42 Ball + Metal bearing	B-9
M4GA60F	Sq.42 Ball + Metal bearing	B-9
M4GA6F	Sq.42 Ball + Metal bearing	B-9
M4GA7.5F	Sq.42 Ball + Metal bearing	B-9
M4GA75F	Sq.42 Ball + Metal bearing	B-9
M4GA90F	Sq.42 Ball + Metal bearing	B-9
M4GA9F	Sq.42 Ball + Metal bearing	B-9
MP9G100B	90 mm sq. High torque type Hinge attached	B-444
MP9G120B	90 mm sq. High torque type Hinge attached	B-444
MP9G150B	90 mm sq. High torque type Hinge attached	B-444
MP9G180B	90 mm sq. High torque type Hinge attached	B-444
MP9G200B	90 mm sq. High torque type Hinge attached	B-444
MP9G50B	90 mm sq. High torque type Hinge attached	B-444
MP9G60B	90 mm sq. High torque type Hinge attached	B-444
MP9G75B	90 mm sq. High torque type Hinge attached	B-444
MP9G90B	90 mm sq. High torque type Hinge attached	B-444
MR9G100B	90 mm sq. High torque type Hinge not attached	B-444
MR9G120B	90 mm sq. High torque type Hinge not attached	B-444
MR9G150B	90 mm sq. High torque type Hinge not attached	B-444
MR9G180B	90 mm sq. High torque type Hinge not attached	B-444
MR9G200B	90 mm sq. High torque type Hinge not attached	B-444
MR9G50B	90 mm sq. High torque type Hinge not attached	B-444
MR9G60B	90 mm sq. High torque type Hinge not attached	B-444
MR9G75B	90 mm sq. High torque type Hinge not attached	B-444
MR9G90B	90 mm sq. High torque type Hinge not attached	B-444
MX6G100B	60 mm sq. Ball bearing	B-13
MX6G100BU	60 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX6G100H	60 mm sq. Only for C&B motor	B-353
MX6G100M	60 mm sq. Metal bearing	B-13
MX6G10BA	60 mm sq. Ball bearing	B-13
MX6G10BU	60 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX6G10H	60 mm sq. Only for C&B motor	B-353
MX6G10MA	60 mm sq. Metal bearing	B-13
MX6G10XB	60 mm sq. Decimal gear head	B-448
MX6G12.5BA	60 mm sq. Ball bearing	B-13
MX6G12.5BU	60 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX6G12.5H	60 mm sq. Only for C&B motor	B-353
MX6G12.5MA	60 mm sq. Metal bearing	B-13
MX6G120B	60 mm sq. Ball bearing	B-13
MX6G120BU	60 mm sq. Ball bearing-Inch (U.S.A)	B-451

Index


Part No.	Specifications	Carrying page
MX9G50M	90 mm sq. Metal bearing	B-31
MX9G50R	90 mm sq. Right-angle type for 40W	B-446
MX9G5B	90 mm sq. Ball bearing	B-31
MX9G5BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX9G5H	90 mm sq. Only for C&B motor	B-359
MX9G5M	90 mm sq. Metal bearing	B-31
MX9G5R	90 mm sq. Right-angle type for 40W	B-446
MX9G60B	90 mm sq. Ball bearing	B-31
MX9G60BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX9G60H	90 mm sq. Only for C&B motor	B-359
MX9G60M	90 mm sq. Metal bearing	B-31
MX9G60R	90 mm sq. Right-angle type for 40W	B-446
MX9G6B	90 mm sq. Ball bearing	B-31
MX9G6BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX9G6H	90 mm sq. Only for C&B motor	B-359
MX9G6M	90 mm sq. Metal bearing	B-31
MX9G6R	90 mm sq. Right-angle type for 40W	B-446
MX9G7.5B	90 mm sq. Ball bearing	B-31
MX9G7.5BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX9G7.5H	90 mm sq. Only for C&B motor	B-359
MX9G7.5M	90 mm sq. Metal bearing	B-31
MX9G7.5R	90 mm sq. Right-angle type for 40W	B-446
MX9G75B	90 mm sq. Ball bearing	B-31
MX9G75BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX9G75H	90 mm sq. Only for C&B motor	B-359
MX9G75M	90 mm sq. Metal bearing	B-31
MX9G75R	90 mm sq. Right-angle type for 40W	B-446
MX9G90B	90 mm sq. Ball bearing	B-31
MX9G90BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX9G90H	90 mm sq. Only for C&B motor	B-359
MX9G90M	90 mm sq. Metal bearing	B-31
MX9G90R	90 mm sq. Right-angle type for 40W	B-446
MX9G9B	90 mm sq. Ball bearing	B-31
MX9G9BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MX9G9H	90 mm sq. Only for C&B motor	B-359
MX9G9M	90 mm sq. Metal bearing	B-31
MX9G9R	90 mm sq. Right-angle type for 40W	B-446
MY9G100B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G100H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G10B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G10H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G12.5B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G12.5H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G120B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G120H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G150B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G150H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G15B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G15H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G180B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G180H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G18B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G18H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G200B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G200H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G20B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G20H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G25B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G25H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G3.6B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G3.6H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G30B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G30H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G36B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G36H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G3B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G3H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G50B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G50H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G5B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G5H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G60B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G60H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G6B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G6H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G7.5B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G7.5H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G75B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G75H	90 mm sq. Only for C&B motor Hinge attached	B-361
MY9G90B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G90H	90 mm sq. Only for C&B motor Hinge attached	B-361

Part No.	Specifications	Carrying page
MY9G9B	90 mm sq. Ball bearing Hinge attached	B-35
MY9G9H	90 mm sq. Only for C&B motor Hinge attached	B-361
MZ9G100B	90 mm sq. Ball bearing	B-35
MZ9G100R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G10B	90 mm sq. Ball bearing	B-35
MZ9G10BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G10XB	90 mm sq. Decimal gear head	B-448
MZ9G12.5B	90 mm sq. Ball bearing	B-35
MZ9G12.5BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G12.5R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G120B	90 mm sq. Ball bearing	B-35
MZ9G120BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G120R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G150B	90 mm sq. Ball bearing	B-35
MZ9G150BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G150R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G15B	90 mm sq. Ball bearing	B-35
MZ9G15BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G15R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G180B	90 mm sq. Ball bearing	B-35
MZ9G180BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G180R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G18B	90 mm sq. Ball bearing	B-35
MZ9G18BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G18R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G200B	90 mm sq. Ball bearing	B-35
MZ9G200BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G200R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G20B	90 mm sq. Ball bearing	B-35
MZ9G20BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G25B	90 mm sq. Ball bearing	B-35
MZ9G25BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G25R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G3.6B	90 mm sq. Ball bearing	B-35
MZ9G3.6BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G3.6R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G30B	90 mm sq. Ball bearing	B-35
MZ9G30BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G30R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G36B	90 mm sq. Ball bearing	B-35
MZ9G36BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G36R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G3B	90 mm sq. Ball bearing	B-35
MZ9G3BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G3R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G50B	90 mm sq. Ball bearing	B-35
MZ9G50BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G50R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G5B	90 mm sq. Ball bearing	B-35
MZ9G5BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G5R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G60B	90 mm sq. Ball bearing	B-35
MZ9G60BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G60R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G6B	90 mm sq. Ball bearing	B-35
MZ9G6BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G6R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G7.5B	90 mm sq. Ball bearing	B-35
MZ9G7.5BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G7.5R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G75B	90 mm sq. Ball bearing	B-35
MZ9G75BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G75R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G90B	90 mm sq. Ball bearing	B-35
MZ9G90BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G90R	90 mm sq. Right-angle type for 60,90W	B-446
MZ9G9B	90 mm sq. Ball bearing	B-35
MZ9G9BU	90 mm sq. Ball bearing-Inch (U.S.A)	B-451
MZ9G9R	90 mm sq. Right-angle type for 60,90W	B-446

World power supply system

World voltage

Major countries



Major power system standards

Country	Phase	Voltage	Frequency
Japan	Single-phase	100 V, 200 V	50 Hz/60 Hz
	3-phase	200 V	
U.S.A.	Single-phase	115 V	60 Hz
	3-phase	230 V	
Canada	Single-phase	120 V	60 Hz
	3-phase	208 V, 240 V	
Taiwan	Single-phase	110 V, 220 V	60 Hz
	3-phase	220 V, 380 V	
Hong Kong	Single-phase	200 V	50 Hz
	3-phase	346 V	
China	Single-phase	220 V	50 Hz
	3-phase	380 V	
Korea	Single-phase	110 V, 220 V	60 Hz
	3-phase	200 V, 380 V	
Malaysia	Single-phase	240 V	50 Hz
	3-phase	415 V	

Country	Phase	Voltage	Frequency
Philippine	Single-phase	115 V, 220 V	60 Hz
	3-phase	230 V	
Singapore	Single-phase	230 V	50 Hz
	3-phase	400 V	
French	Single-phase	230 V	50 Hz
	3-phase	400 V	
Germany	Single-phase	230 V	50 Hz
	3-phase	400 V	
U.K.	Single-phase	230 V	50 Hz
	3-phase	400 V	
Mexico	Single-phase	127 V	60 Hz
	3-phase	220 V	
India	Single-phase	230 V, 240 V	50 Hz
	3-phase	400 V, 415 V	
Australia	Single-phase	240 V	50 Hz
	3-phase	415 V	
Brasil	Single-phase	110 V, 127 V	60 Hz
	3-phase	220 V	

<Caution> Connecting the power source to a motor having rating (voltage, phase, frequency) different from the system specification causes the hazardous operating conditions. For availability of compatible motors, consult us.

Sales Office

[Panasonic Sales Office of Motors]

(March.01.2018)

Country	Company Name [Category]	City	Address	TEL	
				FAX	
U.S.A	Panasonic Industrial Devices Sales Company of America [Sales office]	New Jersey	Two Riverfront Plaza, 7th Floor Newark, NJ 07102-5490 U.S.A	+1-800-228-2350	
				—	
Brazil	Panasonic do Brazil [Sales office]	Sao Paulo	Avenida do Cafe, 277 Torre A-8 Andar Jabaquara ZIP Code: 04311-900 Sao Paulo SP Brazil	+55-11-3889-4022	
				+55-11-3889-4103	
Germany	Panasonic Industry Europe GmbH [Sales office] [European Headquarter]	Munich	Robert-Koch-Strasse 100, 85521 Ottobrunn, Germany	+49 89-45354-0	
				+49-89-4535-41-550	
			e-mail	https://eu.industrial.panasonic.com/about-us/contact-us	
			Web site	https://eu.industrial.panasonic.com/products/motors- compressors-pumps	
	ghv Vertriebs-GmbH [Distributors]	Munich	Am Schammacher Feld 47 D-85567 Grafing b. Munich	+49(0)-80-92/81-89-0	
				+49(0)-80-92/81-89-99	
			e-mail	info@ghv.de	
			Web site	https://www.ghv.de/	
Italy	Lenze Italia S.r.l. [Distributors]	Milano	Viale Tibaldi, 7 20136 Milano	+39-02-270-98-1	
				+39-02-270-98-290	
			e-mail	mail@LenzeItalia.it	
			Web site	http://www.lenze.com/it-it	
United Kingdom	Lenze Limited [Distributors]	Bedford	Priory Business Park, Bedford, MK44 3WH.	+44-1234-7532-00	
				+44-1234-7532-20	
			e-mail	uk.sales@lenze.com	
			Web site	http://www.lenze.com/en-gb/about-lenze/lenze-in-united- kingdom	
China	Panasonic Industrial Devices Sales (Hong Kong) Co.,Ltd. (PIDSHK) [Sales office]	Hong kong	Top Floor, South Wing, ChinaChem Gloden Plaza, 77 Mody Road, S.T.S. East, Kowloon, HongKong	+852-2529-7322	
				+852-2598-9743	
	Panasonic Industrial Devices Sales (China) Co.,Ltd. (PIDSCN) [Sales office]	Shanghai	Floor 6, China Insurance Building, 166 East Road LuJiaZui PuDong New District, Shanghai, China	+86-21-3855-2442	
				+86-21-3855-2375	
	Panasonic Industrial Devices Sales (China) Co.,Ltd. (PIDSCN) [Sales office]	Shenzhen	8/F, Tower Three, Kerry Plaza, 1-1 Zhongxinsi Road, Futian District, Shenzhen, China	+86-755-8255-8791	
				—	
Korea	Panasonic Industrial Devices Sales Korea Co., Ltd. (PIDSKR) [Sales office]	Seoul	6F DONG-IL Tower 38, Teheran-ro 114-gil, Gangnam-gu, Seoul, 135-851, Korea	+82-2-795-9600	
				+82-2-2052-1053	
Taiwan	Panasonic Industrial Devices Sales Taiwan Co.,Ltd. [Sales office]	Taipei	12F, No.9, SongGao Rd., Taipei 110, Taiwan, R.O.C.	+886-2-2757-1900	
				+886-2-2757-1977	

Country	Company Name [Category]	City	Address	TEL	
				FAX	
India	Panasonic India Industrial Division (Head Office) [Sales office]	Delhi	12th Floor, Ambience Tower, Ambience Island, NH-8, Gurgaon, Haryana 122002	+91-124-4751300	
				+91-124-4751333	
	Panasonic India Industrial Division (Bangalore Branch) [Sales office]	Bengaluru	J.P Chambers 2nd Floor, #276/22-1, 46th Cross, 5th Block, Jayanagar, Bengaluru, Karnataka-560041	+91-80-6576-0014	
				—	
	Lubi Electronics [Distributors]	Ahmedabad	Sardar Patel Ring Road, Near Karai Gam Patia, Nana Chiloda, Gandhinagar, Gujarat 382330	+91-79-3984-5300	
				+91-79-3984-5599	
				e-mail	info@lubielelectronics.com
				Web site	http://www.lubielelectronics.com
	Vashi Electricals [Distributors]	Mumbai	A-6, Shree Ganesh Complex, Behind Gupta Compound, Dapode Road, Mankoli Naka, Bhiwandi, Mumbai, Maharashtra 421305	+91-25-2266-1600	
				+91-25-2266-1620	
				e-mail	buyonline@vashielectricals.com
				Web site	http://www.vashielectricals.com
South-eastern Asia	Panasonic Industrial Devices Sales Asia [Sales office]	Singapore	No.3 Bedok South Road Singapore 469269	+65-6390-3718	
				+65-9435-6844	
	Intermech Machinery Pte.Ltd. [Distributors]	Singapore	2 Woodlands Sector 1 #03-25, Woodlands Spectrum 1 Singapore 738068	+65-6751-5088	
				+65-6759-2122	
			e-mail	sales@intermech.com.sg	
			Web site	http://www.intermech.com.sg	
	Panamech (Penang) Sdn. Bhd. [Distributors]	Penang	18, Persiaran Mahsuri 1/2, Sunway Tunas, Penang, 11900	+60-4-645-1635	
				+60-4-645-1639	
			e-mail	sales.pg@panamech.com.my	
			Web site	http://panamech.com.my	
	JW Tech Co., Ltd. [Distributors]	Bangkok	697 Soi Senavilla Village, Nawamin RD Klongchan, Bangkok, Bangkok 10240	+66-2733-7702	
				+66-2733-7703	
			e-mail	info@jwtech.co.th	
			Web site	http://www.jwtech.co.th	
	PT.Riasarana Electrindo [Distributors]	Jakarta	Jl. Prof. Dr. Latumenten Grogol Permai blok D No. 8-15 Jakarta 11460	+62-21-564-9178	
				+62-21-566-7405	
			Web site	http://www.risacorps.com	
	KSMC Co., Ltd. [Distributors]	Ha Noi	A10-No 06B, HH6, Viet Hung Urban Area, Long Bien, Ha Noi	+84-4-38771700	
				+84-4-38770229	
			e-mail	support@ksmc.com.vn	
			Web site	http://ksmc.com.vn	
	Movaflex Designs Unlimited, Inc. [Distributors]	Manila	136 Calbayog Street, Mandaluyong City, Metro Manila 1552	+63-2-998-3881	
				+63-2-633-7526	
			e-mail	sales@movaflex.com	