


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.





PANDUIT P/N	WEIGHT
UICBXH6***-A	2.81 LB/10 PCS (1278.2 g/10 PCS)

NOTES:

1. SEE CURRENT CATALOG FOR ADDITIONAL PART NUMBER SUFFIXES TO INDICATE COLOR AND OR PACKAGE QUANTITY.
2. SEE CATALOG FOR A COMPLETE LIST OF PARTS APPLICABLE FOR USE WITH THIS PART.
3. DIMENSIONS IN PARENTHESES ARE IN METRIC.
4. ALSO INCLUDED WITH BOX:
 - 1- BOX BASE
 - 1- BOX COVER
 - 1- RETENTION BLOCK
 - 4- MOUNTING SCREW
 - 4- SELF TAPPING SCREW
 - 2- STRIP OF 3.00" X .75" FOAM TAPE FOR MOUNTING
 - 1- CLEAR LABEL COVER
 - 1- CLEAR SCREW COVER
 - 2- CABLE TIE
5. BREAKOUTS DESIGNED TO ACCEPT LD3/LDP3 OR LD5/LDP5 RACEWAY. (DOES NOT ENTER BOX.)

NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE BY PANDUIT WITH RESPECT TO ADHESIVE BOND PERFORMANCE. AMONG OTHER THINGS, THE CONDITIONS UNDER WHICH THESE MOUNTS MAY BE APPLIED AND/OR THE SURFACE TO WHICH THEY MAY BE APPLIED ARE BEYOND PANDUIT'S CONTROL.

MODEL FILENAME	M01692AB_UICBXH6_00.PRT	SIZE	A
DRAWING FILENAME	M01692AB_DC_00A.PRT		
MINI-COM™ ULTIMATE ID™ HYBRID 6 POSITION SURFACE MOUNT BOX CUSTOMER DRAWING			
 PANDUIT ™ CORP. TINLEY PARK, ILL 60477		I.T. NUMBER	N/A
		PRODUCT SPEC	N/A
 THIRD ANGLE PROJECTION		WORK INSTRUCTION	N/A
		SCALE	NONE
DRAWN BY JsP		MATERIAL	ABS
DATE 4-6-05		PART NO.	UICBXH6***-A
CHK'D		DRAWING NO.	01692-06 SHEET 1 OF 3

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
R	4-6-05	JsP		RELEASED TO PRODUCTION	01692-06				

Technical drawing of the 1000 Series LED Light Fixture showing three views: top, side, and front.

Top View Dimensions:

- Overall Width: 3.87 [98.2]
- Overall Height: 4.96 [126.0]
- Internal Width (excluding side rails): 3.28 [83.3]

Side View Dimensions:

- Overall Depth: .90 [22.7]

Front View: Shows the profile of the fixture with two mounting tabs on the left and right sides.

