

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Profile, self-adhesive, for accommodating SS-ZB labels, UC-EMP, US-EMP, length: 1 m

Your advantages

- ✓ Self-adhesive marker carriers, sold by the meter for cutting to custom length
- ✓ The P-SS-ZB 100 is particularly suitable for accommodating UC-EMP ..., US-EMP ...
- ✓ Powerful adhesion and optimum grip on standard device surfaces

RoHS

Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 017918 013929
GTIN	4017918013929

Technical data

Dimensions

Length (b)	1000 mm
Width (a)	10.9 mm

Ambient conditions

Ambient temperature (operation)	-15 °C ... 80 °C
---------------------------------	------------------

General

Color	gray
Flammability rating according to UL 94	V0
Material	PVC
Adhesive	Acrylic
Adhesive strength	210 µm
Marking mounting type	adhesive

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Technical data

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Classifications

eCl@ss

eCl@ss 10.0.1	27144075
eCl@ss 4.0	23150300
eCl@ss 4.1	23150300
eCl@ss 5.0	27149100
eCl@ss 5.1	27141100
eCl@ss 6.0	27149100
eCl@ss 7.0	27149129
eCl@ss 8.0	27141137
eCl@ss 9.0	27144075

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC001288
ETIM 6.0	EC002248
ETIM 7.0	EC002248

UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39131504
UNSPSC 19.0	39131504

Accessories

Accessories

Device marking

Contact marker - zack marker strip - SS-ZB WH - 5031171



Contact marker - zack marker strip, Strip, white, unlabeled, can be labeled with: CMS-P1-PLOTTER, mounting type: snap into flat marker groove, lettering field size: 20 mm x 8 mm, Number of individual labels: 5

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Accessories

Contactor marker - zack marker strip - SS-ZB YE - 5031650



Contactor marker - zack marker strip, Strip, yellow, unlabeled, can be labeled with: CMS-P1-PLOTTER, mounting type: snap into flat marker groove, lettering field size: 20 mm x 8 mm, Number of individual labels: 5

Snap-in markers - UC-EM (20X9) - 0825503



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped into marker carrier, lettering field size: 20 x 9 mm, Number of individual labels: 20

Snap-in markers - UCT-EM (20X9) - 0801471



Snap-in markers, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped into marker carrier, lettering field size: 20 x 9 mm, Number of individual labels: 24

Labeled device marker

Snap-in markers - UC-EM (20X9) CUS - 0827629



Snap-in markers, can be ordered: by sheet, white, labeled according to customer specifications, mounting type: snapped into marker carrier, lettering field size: 20 x 9 mm, Number of individual labels: 20

Equipment marking - UCT-EM (20X9) CUS - 0801556



UniCard sheet, for labeling devices from other manufacturers, for overview table see download area, labeled according to customer specifications

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>