

CRIMPFOX-DSUB 5

Order No.: 1212111



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1212111>

Crimping pliers, for D-SUB contacts, high-density and standard, 0.08 - 5.0 mm², B crimp, incl. contact support



Commercial data

GTIN (EAN)	4 046356 453899
Note	Made-to-order
sales group	C105
Pack	1 pcs.
Customs tariff	82032000
Catalog page information	Page 278 (CL2-2011)

Product notes

WEEE/RoHS-compliant since:
09/25/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm
Color	black

Weight	451 g
Die station	Crimping position 1
Min. cross section	0.08 mm ²
Max. cross section	0.22 mm ²
AWG min	28
AWG max	26
Die station	Crimping position 2
Min. cross section	0.08 mm ²
Max. cross section	0.22 mm ²
AWG min	28
AWG max	26
Die station	Crimping position 3
Min. cross section	0.22 mm ²
Max. cross section	0.5 mm ²
AWG min	26
AWG max	22
Die station	Crimping position 4
	Crimping position 5
Compression	B crimp
Type of contact	D-SUB (standard and high-density)

Certificates / Approvals



Certification


GOST

Accessories

Item	Designation	Description
Tools		
1212287	CRIMPFOX-DSUB 5/DIE	Spare die for CRIMPFOX-DSUB 5
1212036	CRIMPFOX/ SPR-3	Spare recuperating spring

Diagrams/Drawings

Product drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;