

Tool - UNIFOX-F VDE - 1212363

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Flat-nose pliers, finely notched grip area, VDE 1000 V AC/1500 V DC tested

Your advantages

- ✓ Notched grip areas
- ✓ Ergonomic handle design to eliminate fatigue when working
- ✓ Excellent transformation ratios for optimum gripping performance
- ✓ Forged die hardened in oil for maximum durability
- ✓ UNIFOX ... VDE-insulated flat-nose, round-nose, and water pump pliers

Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356455671

Technical data

Dimensions

Length (b)	160 mm
------------	--------

General

Color	black
Test standard	DIN EN 60900 (VDE 0682 PART 201)
	DIN ISO 5745
Weight	185 g

Standards and Regulations

Test standard	DIN EN 60900 (VDE 0682 PART 201)
	DIN ISO 5745

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Tool - UNIFOX-F VDE - 1212363

Classifications

eCl@ss

eCl@ss 10.0.1	21043817
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043800
eCl@ss 7.0	21043817
eCl@ss 8.0	21043817
eCl@ss 9.0	21043817

ETIM

ETIM 2.0	EC000142
ETIM 3.0	EC000142
ETIM 4.0	EC000833
ETIM 5.0	EC000833
ETIM 6.0	EC000833
ETIM 7.0	EC000833

UNSPSC

UNSPSC 6.01	23171604
UNSPSC 7.0901	23171604
UNSPSC 11	23171604
UNSPSC 12.01	23171604
UNSPSC 13.2	27112126
UNSPSC 18.0	27112126
UNSPSC 19.0	27112126
UNSPSC 20.0	27112126
UNSPSC 21.0	27112126

Approvals

Approvals

Approvals

EAC / VDE Zeichengenehmigung

Ex Approvals

Approval details

Tool - UNIFOX-F VDE - 1212363

Approvals

EAC		RU x- DE.xx08.B.02974
-----	---	--------------------------

VDE Zeichengenehmigung		http://www2.vde.com/de/Institut/Online-Service/ VDE-gepruefteProdukte/Seiten/Online-Suche.aspx	40049137
------------------------	---	--	----------

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>