

## Protective covers - HC-STA-B06-DC-PL - 1421100

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective covers, type: B6, degree of protection: IP20, color: transparent/white



### Key Commercial Data

|                        |                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit           | 5 pc                                                                                                    |
| Minimum order quantity | 5 pc                                                                                                    |
| GTIN                   | <br>4 055626 251806 |
| GTIN                   | 4055626251806                                                                                           |

### Technical data

#### Dimensions

|        |         |
|--------|---------|
| Height | 22.1 mm |
| Width  | 46.4 mm |
| Length | 62.5 mm |

#### Ambient conditions

|                                 |                |
|---------------------------------|----------------|
| Degree of protection (IP)       | IP20           |
| Ambient temperature (operation) | 0 °C ... 20 °C |

#### General

|                                        |                  |
|----------------------------------------|------------------|
| Size                                   | B6               |
| Housing type                           | Protective cover |
| Color                                  | transparent      |
| Locking type                           | Clip locking     |
| Material                               | PA               |
| Material, protective cover             | PA               |
| Flammability rating according to UL 94 | HB               |

### Standards and Regulations

## Protective covers - HC-STA-B06-DC-PL - 1421100

### Technical data

#### Standards and Regulations


|                                        |    |
|----------------------------------------|----|
| Flammability rating according to UL 94 | HB |
|----------------------------------------|----|

#### Environmental Product Compliance

|            |                                                         |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

### Drawings

Dimensional drawing



Dimensional drawing

### Classifications

#### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27440208 |
| eCl@ss 5.1    | 27260700 |
| eCl@ss 6.0    | 27261200 |
| eCl@ss 7.0    | 27440208 |
| eCl@ss 8.0    | 27440208 |
| eCl@ss 9.0    | 27440208 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 5.0 | EC002314 |
| ETIM 6.0 | EC002314 |
| ETIM 7.0 | EC002314 |

## Protective covers - HC-STA-B06-DC-PL - 1421100

### Classifications

#### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 13.2 | 39121421 |
| UNSPSC 18.0 | 39121421 |
| UNSPSC 19.0 | 39121421 |
| UNSPSC 20.0 | 39121421 |
| UNSPSC 21.0 | 39121421 |

### Approvals

#### Approvals

#### Approvals

DNV GL

#### Ex Approvals

#### Approval details

|        |                                                                                     |                                                                                   |            |
|--------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|
| DNV GL |  | <a href="https://approvalfinder.dnvgl.com/">https://approvalfinder.dnvgl.com/</a> | TAE000037S |
|--------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>