

Protective hose adapter - WP-CTA POM 13,0 BK - 1422884

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective hose adapter, for corrugated hoses with a nominal size of 13 (10 x 13), corrugated in parallel

RoHS

Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 055626 316567
GTIN	4055626316567

Technical data

Dimensions

Length	20 mm
External cable diameter	4 mm ... 7 mm

Ambient conditions

Ambient temperature (operation)	-25 °C ... 85 °C
---------------------------------	------------------

General

Material	POM
Color	black

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27430308
---------------	----------

Protective hose adapter - WP-CTA POM 13,0 BK - 1422884

Classifications

eCl@ss

eCl@ss 5.1	27379201
eCl@ss 7.0	27439201
eCl@ss 8.0	27379201
eCl@ss 9.0	27430308

ETIM

ETIM 5.0	EC002498
ETIM 6.0	EC001469
ETIM 7.0	EC001469

UNSPSC

UNSPSC 13.2	39121116
UNSPSC 19.0	39121116

Accessories

Accessories

Corrugated pipe

Protective hose - WP-PA HF 13,0 BK - 3240681



Polyamide protective hose, inflammability class V0, UV resistant

Protective hose - WP-PA HF-HB 13,0 BK - 3240839



Polyamide protective hose, inflammability class HB, UV resistant

Universal tools

Tool - UNIFOX-C VDE - 1212202



Combination pliers, notched gripping surface, VDE 1000 V AC/1500 V DC tested, size: 180 mm

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>