

Strain relief clamp - HC-B-ZG - 1685327

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Strain relief clamps contact inserts of series: B-, BB-, D 40, D 64, DD and HV, straight cable exit



Key Commercial Data

Packing unit	10 pc
GTIN	 4 017918 197001
GTIN	4017918197001

Technical data

Dimensions

Clamping range of the strain relief clip	9.00 mm ... 19.00 mm
--	----------------------

General

Material	Steel, galvanized
Connection	Suitable for HC-DD... / HC-B... / HC-BB... / HC-BBB... / HC-D40... / HC-D64...


Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Strain relief clamp - HC-B-ZG - 1685327

Dimensional drawing



Dimensional drawing

Classifications

eCl@ss

eCl@ss 10.0.1	27440192
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27260700
eCl@ss 6.0	27260700
eCl@ss 7.0	27440312
eCl@ss 8.0	27440312
eCl@ss 9.0	27440192

ETIM

ETIM 2.0	EC001121
ETIM 3.0	EC001121
ETIM 4.0	EC001121
ETIM 5.0	EC002641
ETIM 6.0	EC002641
ETIM 7.0	EC002641

UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416

Strain relief clamp - HC-B-ZG - 1685327

Classifications

UNSPSC

UNSPSC 11	43172601
UNSPSC 12.01	39121522
UNSPSC 13.2	39121419
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>