

## Electronic housing - DCS 5,7 M C O BP C 7035 - 2203173

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Display housing, 5.7", light gray, central window, front level, for battery pack consisting of two half shells, with screws and battery pack contacts

### Your advantages

- ✓ Display housings for mobile and stationary operator panels
- ✓ Integration of TFT display and membrane keypads
- ✓ Degree of protection: up to IP54
- ✓ Temperature range: -20°C to +50°C
- ✓ Shock-resistant ABS plastic
- ✓ Flammability rating UL 94-V0



### Key Commercial Data

Packing unit	2 pc
GTIN	 4 055626 377292
GTIN	4055626377292

### Technical data

#### Item properties

Type	DCS 5,7 M C O BP C 7035
Order No.	2203173
Housing type	Display housing
Max. IP code to attain	IP54
Battery compartment	for APP battery housing
Wall fastening	yes
Ventilation openings present	no

#### Measurements

Width [ w ]	224 mm
Height [ h ]	157 mm

## Electronic housing - DCS 5,7 M C O BP C 7035 - 2203173

### Technical data

#### Measurements

Depth [ d ]	40 mm
-------------	-------

#### Material specifications

Flammability rating according to UL 94	V0
Housing material	ABS

#### Packaging information

Pieces per package	2
Denomination packing units	Pcs.


#### Standards and regulations

Flammability rating according to UL 94	V0
--	----

### Drawings

## Electronic housing - DCS 5,7 M C O BP C 7035 - 2203173

Dimensional drawing



### Classifications

eCl@ss

eCl@ss 10.0.1	27182702
eCl@ss 5.1	27180506
eCl@ss 6.0	27180800
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

ETIM

ETIM 5.0	EC001031
ETIM 6.0	EC001031

## Electronic housing - DCS 5,7 M C O BP C 7035 - 2203173

### Classifications

ETIM

ETIM 7.0	EC001031
----------	----------

### Accessories

Accessories

Screwdriver tools

Philips screwdriver - SF-PH 0-60 - 1212558



Screwdriver, PH crosshead, size: PH 0 x 60, 2-component grip, with non-slip grip

### Additional products

Seal - DCS 5,7-7,0 SEAL - 2203584



Sealing set, including cord and O-rings

Display - D L 5,7 QVGA P - 2203549



Graphic LCD module, 5.7", 320 x 240 pixels, FSTN transmissive/negative 12:00, LED backlight, interface: parallel, operating temperature: -20 °C ... 70 °C

Mounting set - DCS D-FIX 5,7 - 2203829



Mounting set including plates and screws, for display mounting

## Electronic housing - DCS 5,7 M C O BP C 7035 - 2203173

### Accessories

Seal - DCS D-SEAL 3,0MM - 2203749



Sealing strip, self-adhesive, for displays of the DCS housing series (roll: 100 m)

---

Washer/ring - DCS 5,7 WIN 1,5 CLEAR - 2203595



Acrylic glass, satin-finished, for housing DCS 5.7

---

Electronic housing - DCS B-PACK ENCL F 7035 - 2203751



Additional battery pack housing for DCS 5.7-7.0

---

Wall bracket - DCS 5,7-7,0 WALL MOUNT 7035 - 2203752



Wall bracket for housing

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>