

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)



Lower part of housing, 35 mm wide, housing closed, fully assembled, without bus connector.

#### **Product Features**

- ▼ Tool-free mounting
- Gold contacts for data transmission and power supply (125 V, 8 A)
- When a device is unplugged from the system as a whole, the signal chain is not interrupted# Supply via standard MINI COMBICON plug
- ✓ Large assembly area
- ME...TBUS connector with 5 parallel contacts can be snapped onto DIN rails to save space
- Recessed labeling areas
- Fast mounting on DIN rails according to EN 60715
- ☑ Inflammability class V0 according to UL 94
- Cost savings thanks to easy device production
- Material and part identification embossed on the housing (recyclability)
- optional BUS connection integrated in the housing, for either parallel or serial contacting
- Metal foot catch
- Functional earth ground contact (EMC) integrated in the housing base
- Electronic components can be partially removed



### Key commercial data

Packing unit	11
Weight per Piece (excluding packing)	59.69 GRM
Custom tariff number	85472000
Country of origin	Germany

#### Technical data



### Technical data

Product type	Component housing lower part
Approval	UL Recognized
Width	35 mm
Height	114.5 mm
Depth	99 mm
Color	green (6021)
No. of pos. for cross connection	5
Type of cross connection	DIN rail bus connector
Functional earth ground contact	Integrated

### Classifications

### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702

### **ETIM**

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

### **UNSPSC**

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals



Approvals	
Approvals	
UL Recognized	
Ex Approvals	
Approvals submitted	
Approval details	
UL Recognized <b>\$\)</b>	
Accessories	
Accessories	
Coding element	
Coding star - CR-MSTB	- 1734401
*	Coding section, inserted into the recess in the header or the inverted plug, red insulating material
Coding profile - CP-MST	B - 1734634
*	Coding profile, is inserted into the slot on the plug or inverted header, red insulating material

Filler plug



### Accessories

Electronic housing - ME B-17,5 MSTBO GN - 2906869



Filler plugs, for unoccupied terminal points

Electronic housing - ME B-17,5 MKDSO GN - 2906885



Filler plugs, for unoccupied terminal points

#### Mounting material


Components of electronic housing - ME-SAS - 2853899



Shield connection clamp for printed circuit terminal block


### **Drawings**

#### Dimensioned drawing



Dimensions of the electronic housing ME...TBUS... with double-level upper part


### Dimensioned drawing




Dimensions of the electronic housing ME...TBUS... with double-level upper part



Dimensioned drawing



Dimensioned drawing




Internal housing dimensions, electronics housing ME 35 TBUS...

Detailed dimensional drawing of the DIN rail connector contact pads


### Schematic diagram





Schematic diagram






Pin assignment left

Pin assignment right



### Dimensioned drawing



Dimensional drawing of the ME.../TBUS printed circuit board if the double level upper part is used

© Phoenix Contact 2013 - all rights reserved http://www.phoenixcontact.com