

| TECHNICAL DATA SHEET |                 | Rosenberger |  |
|----------------------|-----------------|-------------|--|
| BNC 50<br>Ω          | INSULATION RING | 51Z122-000  |  |







All dimensions are in mm; tolerances according to ISO 2768 m-H

| Documents Panel piercing                  | В 3                          |   |
|---|------------------------------|---|
| Material and plating Connector parts Body | <b>Material Platin</b><br>PS | g |
| Weight Weight                             | 0.2 g/pce                    |   |
| Environmental data<br>RoHS                | compliant                    |   |

While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.

| Draft  | Date     | Approved          | Date     |     | Rev.  | Engineering change number | Name      | Date     |
|--|----------|-------------------|----------|-----|---|---------------------------|-----------|----------|
| Inge Mühlauer  | 20/07/04 | Sa. Krautenbacher | 18.03.14 |     | c00   | 14-0352                   | T. Krojer | 18.03.14 |
| Rosenberger Hochfrequenztechnik GmbH & Co. KG                        |          |                   |          |     |   | el.: +49 8684 18-0        |           | Page     |
| P.O.Box 1260 D-84526 Tittmoning Germany<br><u>www.rosenberger.de</u> |          |                   |          | 1 . | ax: +49 8684 18-499<br>mail: <u>info@rosenberger.de</u> |                           | 1 / 1     |          |