

## + RELAYS, CONTACTORS & SWITCHES

### **DIP & SIP SWITCHES**



✓ Active

#### TE CONNECTIVITY (TE)

# 4P. DIP SWITCH WITH ACTION PIN POSTS

Alcoswitch | Alcoswitch DIP

#### 5338048-4

TE Internal Number: 5338048-4

# EU RoHS Compliant EU ELV Compliant

Droduct Tree Cuit of

**Product Type** Switch


**Contact Mating Area Plating Material** Tin

**Housing Color** Natural

Housing Material Nylon - GF

Auto-Insertable No





Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity. **Product Type Features Product Type** Switch Sealed No **Switch Type** DIP Actuator Style Slide **Configuration Features** Number of Switches 4 Configuration (Pole-Throw) Single Pole - Single Throw **Number of Positions 4 Body Features Actuator Color** Red **Contact Features Contact Mating Area Plating Material** Tin Auto-Insertable No **Contact Base Material** Phosphor Bronze Contact Mating Area Plating Thickness (µm) 2.5 **Solder Tail Contact Plating** Tin **Termination Features Termination Post Length** 3.2 mm [ .1259 in ] Mechanical Attachment Mounting Type ACTION PIN, Through Hole **Mounting Angle** Vertical **Housing Features Housing Color** Natural Housing Material Nylon - GF Centerline 2.54 mm [ .1 in ] **Dimensions Length** 12.7 mm [ .499 in ] **Height** 8.5 mm [ .334 in ] **Usage Conditions Operating Temperature Range (°C)** -25 – 70 **Industry Standards UL Flammability Rating** UL 94V-0

Packaging Features

Packaging Quantity 1000

Packaging Method Box & Carton

PRODUCT COMPLIANCE



Statement of Compliance

# **Statement of Compliance**

PDF