

## **CRIMP RINGS & SPADES**





**PRODUCT DRAWING** 



3D PDF

TE CONNECTIVITY (TE)

**TERMINAL, PIDG R 16-14 5/16** 

8-320575-1

TE Internal Number: 8-320575-1

Always EU RoHS/ELV Compliant

Terminal Shape Ring Tongue

Stud Diameter 7.92 mm [ .312 in ]

Tongue Thickness .84 mm [ .033 in ]

Sealed No

Heavy Duty No



**Product Drawings** 

TERMINAL, RING TONGUE, P.I.D.G. WIRE SIZE: 16-14 AWG

PDF English

**CAD Files** 

3D PDF

PDF **3D** 

Customer View Model

2D\_DXF.ZIP English

**Customer View Model** 

3D\_IGS.ZIP English

Customer View Model

3D\_STP.ZIP English

**Product Specifications** 

Application Specification

Pre-Insulated Diamond Grip (PIDG) Terminals, Splices, And End Caps

PDF English

## Product Environmental Compliance

TE Material Declaration

MD\_8-320575-1\_05022015511\_dmtec

PDF **English** 

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Sealed	No
	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	Yes
	Insulated Wire Support	Yes
	Support Style	Insulation Support
	Stud Size	M8, 5/16
	Shape Code	RING-041
	Barrel Style	Standard
Configuration Features	Number of Holes	1
Electrical Characteristics	Voltage (Max) (V)	300
3ody Features	Plating Material	Copper, Tin
	Insulation Material	Nylon
	Weight per Piece (g)	1.305
	Insulation Type	Pre-insulated
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter	7.92 mm [ .312 in ]
	Tongue Thickness	.84 mm [ .033 in ]
	Wire Insulation Diameter (Max)	3.81 mm [ .15 in ]
	Wire Insulation Diameter (in)	.105 – .15
	Wire Size (AWG)	16 – 14
	Wire Size (mm²)	1.25 – 2
	Wire Size (CMA)	2050 – 5180
	Overall Length (in)	1.078

Barrel Inside Diameter (Min) (in	Barrel Insi	de Diameter	(Min)	(in)
----------------------------------	-------------	-------------	-------	------

.153

Operation/Application	Heavy Duty	No
Industry Standards	Government Qualified	No
Packaging Features	Packaging Method Packaging Quantity	Loose Piece
Other	Barrel Color	Blue

Statement of Compliance PDF Product Compliance

VIEW ALL PRODUCT COMPLIANCE

