



Search by Keyword or Part #

Check Pricing & Availability

Search for Tooling Product Feature Selector

Contact Us About This Product

Ouick Links

Products Industries Resources About TE **Support Center**

<u>Home > Products > Switches & Knobs > Product Feature Selector > Product Details</u>

1825910-1 Product Details

<u> Have a Question? Chat with a Product Information Specialist</u>

Product Photo

Pushbutton Switches

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Switch
- Tactile
- Single Pole Single Throw Configuration (Pole-Throw)
- Contact Rating = 50mA
- Operating Function = Off [On]

View all Features

TE Interna<u>l Nu</u>mber: 1825910-1 Active

1825910-1

Add to My Part List

Request Sample

Find Similar Products

Additional Information:

Buy Product

Related Products:

Tooling

Documentation & Additional Information

Product Drawings:

SWITCH, THRU-HOLE HIGH TEMP (PDF, English)

Catalog Pages/Data Sheets:

• SWITCHES CORE PROGRAM CATALOG (PDF, English)

Product Specifications:

Application Specifications:

None Available

Instruction Sheets:

CAD Files:

None Available

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Switch
- Tactile = Yes
- Configuration (Pole-Throw) = Single Pole Single Throw
- Mount Angle = Vertical
- Termination Type = Printed Circuit
- Actuator Style = Round

Electrical Characteristics:

Contact Rating = 50mA

Body Related Features:

- Series = FSM
- Mount Style = Through-Hole
- Actuator Length (mm [in]) = 0.70 [0.028]
- Actuator Profile = Extended
- Actuator Color = Brown
- Case Material = Nylon
- Actuator Material = PBT

Contact Related Features:

Contact Plating = Silver

Housing Related Features:

- Process Sealed = No
- Low Profile = No

Configuration Related Features:

- Operating Function = Off [On]
- Ganged = No

List all Documents

- ESD Grounding Terminal = Without
- Actuator Force (g [oz]) = 100.00 [3.530]
- Number of Actuators = Single
- Illuminated = No
- Dust Proof = No
- Support Bracket = Without
- · Snap Action = Without

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:
• Temperature Rating = High

Packaging Related Features:

Packaging Method = Loose Piece

Other:

- Brand = Alcoswitch
- Comment = (On) indicates momentary position.

🟮 BOOKMARK 📲 😭 🧦 ...)

Corporate Information

Who We Are Investors News Room Supplier Portal

Careers

Quick Links

Check Distributor Inventory

Cross Reference

Find Documents & Drawings Product Compliance Support Center

Site Map

Customer Support

Email or Chat with Us Find a Phone Number Search Knowledge Base Manage Your Account

Sign up for our eNewsletter

Enter your email address

Follow Us On:

Twit Face Flick Link You'

Visit Us On: 🔀

© 2010 Tyco Electronics All Rights Reserved | Privacy Policy

Provide Website Feedback