

+ RELAYS, CONTACTORS & SWITCHES

DIP & SIP SWITCHES



Pending Obsolescence

TE CONNECTIVITY (TE)

GDP08STR04=PIANO DIP,SMT,T&R

Alcoswitch | Alcoswitch DIP , Alcoswitch DIP GDP

1-1571998-6

TE Internal Number: 1-1571998-6

Alias ID: GDP08STR04

EU RoHS Compliant EU ELV Compliant

Product Type Switch

Contact Mating Area Plating Material Gold

Housing Color Black

Housing Material Polyphenylene Sulfide (PPS)

Auto-Insertable No



PRODUCT DRAWING

DOCUMENTATION Product Drawings DIP SWITCH ASSEMBLY GDP SERIES PDF **English** Catalog Pages/Data Sheets SWITCHES_CORE_PROGRAM_CATALOG PDF **English**

FEATURES

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity. **Product Type Features Product Type** Switch **Sealed** Yes **Switch Type DIP Actuator Style** Piano (Side Actuated) **Configuration Features** Number of Switches 8 Configuration (Pole-Throw) Single Pole - Single Throw Number of Positions 8 **Electrical Characteristics** Voltage Rating (VDC) 50 **Body Features Actuator Color** White **Seal Type** Tape **Contact Features Contact Mating Area Plating Material** Gold Auto-Insertable No Contact Current Rating (A) .1 **Contact Base Material** Copper Alloy Contact Mating Area Plating Thickness (µin) 10 **Solder Tail Contact Plating** Gold over Nickel **Termination Features Termination Post Length** 3.56 mm [.14 in] Mechanical Attachment **Mounting Type** Surface Mount **Mounting Angle** Vertical **Housing Features Housing Color** Black Housing Material Polyphenylene Sulfide (PPS) Centerline 2.54 mm [.1 in] **Dimensions Length** 22.29 mm [.877 in] **Height** 7.7 mm [.3 in]

Downloaded from Arrow.com.

Usage Conditions

Operating Temperature Range (°C) -30 – 85

Industry Standards

UL Flammability Rating UL 94V-0

Packaging Features

Packaging Quantity 450

Packaging Method Tape & Reel

PRODUCT COMPLIANCE

+

Statement of Compliance

Statement of Compliance

PDF