



+ RELAYS, CONTACTORS & SWITCHES
SLIDE SWITCHES



✓ Active

TE CONNECTIVITY (TE)
STS1300RA04=SP3T R/A SLIDE SWITCH

Alcoswitch | STS

1825162-1
TE Internal Number: 1825162-1
Alias ID: STS1300RA04

- EU RoHS Compliant
- EU ELV Compliant
- Configuration (Pole-Throw) Single Pole - Three Throw
- Mounting Angle Right Angle
- Contact Base Material Copper Alloy
- Number of Actuators Single
- Number of Positions 3

↓ PRODUCT DRAWING
English

DOCUMENTATION

Product Drawings

SLIDE SWITCH, STS1300RA & STS1400RA SERIES

PDF (TIFF AVAILABLE)

English

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Terminal Configuration Standard
Switch Style Low Profile
Actuator Style Top
Product Type Switch
Switch Type Slide
Grade Economy
Threaded Case Without

Configuration Features

Configuration (Pole-Throw) Single Pole - Three Throw
Number of Actuators Single
Number of Positions 3
Terminals Connected 1-2

Body Features

Actuator Color Black
Actuator Material POM
Actuator Travel 2.5 mm [.098 in]

Contact Features

Contact Base Material Copper Alloy
Contact Current Rating (A) .25
Contact Plating Silver

Termination Features

Termination Type PC

Mechanical Attachment

Mounting Angle Right Angle
Mounting Type Through Hole
PCB Mount Retention Type Solder Tail
PCB Mount Retention With

Dimensions

Length 15.5 mm [.6102 in]
Width 6.1 mm [.2402 in]
Actuator Length 4 mm [.15748 in]
PCB Tail Length 2.3 mm [.091 in]

Industry Standards

UL Flammability Rating UL 94-HB

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance
PDF

