

a) Part as supplied

204W221



b) Part after unrestricted recovery.



DIMENSIONS (in millimetres).

	H	+	,	J	Р	R	T	U	X	JO	HW	JW
Part	Min	Max	Min	Max	±10%	±10%	±10%	±10%	±10%	±10%	±20%	±20%
Number	а	b	а	b	b	b	b	b	b	b	b	b
204W221	11	9.3	11	2.1	19	6.5	1.5	0.55	2.4	6.6	1.0	0.5

Copyright (!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condotion that it is not copied, reproduced or disclosed to a third porty, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY.

Checked &

lssue

Date October 2000


Conforms to ISO Recommendations
3rd Angle Projection
Not to Scale

Approval Design



lss.	Date	E.C.R. No.	Details of Change
2	October 2000	CR00-HM-0014	Ha was 9.8

Ordering Information



COMPATIBILITY CHART

MATERIAL DASH NUMBER	MATERIAL DESCRIPTION	COATING SLASH NUMBER
-3	POLYOLEFIN, SEMI-RIGID	/42 ,/86
-4	POLYOLEFIN, FLEXIBLE	/42 ,/86
-25	ELASTOMER, FLUID RESISTANT	/86, /225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	/42, /86

AS SUPPLIED DIMENSIONS ARE FOR UNCOATED PARTS, WHEN COATING IS ADDED, ENTRY DIAMETERS WILL REDUCE BY 1.5mm MAX.

Raychem Wire & Harness a Division of Tyco Electronics Facaday Road, Swindon, Wiltshire, England. SN3 5JA Telephone: (01793) 528171 Fax: 572516 Raychem Wire & Harness a Division of Tyco Electronics 300, Constitution Drive, Menlo Park, California 94025-1164, USA Telephone (650) 361-3333 Fax: (650) 361-5579