


Specification Control Drawing


Raychem

a) Part as supplied.

382A012-*-G05



b) Part after unrestricted recovery.



DIMENSIONS	in millimetres	
	{in inches.for reference	ce}

	Н		J		K		Р	R	HW	JW	KW
Part No.	Min	Max	Min	Max	Min	Max	±10%	±10%	±20%	±20%	±20%
	а	b 	а	b	а	b 	b	b 	b	b	b
382A012-*-G05	13 (0.51)	6.1 (0.24)	9 (0.35)	3.3 (0.13)	9 (0.35)	3.3 (0.13)	22 (0.87)	19 (0.75)	1.5 (0.06)	1.0 (0.04)	1.0 (0.04)

This is an overexpanded variant
Modified dimensions are shown thus:- #

Copyright (!)

Approval

Design

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY. Checked Issue 4 Date November 2006 Conforms to ISO Recommendations


MKTG. Q.A.

3rd Angle Projection

Not to Scale

Raychem	Specificati Control Dr	on	Number $382A012-{\mbox{*-}G05}$ Issue 4
Iss. Date	E.C.R. No.	Details	of Change
3 August 2002	5251 **** CR06-HM-012	Ja & Ka was Redrawn Imperial din	7.0 mensions added

(Ordering Information)



COMPATIBILITY CHART

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	/42 ,/86, /180
-4	POLYOLEFIN, FLEXIBLE	RT-1304 RT-1050	/42 ,/86, /180
-6	SILICON	RT-602, RK-6706	N/A
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/42, /86, /225
-100	ZERO HALOGEN	RT-1323, RK-6717	/86, /180
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

NOTES

1) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Tyco Electronics UK Ltd.	Tyco Electronics Corporation
Faraday Road,	300, Constitution Drive,
Swindon, Wiltshire, SN3 5HH	Menlo Park, CA 94025
England	USA
Telephone: (01793) 528171 Fax: 572516	Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090