# 1825006-8 ✓ ACTIVE

### Alcoswitch | Alcoswitch DIP, Alcoswitch DIP GDS

TE Internal #: 1825006-8


Alcoswitch DIP, DIP & SIP Switches, Switch, Gold, Black Housing Color, Polyphenylene Sulfide (PPS), Auto-Insertable, Sealed, 4

Switch

View on TE.com >



Relays, Contactors & Switches > Switches > DIP & SIP Switches



Product Type: Switch

Contact Mating Area Plating Material: Gold

Housing Color: Black

Housing Material: Polyphenylene Sulfide (PPS)

Auto-Insertable: Yes

### **Features**

### **Product Type Features**

Product Type	Switch
Sealed	Yes
Switch Type	DIP
Actuator Style	Slide
Configuration Features	

Number of Positions	4

Number of Switches 4

Configuration (Pole-Throw) Single Pole - Single Throw

#### **Electrical Characteristics**

Voltage Rating	50 VDC	

### **Body Features**

Seal Type	Tape
Actuator Color	White

#### **Contact Features**

Solder Tail Contact Plating	Gold over Nickel
	10 μin
Contact Mating Area Plating Material	Gold
Auto-Insertable	Yes



Contact Current Rating	.1 A
Contact Base Material	Copper Alloy
Termination Features	
Termination Style	Outside L
Termination Post Length	4.3 mm[.169 in]
Mechanical Attachment	
Mounting Angle	Vertical
Mounting Type	Surface Mount
Housing Features	
Low Profile	Yes
Housing Color	Black
Housing Material	Polyphenylene Sulfide (PPS)
Centerline	2.54 mm[.1 in]
Dimensions	
Height	2.7 mm[.106 in]
Length	10.01 mm[.394 in]
Usage Conditions	
Operating Temperature Range	-30 – 85 °C
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Tape & Reel
Packaging Quantity	1000

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209)



Doos	not co	ntain	<b>REACH</b>	SV/HC
DOES	not co	ntain	KFACH	SVHU

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

#### Solder Process Capability

Reflow solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**











Also in the Series | Alcoswitch DIP






DIP & SIP Switches(256)



Rotary Switches(34)



# Also in the Series | Alcoswitch DIP GDS



# Customers Also Bought





















# **Documents**

# **Product Drawings**

GDS04STR04=DIP SW,SLIDE,SMT,TR

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1825006-8\_O.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1825006-8\_O.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1825006-8\_O.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SWITCHES\_CORE\_PROGRAM\_CATALOG

English