

VGA Monitor Extension Cable, 640x480 (HD15 M/F), 6 ft.

MODEL NUMBER: P510-006



Description

Tripp Lite's VGA monitor extension cable will extend the reach of a monitor cable by an additional 6ft. Gold plated connectors and gold plated copper contacts ensure excellent conductivity. Shielded for maximum EMI/RFI protection. The HD15 male and HD15 female connectors are molded and have integral strain relief to ensure they last a long time.

Note: For monitors with resolutions up to 640x480 only (VGA Std). For higher resolution monitors, please use P500-006.

Features

- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- · Gold plated connectors and gold plated copper contacts ensure excellent conductivity
- HD15 male to HD15 female molded connectors

Specifications

OVERVIEW	
UPC Code	037332012326
INPUT	
Cable Length (ft.)	6
Cable Length (m)	1.8
PHYSICAL	
Color	Black
Shipping Dimensions (hwd / cm)	21.59 x 17.53 x 1.27

Highlights

 Superior molded cables with foilshielding for maximum EMI/RFI protection

System Requirements

 Monitor with HD15 cable and resolution of 640x480 or less.

Package Includes

6-ft. VGA Monitor Extension
Gold Cable HD15F to HD15M



ſ		
Shipping Dimensions (hwd / in.)	8.50 x 6.90 x 0.50	
Shipping Weight (kg)	0.14	
Shipping Weight (lbs.)	0.30	
CONNECTIONS		
Side A - Connector 1	HD15 (MALE)	
Side B - Connector 1	HD15 (FEMALE)	
FEATURES & SPECIFICATIONS		
Technology	VGA/SVGA	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies