

## Protect It! 230V Surge Protector with 5Schuko Type F Outlets, 1M Cord, 280 Joules, German plug, Diagnostic LED

MODEL NUMBER: TLP51D



### Highlights

- 5 safety outlets
- 1 m cord
- "Protected" LED
- 280 joule rating

### Package Includes

- TLP51D surge suppressor
- Instruction manual and product warranty information

### Description

Tripp Lite's Protect It!™ TLP51D offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP51D offers 5 Schuko Type F outlets and a 1 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

### Features

- Protect It!™ TLP51D offers economical AC surge suppression
- 280 joules AC surge suppression shields equipment from surges and line noise
- 5 Schuko outlets protect computers and peripherals
- 1 m cord with German plug
- "Protected" LED
- Internal safety covers protect against accidental contact with unused outlets

## Specifications

OVERVIEW	
UPC Code	037332145338
OUTPUT	
Output (Watts)	2300
Output Receptacles	(5) Schuko Type F
Circuit Breaker (amps)	10



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
www.tripplite.com

Transformer Accommodation	(3) Yes
<b>INPUT</b>	
Nominal Input Voltage(s) Supported	230V AC
Recommended Electrical Service	230V (220-250V)
Voltage Compatibility (VAC)	220-250
Input Plug Type	German
Input Cord Length (ft.)	3
Right-Angle Plug	Yes
Input Cord Length (m)	0.91
Integrated Cord Clip	No
<b>USER INTERFACE, ALERTS &amp; CONTROLS</b>	
Diagnostic LED(s)	Yes
Diagnostic LED Details	Protected
<b>SURGE / NOISE SUPPRESSION</b>	
AC Suppression Joule Rating	280
Automatic Shut-Off	No
<b>DATALINE SURGE SUPPRESSION</b>	
Telephone/DSL Protection	No
Cable (Coax) Protection	No
Network (Ethernet) Protection	No
<b>PHYSICAL</b>	
Anti-Microbial Protective Coating	No
Color	Light Gray
Color (AC Line Cord)	Light Gray
Housing Color	Light grey
Integrated Keyhole Mounting Slots	No
Receptacle Color	Light gray
Shipping Dimensions (hwd / cm)	30.48 x 5.51 x 11.51
Shipping Dimensions (hwd / in.)	12.00 x 2.17 x 4.53
Shipping Weight (kg)	0.41
Shipping Weight (lbs.)	0.90
Unit Dimensions (hwd / cm)	26.49 x 4.01 x 5.08



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

Unit Dimensions (hwd / in.)	10.43 x 1.58 x 2
Unit Weight (kg)	0.39
Unit Weight (lbs.)	.87
<b>SPECIAL FEATURES</b>	
Rotatable Outlets	No
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>