



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Protect It! 230V Surge Protector with 8 French/Belgian Outlets, French Plug, 2280 Joules, Tel/Coax Protection

MODEL NUMBER: TLP82NSATF



Highlights

- 8 safety outlets
- 2 m cord
- Network protection
- 1 Line coax protection
- Protected/Grounded LED's
- 2280 joule rating

Package Includes

- TLP82NSATF surge suppressor
- 1.8 aerial cable and 2 aerial adapters
- 1.8 m gold coax cable
- 1.8 m network cable
- Instruction manual and warranty information

Description

Tripp Lite's Protect It!™ TLP82NSATF offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP82NSATF offers 8 French Type E outlets and a 2 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

Features

- Protect It!™ TLP82NSATF offers economical AC surge suppression
- 2280 joules AC surge suppression shields equipment from surges and line noise
- 8 French Type E outlets protects computers and peripherals
- 2 m cord with French plug
- Lighted ON/OFF switch with circuit breaker
- Protected/Grounded LED's
- Network Protection
- Coax Protection
- Aerial Adapters
- Internal safety covers protect against accidental contact with unused outlets

Specifications

| OVERVIEW | |
|----------|--------------|
| UPC Code | 037332145406 |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| OUTPUT | |
|---------------------------------------|------------------------|
| Output (Watts) | 2500 |
| Output Receptacles | (8) French/Belgian |
| Circuit Breaker (amps) | 10 |
| Transformer Accommodation | (5) Yes |
| INPUT | |
| Nominal Input Voltage(s) Supported | 230V AC |
| Recommended Electrical Service | 230V (220-250V) |
| Maximum Input Amps | 10 |
| Voltage Compatibility (VAC) | 220-250 |
| Input Plug Type | French |
| Input Cord Length (ft.) | 6 |
| Right-Angle Plug | Yes |
| Input Cord Length (m) | 1.83 |
| Integrated Cord Clip | No |
| USER INTERFACE, ALERTS & CONTROLS | |
| Diagnostic LED(s) | Yes |
| Diagnostic LED Details | Protected and Grounded |
| SURGE / NOISE SUPPRESSION | |
| AC Suppression Joule Rating | 2280 |
| Automatic Shut-Off | No |
| DATALINE SURGE SUPPRESSION | |
| Telephone/DSL Protection | Yes |
| Cable (Coax) Protection | Yes |
| Cable (Coax) Protection Details | 1 line |
| Network (Ethernet) Protection | Yes |
| Network (Ethernet) Protection Details | 1 line |
| PHYSICAL | |
| Anti-Microbial Protective Coating | No |
| Color | Black |
| Color (AC Line Cord) | Black |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| | |
|-------------------------------------|---------------------------|
| Housing Color | Black |
| Integrated Keyhole Mounting Slots | No |
| Receptacle Color | Black |
| Shipping Dimensions (hwd / cm) | 37.59 x 19.05 x 5.72 |
| Shipping Dimensions (hwd / in.) | 14.80 x 7.50 x 2.25 |
| Shipping Weight (kg) | 1.04 |
| Shipping Weight (lbs.) | 2.30 |
| Unit Dimensions (hwd / cm) | 31.60 x 11.71 x 4.90 |
| Unit Dimensions (hwd / in.) | 12.44 x 4.61 x 1.93 |
| Unit Weight (kg) | 1.04 |
| Unit Weight (lbs.) | 2.3 |
| SPECIAL FEATURES | |
| Rotatable Outlets | No |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>